

# Ceiling Fans





# SIT BACK & RELAX

## WE'VE TAKEN CARE OF EVERYTHING

With a Kichler® Ceiling Fan, the beauty is in the flawless craftsmanship. From kitchen to living room ... master bedroom to sunroom, you'll discover designs that bring your style vision to life and features that make your ceiling fan easy to choose, easy to install and easy to own. Kichler makes it beautiful to escape the every day with fans that stand the test of time — and options that deliver more than you expect.

See more Kichler® ceiling fans and accessories in our main catalog K411, or go to [kichler.com](http://kichler.com)



Become a fan of Kichler Lighting at:  
[facebook.com](https://www.facebook.com/kichlerlighting)  
search Kichler Lighting




Follow us on  
[twitter.com/kichlerlight](https://twitter.com/kichlerlight)



Watch us on  
[youtube.com/KichlerLighting](https://www.youtube.com/KichlerLighting)



# Fan Visual Index



Light Fitters ..... S316  
 Light Fixtures ..... S318  
 Control Systems ..... S335

30° Slope Adapter..... S335  
 Specifications ..... S338

Light Bulb Reference ..... S342  
 Index..... S343



# Logan™

## CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300148 AP  
ANTIQUPE PEWTER FINISH SHOWN  
WITH LIGHT CHERRY BLADES  
AND ETCHED GLASS

300148 SNW  
SATIN NATURAL WHITE FINISH  
SHOWN WITH SATIN NATURAL  
WHITE BLADES AND ETCHED GLASS



S256

SEE MORE **KICHLER**® CEILING FANS AND ACCESSORIES  
IN OUR MAIN CATALOG K411, OR GO TO [KICHLER.COM](http://KICHLER.COM)








300148 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH WALNUT BLADES  
AND ETCHED GLASS

- ★ **MOTOR SIZE** 188mm x 15mm
- ★ **FINISH** AP: Antique Pewter with Reversible Cherry Blades  
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
SNW: Satin Natural White with Satin Natural White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4.5" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward and Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S336 in this catalog, and pages 222-225 in our full line catalog, K411.
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. Krypton T3 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime  
U.S. Patent Pending
- AIRFLOW** 5277 Cubic Ft. Per Minute on High • 66 Watts on High (Excludes Lights)
- AIRFLOW EFFICIENCY** 80 Cubic Ft. Per Minute Per Watt on High

**Fan Finish** — **Reversible Blade Finish**



AP - Light Cherry  
Blade Sample 11

AP - Dark Cherry  
Blade Sample 11

OBB - Medium Cherry  
Blade Sample 7

OBB - Walnut  
Blade Sample 7


SNW - Satin Natural White  
Blade Sample 22



52"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:  
WITH 4.5" DOWNROD  
A - 16.75" B - 10.75" C - 10.75"

Pull Chain  
Controls



Ridley™

CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS

Solid Wood Blades

300145 BSS  
BRUSHED STAINLESS STEEL FINISH  
WITH MEDIUM OAK STAINED SOLID  
WOOD BLADES AND ETCHED  
OPAL GLASS

S258

SEE MORE KICHLER® CEILING FANS AND ACCESSORIES  
IN OUR MAIN CATALOG K411, OR GO TO [KICHLER.COM](http://KICHLER.COM)



EACH RIDLEY™ CEILING FAN INCLUDES A METAL FIXTURE CAP FOR NON-LIGHT USE



300145 WH  
WHITE POWDER COAT FINISH  
WITH LIGHT OAK STAINED  
SOLID WOOD BLADES AND  
ETCHED OPAL GLASS



- ★ **MOTOR SIZE** 153mm x 18mm

---

- ★ **FINISH** **BSS:** Brushed Stainless Steel with Medium Oak Stained Wood Blades  
**WH:** White Powder Coat with Light Oak Stained Wood Blades

---

- ★ **BLADES** (3) Blades • 14° Blade Pitch • 52" Blade Sweep • Non-Reversible

---

- ★ **MOUNTING SLOPE - PITCH** 30° or 7/12

---

- ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)

---

- ★ **PRIMARY CONTROL SYSTEM** Basic Function CoolTouch™ Control System/  
Manual Reverse/Light On/Off (included)

---

- ★ **OPTIONAL CONTROLS** N/A

---

- ★ **DOWNLIGHT** Integrated. Uses (1) 100-W. Halogen JD-E-11 Lamp (Included)

---

- ★ **UPLIGHT** N/A

---

- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

---

- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

Fan Finish — Non-Reversible Blade Finish


BSS - Medium Oak  
Blade Sample N/A

WH - Light Oak  
Blade Sample N/A

52"

BLADE SWEEP

153 x 18mm Motor



HANGING MEASUREMENTS:  
WITH 6" DOWNROD  
A - 15.50" B - 12.50" C - 6.85"

Includes our  
Basic Function  
**CoolTouch™**  
Control System  
U.S. Patent Pending



- ★ Manual Reverse
- ★ Light On/Off, Plus Full Range Dimming
- ★ Motor Off

KICHLER® CEILING FANS S259





*Fitch*<sup>™</sup>

CEILING FAN COLLECTION

DÉCOR<sup>™</sup> CEILING FANS



300144 MCH  
MIDNIGHT CHROME FINISH SHOWN  
WITH SATIN BLACK BLADES AND  
ETCHED OPAL GLASS



300144 SNW  
SATIN NATURAL WHITE  
FINISH SHOWN WITH SATIN  
NATURAL WHITE BLADES  
AND ETCHED OPAL GLASS

S260

SEE MORE **KICHLER**<sup>®</sup> CEILING FANS AND ACCESSORIES  
IN OUR MAIN CATALOG K411, OR GO TO **KICHLER.COM**





300144 BSS  
BRUSHED STAINLESS STEEL  
FINISH SHOWN WITH LIGHT OAK  
BLADES AND ETCHED OPAL GLASS



300144 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH CHERRY BLADES  
AND ETCHED OPAL GLASS

Fan Finish — Reversible Blade Finish



- ★ **MOTOR SIZE** 172mm x 17mm
- ★ **FINISH** BSS: Brushed Stainless Steel with Reversible Oak Blades  
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
MCH: Midnight Chrome with Satin Black Blades  
SNW: Satin Natural White with Satin Natural White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4.5" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Basic Function CoolTouch™ Control System/  
Manual Reverse/Light On/Off (included)
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. Krypton T3 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending


**AIRFLOW** 4751 Cubic Ft. Per Minute on High • 61 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 78 Cubic Ft. Per Minute Per Watt on High



52"

BLADE SWEEP

172 x 17mm Motor



**HANGING MEASUREMENTS:**  
WITH 4.5" DOWNROD  
A - 16.25" B - 10.50" C - 9.75"

Includes our  
Basic Function  
**CoolTouch™**  
Control System  
U.S. Patent Pending



- ★ 3 Speeds – Manual Reverse
- ★ Light On/Off, Plus Full Range Dimming
- ★ Motor Off

Riggs™  
CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

300143 OBB  
OIL BRUSHED BRONZE™  
FINISH WITH CLEAR OIL  
BRUSHED BRONZE BLADES  
AND ETCHED OPAL GLASS



300143 BSS  
BRUSHED STAINLESS STEEL FINISH  
WITH CLEAR CHAMPAGNE BLADES  
AND ETCHED OPAL GLASS



S262

SEE MORE KICHLER® CEILING FANS AND ACCESSORIES  
IN OUR MAIN CATALOG K411, OR GO TO [KICHLER.COM](http://KICHLER.COM)





HIGH  
EFFICIENCY  
**DC**  
MOTOR



300143 WH  
WHITE POWDER COAT FINISH  
WITH CLEAR WHITE/SILVER  
BLADES AND ETCHED  
OPAL GLASS



- ★ **MOTOR SIZE** 125mm x 65mm High Efficiency DC

---

- ★ **FINISH** **BSS:** Brushed Stainless Steel with Clear Champagne Blades  
**OBB:** Oil Brushed Bronze™ with Clear Oil Brushed Bronze™ Blades  
**WH:** White Powder Coat with Clear White/Silver Blades

---

- ★ **BLADES** (3) Blades • 18° Blade Pitch • 44" Blade Sweep • Non-Reversible

---

- ★ **MOUNTING SLOPE - PITCH** 30° or 7/12

---

- ★ **DOWNRODS** Includes 6" Downrod with 1" (O.D.)

---

- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ 6 Speed DC Control System (Included)

---

- ★ **OPTIONAL CONTROLS** N/A


---

- ★ **DOWNLIGHT** Integrated. Uses (1) E-12, 75-W. G-16.5 Lamp (Included)

---

- ★ **UPLIGHT** N/A

---

- ★ **LEAD WIRE** 78" ★ **ETL LISTED** Indoor 


---

- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime



**44"**

BLADE SWEEP  
125 x 65mm DC Motor



HANGING MEASUREMENTS:  
WITH 6" DOWNROD  
A - 19.75" B - 15.25" C - 6.50"

Includes our  
**CoolTouch™**  
**6-speed DC**  
**Control System**  
U.S. Patent Pending



- ★ 6 Speeds - Forward & Reverse
- ★ Light On/Off, Plus Full Range Dimming
- ★ Motor Off

# Vance™

## CEILING FAN & LIGHTING COLLECTION

DÉCOR™ CEILING FANS



300142 BSS  
BRUSHED STAINLESS STEEL  
FINISH SHOWN WITH MEDIUM  
OAK BLADES AND WHITE  
ETCHED GLASS



300142 SNW  
SATIN NATURAL WHITE FINISH  
SHOWN WITH SATIN NATURAL  
WHITE BLADES AND WHITE  
ETCHED GLASS






300142 PN  
POLISHED NICKEL FINISH  
SHOWN WITH SAPELLE BLADES  
AND WHITE ETCHED GLASS



300142 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH WALNUT BLADES  
AND WHITE ETCHED GLASS

Fan Finish — Reversible Blade Finish



- ★ **MOTOR SIZE** 188mm x 25mm
- ★ **FINISH** BSS: Brushed Stainless Steel with Reversible Oak Blades  
OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
PN: Polished Nickel with Reversible Maple/Sapelle Blades  
SNW: Satin Natural White with Satin Natural White Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 54" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE - PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 8" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ Control System (Included)
- ★ **OPTIONAL CONTROLS** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. Krypton T3 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 4835 Cubic Ft. Per Minute on High • 30 Watts on High (Excludes Lights)


**AIRFLOW EFFICIENCY** 161 Cubic Ft. Per Minute Per Watt on High



54"

BLADE SWEEP

188 x 25mm Motor



HANGING MEASUREMENTS:  
WITH 8" DOWNROD  
A - 18.50" B - 11.75" C - 14.50"

Includes our  
**CoolTouch™**  
Control System  
U.S. Patent Pending

- ★ 3 Speeds – Forward & Reverse
- ★ Light(s) On/Off plus Full Range Dimming
- ★ Motor Off





# Arkwright™

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

300146 AP  
ANTIQUE PEWTER FINISH MOTOR  
ASSEMBLY SHOWN WITH 58" CLEAR  
BLACK POLYCARBONATE BLADES  
(SOLD SEPARATELY)

In four steps you can completely customize Arkwright to your personal style: simply choose the fan body finish, light kit, blade material and blade length.





300146 WH  
WHITE FINISH MOTOR ASSEMBLY SHOWN WITH  
58" CLEAR SILVER SPECK POLYCARBONATE  
BLADES (SOLD SEPARATELY)



300146 PN  
POLISHED NICKEL FINISH MOTOR  
ASSEMBLY SHOWN WITH 58" SAPELLE  
BLADES (SOLD SEPARATELY)



- ★ **MOTOR SIZE** 125mm x 65mm High Efficiency DC Motor
- ★ **FINISH** AP: Antique Pewter Motor Assembly  
PN: Polished Nickel Motor Assembly  
WH: White Powder Coat Motor Assembly

- ★ **BLADES** (3) Blades • 13° Blade Pitch • MULTIPLE Blade Sweep Options  
Sold Separately, See Page S269

- ★ **MOUNTING SLOPE - PITCH** 30 or 7/12

- ★ **DOWNRODS** Includes 4" Downrods with 1" (O.D.)

- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ 6 Speed DC Control System (Included)

- ★ **OPTIONAL CONTROL SYSTEM** N/A

- ★ **UPLIGHT** N/A

- ★ **DOWNLIGHT** Optional Incandescent Light Fixture – 380047AP/PN/WH  
Optional Fluorescent Light Fixture – 380046AP/PN/WH

- ★ **LEAD WIRE** 78" ★ **ETL LISTED** Indoor

- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**58" PLYWOOD BLADES – AIRFLOW** 6421 Cubic Ft. Per Minute on High • 32 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 200 Cubic Ft. Per Minute Per Watt on High


**58" POLYCARBONATE BLADES – AIRFLOW** 6848 Cubic Ft. Per Minute on High • 32 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 215 Cubic Ft. Per Minute Per Watt on High



## 38", 48" & 58"

BLADE SWEEP

125 x 65mm DC Motor



HANGING MEASUREMENTS:  
WITH 4" DOWNROD  
A - 15.25" B - 12.75" C - 7.50"

Includes our  
**CoolTouch™**  
**6 Speed DC**  
**Control System**  
U.S. Patent Pending

- ★ 6 Speeds – Forward & Reverse
- ★ Light(s) On/Off
- ★ Motor Off



### OPTIONAL LIGHT FIXTURES



**Incandescent**  
380047 AP, PN, WH  
(1) E-11, 100-W Halogen,  
2.07" H x 7.48" D,  
Lamp Included



**Fluorescent**  
380046 AP, PN, WH  
(1) 13-W, GU24, CFL  
Lamp, 3.48" H x 7.48" D,  
Lamp Included

# Arkwright™

## ORDERING GUIDE

Step **1** Choose motor assembly in one of three finishes.

Step **2** Choose optional matching light kit to match fan finish.



Antique Pewter  
300146AP



380047 AP  
Incandescent

OR



380046 AP  
Fluorescent



Polished Nickel  
300146PN



380047 PN  
Incandescent

OR



380046 PN  
Fluorescent



White  
300146WH



380047 WH  
Incandescent

OR



380046 WH  
Fluorescent

**Fan Body Finish**

**Optional Light Kit  
Incandescent**

**Optional Light Kit  
Fluorescent**

Antique Pewter 300146 AP

380047 AP

380046 AP

Polished Nickel 300146 PN

380047 PN

380046 PN

White 300146 WH


380047 WH

380046 WH





Step **3** Choose blade material (wood or polycarbonate), and finish.

Wood Reversible Blade Sets






Polycarbonate Non-Reversible Blade Sets



Step **4** Choose blade length (38", 48" or 58").

3 Blade Lengths to Choose from



Ordering Example

If you chose the Antique Pewter fan body, order 300146 AP.

*Then*

You might order the matching Fluorescent Light Kit, order 380046 AP.

*Then*

Finally, you choose the Polycarbonate Clear Black 58" Blade Sets, order 370030 AP.



300146 AP

+



380046 AP

+



370030 AP



**Blade Material & Finish**

**Blade Length**


	38"	48"	58"
Reversible Wood Cherry Blades	370025 AP	370026 AP	370027 AP
Reversible Wood Maple/Sapelle Blades	370025 PN	370026 PN	370027 PN
Reversible Wood White Blades	370025 WH	370026 WH	370027 WH
Polycarbonate Clear Black Blades	370028 AP	370029 AP	370030 AP
Polycarbonate Clear Champagne Blades	370028 PN	370029 PN	370030 PN
Polycarbonate Clear Silver Speck Blades	370028 WH	370029 WH	370030 WH

# Arkwright

## CEILING FAN COLLECTION

DÉCOR™ CEILING FANS

Customize...personalize...accessorize —  
Arkwright puts design control in your hands.



300146 AP  
ANTIQUPE PEWTER FINISH  
MOTOR ASSEMBLY SHOWN WITH  
38" LIGHT CHERRY BLADES  
(SOLD SEPARATELY)



300146 PN  
POLISHED NICKEL FINISH  
MOTOR ASSEMBLY SHOWN  
WITH 58" SAPELE BLADES  
(SOLD SEPARATELY)



300146 WH  
WHITE FINISH MOTOR  
ASSEMBLY SHOWN WITH  
38" WHITE BLADES  
(SOLD SEPARATELY)



300146 PN  
POLISHED NICKEL FINISH MOTOR  
ASSEMBLY SHOWN WITH INCANDESCENT  
LIGHT FIXTURE AND 48" CLEAR CLEAR  
CHAMPAGNE BLADES (SOLD SEPARATELY)



300146 AP  
ANTIQUPE PEWTER FINISH MOTOR  
ASSEMBLY SHOWN WITH FLUORESCENT  
LIGHT FIXTURE AND 48" CLEAR BLACK  
BLADES (SOLD SEPARATELY)



300146 AP  
ANTIQUPE PEWTER FINISH MOTOR  
ASSEMBLY SHOWN WITH 48"  
LIGHT CHERRY BLADES  
(SOLD SEPARATELY)



300146 PN  
POLISHED NICKEL FINISH MOTOR  
ASSEMBLY SHOWN WITH 38" MAPLE  
BLADES (SOLD SEPARATELY)



300146 AP  
ANTIQUE PEWTER FINISH MOTOR  
ASSEMBLY SHOWN WITH 58"  
CHERRY BLADES (SOLD SEPARATELY)



300146 WH  
WHITE FINISH MOTOR ASSEMBLY  
SHOWN WITH FLUORESCENT LIGHT  
FIXTURE AND 48" CLEAR SILVER  
SPECK BLADES (SOLD SEPARATELY)



300146 PN  
POLISHED NICKEL FINISH MOTOR  
ASSEMBLY SHOWN WITH 38" CLEAR  
CHAMPAGNE BLADES (SOLD SEPARATELY)



300146 AP  
ANTIQUE PEWTER FINISH MOTOR  
ASSEMBLY SHOWN WITH INCANDESCENT  
LIGHT FIXTURE AND 38" CLEAR BLACK  
BLADES (SOLD SEPARATELY)



300146 WH  
WHITE FINISH MOTOR ASSEMBLY  
SHOWN WITH 58" CLEAR SILVER  
SPECK BLADES (SOLD SEPARATELY)

# 42" Rivetta™ II

CEILING FAN COLLECTION

DÉCOR™ CEILING FANS



300147 MCH  
MIDNIGHT CHROME FINISH  
SHOWN WITH CLEAR BLACK  
BLADES AND ETCHED CASED  
OPAL GLASS



300147 BSS  
BRUSHED STAINLESS STEEL  
FINISH SHOWN WITH CLEAR  
CHAMPAGNE BLADES AND  
ETCHED CASED OPAL GLASS



S272


SEE MORE KICHLER® CEILING FANS AND ACCESSORIES  
IN OUR MAIN CATALOG K411, OR GO TO [KICHLER.COM](http://KICHLER.COM)





300147 OBB  
OIL BRUSHED BRONZE™ FINISH SHOWN WITH CLEAR OIL BRUSHED BRONZE™ BLADES AND ETCHED CASED OPAL GLASS

EACH RIVETTA™ II CEILING FAN INCLUDES A METAL FIXTURE CAP FOR NON-LIGHT USE



300147 WH  
WHITE POWDER COAT FINISH SHOWN WITH CLEAR WHITE/SILVER BLADES AND ETCHED CASED OPAL GLASS

- ★ **MOTOR SIZE** 125mm x 65mm High Efficiency DC
- ★ **FINISH** **BSS:** Brushed Stainless Steel with Clear Champagne Blades  
**MCH:** Midnight Chrome with Clear Black Blades  
**OBB:** Oil Brushed Bronze™ with Clear Oil Brushed Bronze™ Blades  
**WH:** White Powder Coat with Clear White/Silver Blades
- ★ **BLADES** (4) Blades • 14° Blade Pitch • 42" Blade Sweep • Non-Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** CoolTouch™ 6 Speed DC Control System (Included)
- ★ **OPTIONAL CONTROLS** N/A
- ★ **DOWNLIGHT** Integrated. Uses (1) 100-W. Halogen JDE Lamp (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **ETL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

**AIRFLOW** 5010 Cubic Ft. Per Minute on High • 29 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 172 Cubic Ft. Per Minute Per Watt on High



42"

BLADE SWEEP  
125 x 65mm DC Motor



HANGING MEASUREMENTS:  
WITH 4" DOWNROD  
A - 13.75" B - 9.75" C - 9.50"

Includes our **CoolTouch™ 6 speed DC Control System**  
U.S. Patent Pending

- ★ 6 Speeds – Forward & Reverse
- ★ Light(s) On/Off plus Full Range Dimming
- ★ Motor Off





# HOW TO CHOOSE THE RIGHT FAN

## WHAT SIZE FAN DOES YOUR ROOM REQUIRE?

The best rule of thumb is to go as large as your room can accommodate; for maximum airflow, you want at least 18 inches of clearance between the edge of the blade and your wall or ceiling. Here are a few suggestions to guide you:

Room size	Room type	Blade Sweep
90 square feet or less	<ul style="list-style-type: none"><li>• Small bedroom or office</li><li>• Galley kitchen</li></ul>	42"
90 to 100 square feet	<ul style="list-style-type: none"><li>• Over a kitchen table</li><li>• Breakfast nook</li><li>• Small screened-in porch</li><li>• Intimate dining room</li></ul>	44" and 46"
100 to 150 square feet	<ul style="list-style-type: none"><li>• Most bedrooms</li><li>• Most larger kitchens</li><li>• Formal dining room</li></ul>	52" and 54"
Over 150 square feet	<ul style="list-style-type: none"><li>• Great room</li><li>• Large outdoor patio</li><li>• Master suite</li></ul>	56" to 70" or multiple fans

### A few additional tips:

- Larger rooms can often accommodate more than one ceiling fan. For example, a great room measuring 30' x 15' could easily handle two 52" ceiling fans.
- You'll notice every Kichler® ceiling fan lists its blade sweep and downrod options. Most Kichler ceiling fans are sold with downrods to accommodate 8' ceilings (4" to 6" downrod) or 9' ceilings (12" downrod). If your ceiling is higher, refer to the Main Catalog page 233 for matching downrod options.
- All Kichler stem mounted ceiling fans can be installed on sloped ceilings, no greater than 20°. See the Main Catalog page 230 for additional slope adaptor options up to 60°.





**KICHLER**  
LIGHTING






# 70" Monarch™

CEILING FAN COLLECTION


SELECT™ CEILING FANS




300106 AP **NEW FINISH**  
ANTIQUE PEWTER FINISH  
SHOWN WITH LIGHT  
CHERRY BLADES





- ★ **MOTOR SIZE** 165mm x 69mm High Efficiency DC
- ★ **FINISH** AP: Antique Pewter with Reversible Cherry Blades
- ★ **BLADES** (5) Blades • 14° Blade Pitch • 70" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 8" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** AP Finish Includes CoolTouch™  
6-Speed DC Control System
- ★ **OPTIONAL CONTROLS** N/A
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S316-S334 in this catalog,  
and pages 200-221 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **ETL LISTED** Indoor 
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime  
U.S. Patent Pending
- AIRFLOW** 5759 Cubic Ft. Per Minute on High • 31 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 188 Cubic Ft. Per Minute Per Watt on High


Fan Finish — Reversible Blade Finish



70"

BLADE SWEEP

165 x 69mm DC Motor



**HANGING MEASUREMENTS:**  
WITH 8" DOWNROD  
A - 18.50" B - 8.00" C - 16.50"

AP finish includes our **CoolTouch™ 6 Speed DC Control System**  
U.S. Patent Pending

- ★ 6 Speeds – Forward & Reverse
- ★ Light(s) On/Off plus Full Range Dimming
- ★ Motor Off



# 52" Canfield™ Pro

CEILING FAN COLLECTION

SELECT™ CEILING FANS



337016 ADC  
ADOBE CREAM™ FINISH SHOWN  
WITH SATIN-ETCHED GLASS  
AND ADOBE CREAM™ BLADES



337016 BSS  
BRUSHED STAINLESS STEEL FINISH  
SHOWN WITH SATIN-ETCHED GLASS  
AND LIGHT OAK BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S280-S281.



**Fan Finish — Reversible Blade Finish**



**ADC - Adobe Cream™**  
Blade Sample 31

**ADC - Maple**  
Blade Sample 31

**BSS - Light Oak**  
Blade Sample 35

**BSS - Medium Oak**  
Blade Sample 35

**NI - Maple**  
Blade Sample 13

**NI - Marive Cherry**  
Blade Sample 13

**OBB - Cherry**  
Blade Sample 7

**OBB - Walnut**  
Blade Sample 7

**SNW - Satin Natural White**  
Blade Sample 22

**TZ - Cherry**  
Blade Sample 19

**TZ - Teak**  
Blade Sample 19

**WH - White**  
Blade Sample 20

- ★ **MOTOR SIZE** 172mm x 20mm
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream™/Maple Blades  
**BSS:** Brushed Stainless Steel with Reversible Oak Blades  
**OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
**NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades  
**SNW:** Satin Natural White with Satin Natural White Blades  
**TZ:** Tannery Bronze™ with Reversible Teak/Cherry Blades  
**WH:** White Powder Coat with White Blades

- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Basic Function CoolTouch™ Control System/  
Manual Reverse/Light On/Off – Designed for Fluorescent Lamps (Included)
- ★ **OPTIONAL CONTROLS** N/A
- ★ **DOWNLIGHT** Integrated. Uses (2) 13W E-26, CFL Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime


U.S. Patent Pending

**AIRFLOW** 6151 Cubic Ft. Per Minute on High • 65 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High

**52"**

**BLADE SWEEP**

172 x 20mm Motor



**HANGING MEASUREMENTS:**  
WITH 4" DOWNROD  
A - 20.75" B - 10.75" C - 12.50"

Includes our  
Basic Function  
**CoolTouch™**  
Control System  
U.S. Patent Pending



- ★ 3 Speeds – Manual Reverse
- ★ Light On/Off. Designed for Fluorescent Lamps
- ★ Motor Off

# 52" Canfield™ Pro *continued*

CEILING FAN COLLECTION

SELECT™ CEILING FANS



337016 NI  
BRUSHED NICKEL FINISH SHOWN  
WITH SATIN-ETCHED GLASS  
AND MAPLE BLADES



337016 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH UMBER-ETCHED  
GLASS AND CHERRY BLADES





337016 SNW  
SATIN NATURAL WHITE FINISH  
SHOWN WITH SATIN-ETCHED GLASS  
AND SATIN NATURAL WHITE BLADES



337016 TZ  
TANNERY BRONZE™ FINISH  
SHOWN WITH UMBER-ETCHED  
GLASS AND CHERRY BLADES



337016 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH SATIN-ETCHED  
GLASS AND WHITE BLADES

# 42" Sutter Place™

CEILING FAN COLLECTION

SELECT™ CEILING FANS



337013 NI  
BRUSHED NICKEL FINISH  
SHOWN WITH MARIVE  
CHERRY BLADES



337013 ADC  
ADOBE CREAM™ FINISH  
SHOWN WITH MAPLE BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S284-S285.




- ★ **MOTOR SIZE** 153mm x 13mm
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream/Maple Blades  
**AP:** Antique Pewter with Reversible Cherry Blades  
**BSS:** Brushed Stainless Steel with Reversible Oak Blades  
**OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
**NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades  
**SNW:** Satin Natural White with Satin Natural White Blades  
**TZ:** Tannery Bronze™ with Reversible Teak/Cherry Blades  
**WH:** White Powder Coat with White Blades

- ★ **BLADES** (5) Blades • 12° Blade Pitch • 42" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE - PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-225 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S316-S334 in this catalog, and pages 200-221 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 3774 Cubic Ft. Per Minute on High • 47 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 80 Cubic Ft. Per Minute Per Watt on High


**Fan Finish — Reversible Blade Finish**



**42"**

**BLADE SWEEP**

153 x 13mm Motor



**HANGING MEASUREMENTS:**  
 WITH 4" DOWNROD  
 A - 12.60" B - 10.50" C - 10.25"

**Pull Chain Controls**



# 42" Sutter Place™ *continued*

CEILING FAN COLLECTION

SELECT™ CEILING FANS

337013 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE BLADES



337013 TZ  
TANNERY BRONZE™ FINISH  
SHOWN WITH TEAK BLADES



337013 AP  
ANTIQUÉ PEWTER  
FINISH SHOWN WITH  
LIGHT CHERRY BLADES







337013 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH WALNUT BLADES



337013 BSS  
BRUSHED STAINLESS STEEL FINISH  
SHOWN WITH LIGHT OAK BLADES



337013 SNW  
SATIN NATURAL WHITE  
FINISH SHOWN WITH SATIN  
NATURAL WHITE BLADES

# 42" Sutter Place™ Select

CEILING FAN COLLECTION

SELECT™ CEILING FANS



337014 OBB  
OIL BRUSHED BRONZE™  
FINISH SHOWN WITH UMBER  
ALABASTER GLASS AND  
CHERRY BLADES



337014 ADC  
ADOBE CREAM™ FINISH SHOWN  
WITH UMBER ALABASTER GLASS  
AND MAPLE BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S288-S289.



337014 AP  
 ANTIQUE PEWTER FINISH  
 SHOWN WITH SATIN ETCHED  
 GLASS AND CHERRY BLADES

Fan Finish — Reversible Blade Finish


- ★ **MOTOR SIZE** 153mm x 13mm
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream™/Maple Blades  
**AP:** Antique Pewter with Reversible Cherry Blades  
**BSS:** Brushed Stainless Steel with Reversible Oak Blades  
**NI:** Brushed Nickel with Reversible Maple/Marive Cherry Blades  
**OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
**SNW:** Satin Natural White with Satin Natural White Blades  
**TZ:** Tannery Bronze™ with Reversible Teak/Cherry Blades  
**WH:** White Powder Coat with White Blades

- ★ **BLADES** (5) Blades • 12° Blade Pitch • 42" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-225 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Removable. Uses (3) E-12 40-W B8 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

42"


BLADE SWEEP

153 x 13mm Motor



HANGING MEASUREMENTS:  
 WITH 4" DOWNROD  
 A - 17.40" B - 10.50" C - 10.25"

Pull Chain Controls



ADC - Adobe Cream™  
 Blade Sample 31

ADC - Maple  
 Blade Sample 31

AP - Light Cherry  
 Blade Sample 11

AP - Dark Cherry  
 Blade Sample 11

BSS - Light Oak  
 Blade Sample 35

BSS - Medium Oak  
 Blade Sample 35

NI - Maple  
 Blade Sample 13

NI - Marive Cherry  
 Blade Sample 13

OBB - Cherry  
 Blade Sample 7

OBB - Walnut  
 Blade Sample 7

SNW - Satin Natural White  
 Blade Sample 22

TZ - Cherry  
 Blade Sample 19

TZ - Teak  
 Blade Sample 19

WH - White  
 Blade Sample 20

# 42" Sutter Place™ Select *continued*

CEILING FAN COLLECTION

SELECT™ CEILING FANS



337014 BSS  
BRUSHED STAINLESS STEEL FINISH  
SHOWN WITH WHITE ALABASTER  
GLASS AND MEDIUM OAK BLADES



337014 NI  
BRUSHED NICKEL FINISH SHOWN  
WITH SATIN ETCHED GLASS  
AND MAPLE BLADES





337014 SNW  
SATIN NATURAL WHITE FINISH SHOWN  
WITH WHITE ALABASTER GLASS AND  
SATIN NATURAL WHITE BLADES



337014 TZ  
TANNERY BRONZE™ FINISH  
SHOWN WITH UMBER ALABASTER  
GLASS AND TEAK BLADES



337014 WH  
WHITE POWDER COAT  
FINISH SHOWN WITH WHITE  
ALABASTER GLASS AND  
WHITE BLADES

# *Sterling Manor*<sup>™</sup>

CEILING FAN COLLECTION

SELECT<sup>™</sup> CEILING FANS



339010 TZ  
TANNERY BRONZE<sup>™</sup> FINISH  
SHOWN WITH TEAK BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S292-S293.



- ★ **MOTOR SIZE** 153mm x 15mm
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream™/Maple Blades  
**BSS:** Brushed Stainless Steel with Reversible Oak Blades  
**DBK:** Distressed Black with Reversible Walnut Blades  
**NI:** Brushed Nickel with Reversible Marive Cherry/Maple Blades  
**OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
**SNW:** Satin Natural White with Satin Natural White Blades  
**TZ:** Tannery Bronze™ with Reversible Teak/Cherry Blades  
**WH:** White Powder Coat with White Blades
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-223 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S316-S334 in this catalog, and pages 200-201 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 5323 Cubic Ft. Per Minute on High • 60 Watts on High (Excludes Lights)

**AIRFLOW EFFICIENCY** 89 Cubic Ft. Per Minute Per Watt on High


**Fan Finish — Reversible Blade Finish**

ADC - Adobe Cream™ Blade Sample 31
ADC - Maple Blade Sample 31
BSS - Light Oak Blade Sample 35
BSS - Medium Oak Blade Sample 35
SNW - Satin Natural White Blade Sample 22
DBK - American Walnut Blade Sample 3
DBK - Walnut Blade Sample 3
NI - Marive Cherry Blade Sample 13
NI - Maple Blade Sample 13
OBB - Cherry Blade Sample 7
OBB - Walnut Blade Sample 7
TZ - Cherry Blade Sample 19
TZ - Teak Blade Sample 19
WH - White Blade Sample 20

**52"**

**BLADE SWEEP**

153 x 15mm Motor



**HANGING MEASUREMENTS:**  
 WITH 4" DOWNROD  
 A - 12.50" B - 10.50" C - 11.00"  
 FLUSH MOUNT CANOPY  
 A - 9.00" B - 7.00" C - 11.00"

**Pull Chain Controls**



# Sterling Manor™ continued

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339010 NI  
BRUSHED NICKEL FINISH  
SHOWN WITH MARIVE  
CHERRY BLADES



339010 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE BLADES

339010 DBK  
DISTRESSED BLACK FINISH  
SHOWN WITH AMERICAN  
WALNUT BLADES







339010 ADC  
ADOBE CREAM™ FINISH SHOWN  
WITH MAPLE BLADES



339010 SNW  
SATIN NATURAL WHITE  
FINISH SHOWN WITH  
SATIN NATURAL WHITE BLADES



339010 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH WALNUT BLADES



339010 BSS  
BRUSHED STAINLESS STEEL  
FINISH SHOWN WITH LIGHT  
OAK BLADES

# *Sterling Manor™ Select ES*

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339220 NI  
BRUSHED NICKEL FINISH  
SHOWN WITH WHITE ETCHED  
GLASS AND MAPLE BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S296-S297.



**Fan Finish — Reversible Blade Finish**

**ADC - Adobe Cream™**  
Blade Sample 31

**ADC - Maple**  
Blade Sample 31

**BSS - Light Oak**  
Blade Sample 35

**BSS - Medium Oak**  
Blade Sample 35

**NI - Maple**  
Blade Sample 13

**NI - Marive Cherry**  
Blade Sample 13

**OBB - Cherry**  
Blade Sample 7

**OBB - Walnut**  
Blade Sample 7

**SNW - Satin Natural White**  
Blade Sample 22

**TZ - Cherry**  
Blade Sample 19

**TZ - Teak**  
Blade Sample 19

**WH - White**  
Blade Sample 20

- ★ **MOTOR SIZE** 153mm x 15mm
- ★ **FINISH** **ADC:** Adobe Cream™ with Reversible Adobe Cream™/Maple Blades  
**BSS:** Brushed Stainless Steel with Reversible Oak Blades  
**NI:** Brushed Nickel with Reversible Marive Cherry/Maple Blades  
**OBB:** Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades  
**SNW:** Satin Natural White with Satin Natural White Blades  
**TZ:** Tannery Bronze™ with Reversible Cherry/Teak Blades  
**WH:** White Powder Coat with White Blades

★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible

★ **MOUNTING SLOPE – PITCH** 22° or 4/12

★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)

★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse

★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-223 in our Main Catalog, K411.

★ **DOWNLIGHT** Removable. Uses (2) GU24 13-W CFL Lamps (Included)

★ **UPLIGHT** N/A

★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor

★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)

★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 5380 Cubic Ft. Per Minute on High • 59 Watts on High (Excludes Lights)

**AIRFLOW EFFICIENCY** 91 Cubic Ft. Per Minute Per Watt on High



**52"**

**BLADE SWEEP**

153 x 15mm Motor



**HANGING MEASUREMENTS:**


WITH 4" DOWNROD

A - 17.75" B - 10.50" C - 11.00"

FLUSH MOUNT CANOPY

A - 14.25" B - 7.00" C - 11.00"

**Pull Chain Controls**



# Sterling Manor™ Select ES *continued*

CEILING FAN COLLECTION

SELECT™ CEILING FANS



339220 ADC  
ADOBE CREAM™ FINISH  
SHOWN WITH WHITE ALABASTER  
GLASS AND MAPLE BLADES



339220 BSS  
BRUSHED STAINLESS STEEL  
FINISH SHOWN WITH WHITE ALABASTER  
GLASS AND MEDIUM OAK BLADES



339220 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE ETCHED  
GLASS AND WHITE BLADES





339220 TZ  
TANNERY BRONZE™ FINISH SHOWN  
WITH UMBER ETCHED GLASS  
AND CHERRY BLADES



339220 SNW  
SATIN NATURAL WHITE FINISH SHOWN  
WITH ALABASTER GLASS AND  
SATIN NATURAL WHITE BLADES



339220 OBB  
OIL BRUSHED BRONZE™ FINISH  
SHOWN WITH UMBER-ETCHED  
GLASS AND WALNUT BLADES

# Industrial

## CEILING FAN COLLECTION

SELECT™ CEILING FANS



337015 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE POWDER  
COAT STEEL BLADES



337015 SBK  
SATIN BLACK FINISH  
SHOWN WITH SATIN NATURAL  
BLACK STEEL BLADES

- ★ **MOTOR SIZE** 188mm x 15mm
- ★ **FINISH** **SBK:** Satin Black with Satin Natural Black Steel Blades  
**WH:** White Powder Coat with White Steel Blades
- ★ **BLADES** (3) Blades • 21° Blade Pitch • 56" Blade Sweep • Steel Blade Material  
• Non-Reversible
- ★ **MOUNTING SLOPE - PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 12" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Optional Control NOT Included – Infinite Speed Motor
- ★ **OPTIONAL CONTROLS** Optional Remote Control and Wall Controls Available,  
see page S336 in this catalog, and pages 222-225 in our Main Catalog, K411.
- ★ **DOWNLIGHT** No
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Indoor
- ★ **LOW CEILING ADAPTABLE** No
- ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 6193 Cubic Ft. Per Minute on High • 59 Watts on High (Excludes Lights)

**AIRFLOW EFFICIENCY** 106 Cubic Ft. Per Minute Per Watt on High

Fan Finish — Non-Reversible Blade Finish


SBK - Satin Natural Black  
Blade Sample N/A

WH - White  
Blade Sample N/A

56"

BLADE SWEEP

188 x 15mm Motor



HANGING MEASUREMENTS:

WITH 12" DOWNROD

A - 18.75" B - 16.25" C - 7.75"

This fan must be installed with a minimum of 12' of clearance between the blades and the floor.



# SAVING MONEY & ENERGY

## ENJOY THE COMFORT OF YOUR NEW FAN & THE ENERGY SAVINGS!

Saving on energy costs has never been so comfortable. Many Kichler ceiling fans feature DC Motors that operate 70% more efficiently than standard AC motors. Our DC motors also operate at a cooler temperature for a longer overall life. Plus, all Kichler® ceiling fans are designed to cool a room in the summer (counterclockwise rotation) and circulate warmer air in the winter (clockwise rotation), delivering an ambient temperature change of  $-4^{\circ}$  F in Summer and  $+4^{\circ}$  F in Winter. Several Kichler ceiling fans are also ENERGY STAR® certified and feature highly efficient fluorescent lighting.







**KICHLER**  
LIGHTING



# Cameron™

## OUTDOOR/INDOOR CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310104 WCP  
WEATHERED COPPER POWDER COAT  
FINISH SHOWN WITH WALNUT ABS  
ALL-WEATHER BLADES AND ETCHED  
CASED OPAL GLASS



310104 TZP  
TANNERY BRONZE™ POWDER COAT  
FINISH SHOWN WITH WALNUT ABS  
ALL-WEATHER BLADES AND  
ETCHED CASED OPAL GLASS



310104 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE ABS  
ALL-WEATHER BLADES AND  
ETCHED CASED OPAL GLASS



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ All-Weather ABS Blade Sets



310104 NI  
BRUSHED NICKEL FINISH SHOWN  
WITH CHERRY ABS ALL-WEATHER  
BLADES AND ETCHED CASED  
OPAL GLASS



- ★ **MOTOR SIZE** 172mm x 20mm
- ★ **FINISH** NI: Brushed Nickel with ABS Reversible Walnut/Cherry Blades  
TZP: Tannery Bronze™ Powder Coat with ABS Reversible Walnut/Cherry Blades  
WCP: Weathered Copper Powder Coat with ABS Reversible Walnut Blades  
WH: White Powder Coat with ABS White Blades

**Fan Finish — Reversible Blade Finish**


- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE – PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Basic Function CoolTouch™ Control System/  
Manual Reverse/Light On-Off (Included)
- ★ **OPTIONAL CONTROLS** N/A
- ★ **DOWNLIGHT** Integrated. Uses (3) E-12, 40-W. Krypton T3 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime



52"

BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:  
WITH 4" DOWNROD  
A - 16.25" B - 12.00" C - 14.75"

Includes our  
Basic Function  
**CoolTouch™**  
Control System  
U.S. Patent Pending

- ★ 3 Speed – Manual Reverse
- ★ Light On/Off
- ★ Motor Off





# Deckard™

## OUTDOOR/INDOOR CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310105 NI  
BRUSHED NICKEL FINISH SHOWN  
WITH WALNUT ABS ALL-WEATHER  
BLADES AND ETCHED SEEDY  
GLASS WITH MESH SCREEN



310105 WCP  
WEATHERED COPPER POWDER COAT  
FINISH SHOWN WITH MEDIUM WALNUT  
ABS ALL-WEATHER BLADES AND ETCHED  
SEEDY GLASS WITH MESH SCREEN



310105 WH  
WHITE POWDER COAT FINISH SHOWN WITH  
WHITE ABS ALL-WEATHER BLADES AND  
ETCHED SEEDY GLASS WITH MESH SCREEN





- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finishes
- ★ All-Weather ABS Blade Sets



310105 TZP  
TANNERY BRONZE™ POWDER  
COAT FINISH SHOWN WITH CHERRY  
ABS ALL-WEATHER BLADES AND  
ETCHED SEEDY GLASS WITH  
MESH SCREEN



- ★ **MOTOR SIZE** 172mm x 17mm
- ★ **FINISH** **NI:** Brushed Nickel with ABS Reversible Walnut /Cherry Blades  
**TZP:** Tannery Bronze™ Powder Coat with ABS Reversible Walnut /Cherry Blades  
**WCP:** Weathered Copper Powder Coat with ABS Reversible Walnut Blades  
**WH:** White Powder Coat with ABS White Blades

Fan Finish — Reversible Blade Finish


- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE - PITCH** 30° or 7/12
- ★ **DOWNRODS** Includes 4.5" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S335 in this catalog, and pages 222-223 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Integrated. Uses (2) E-12, 60-W. Krypton T3 Lamps (Included)
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** No ★ **WARRANTY** Limited Lifetime



52"

BLADE SWEEP

172 x 17mm Motor



HANGING MEASUREMENTS:  
WITH 4.5" DOWNROD  
A - 17.25" B - 11.25" C - 9.75"

Pull Chain Controls



# 52" Canfield™ Patio

OUTDOOR/INDOOR  
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310192 SBK **NEW FINISH**  
SATIN BLACK FINISH SHOWN  
WITH SATIN NATURAL BLACK  
ABS ALL-WEATHER BLADES



310192 WH **NEW FINISH**  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE ABS ALL-  
WEATHER BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S308-S309.



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ All-Weather ABS Blade Sets



310192 SNW

**NEW FINISH**

SATIN NATURAL WHITE FINISH  
SHOWN WITH SATIN NATURAL  
WHITE ABS ALL-WEATHER BLADES



- ★ **MOTOR SIZE** 172mm x 20mm
- ★ **FINISH** ADC: Adobe Cream™ with ABS Reversible Adobe Cream™/Maple Blades  
SBK: Satin Black with ABS Satin Natural Black Blades  
SNW: Satin Natural White with ABS Satin Natural White Blades  
TZP: Tannery Bronze™ Powder Coat with ABS Reversible Walnut/Cherry Blades  
WCP: Weathered Copper Powder Coat with ABS Reversible Walnut Blades  
WH: White Powder Coat with ABS White Blades  
WSP: Weathered Steel Powder Coat with ABS Reversible Walnut/Teak Blades

**Fan Finish — Reversible Blade Finish**

ADC - Adobe Cream™  
Blade Sample 33

ADC - Maple  
Blade Sample 33

SBK - Satin Natural Black  
Blade Sample 44

SNW - Satin Natural White  
Blade Sample N/A

TZP - Cherry  
Blade Sample 49

WCP - Dark Walnut  
Blade Sample 50

WCP - Light Walnut  
Blade Sample 50

WH - White  
Blade Sample 23

WSP - Teak  
Blade Sample 51

WSP/TZP - Medium Walnut  
TZP Blade Sample 49  
TZP Blade Sample 51

- ★ **BLADES** (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see pages 222-225 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S331-334. in this catalog, and pages 200-221 in our full line catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes ★ **WARRANTY** Limited Lifetime

U.S. Patent Pending

**AIRFLOW** 6151 Cubic Ft. Per Minute on High • 65 Watts on High (Excludes Lights)


**AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High



**52"**


BLADE SWEEP

172 x 20mm Motor



HANGING MEASUREMENTS:  
WITH 4" DOWNROD  
A - 13.50" B - 10.75" C - 12.75"

Pull Chain Controls





# 52" Canfield™ Patio *continued*

OUTDOOR/INDOOR  
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



310192 TZP  
TANNERY BRONZE™ POWDER COAT  
FINISH SHOWN WITH CHERRY ABS  
ALL-WEATHER BLADES



310192 WSP  
WEATHERED STEEL POWDER COAT  
FINISH SHOWN WITH TEAK ABS  
ALL-WEATHER BLADES





- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ All-Weather ABS Blade Sets



310192 ADC  
ADOBE CREAM™ POWDER COAT  
FINISH SHOWN WITH ADOBE  
CREAM™ ABS ALL-WEATHER BLADES

310192 WCP  
WEATHERED COPPER POWDER COAT  
FINISH SHOWN WITH LIGHT WALNUT  
ABS ALL-WEATHER BLADES



# Sterling Manor™ Patio

OUTDOOR/INDOOR  
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



339520 WCP **NEW FINISH**  
WEATHERED COPPER FINISH  
SHOWN WITH BROWN ABS  
ALL-WEATHER BLADES



339520 WSP **NEW FINISH**  
WEATHERED STEEL FINISH  
SHOWN WITH BROWN ABS  
ALL-WEATHER BLADES

SEE ADDITIONAL FINISH OPTIONS  
ON PAGES S312-S313.



- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ All-Weather ABS Blade Sets



- ★ **MOTOR SIZE** 153mm x 15mm
- ★ **FINISH** ADC: Adobe Cream™ with Reversible Maple ABS All Weather Blades  
 SBK: Satin Black with Reversible Satin Natural Black ABS All Weather Blades  
 SNW: Satin Natural White™ with Reversible Satin Natural White  
 ABS All Weather Blades  
 TZP: Tannery Bronze™ Powder Coat with Reversible Brown ABS All Weather Blades  
 WCP: Weathered Copper with Reversible Brown ABS All Weather Blades  
 WH: White Powder Coat with White ABS All Weather Blades  
 WSP: Weathered Steel with Reversible Brown ABS All Weather Blades
- ★ **BLADES** (5) Blades • 11.5° Blade Pitch • 52" Blade Sweep • Reversible
- ★ **MOUNTING SLOPE - PITCH** 22° or 4/12
- ★ **DOWNRODS** Includes 4" Downrod with 1" (O.D.)
- ★ **PRIMARY CONTROL SYSTEM** Pull Chain, 3 Speeds Forward & Reverse
- ★ **OPTIONAL CONTROLS** Optional Remote Controls and Wall Controls available, see page S331-S334 in this catalog, and pages 220-221 in our Main Catalog, K411.
- ★ **DOWNLIGHT** Optional Light Fixtures available, see pages S318-S334 in this catalog, and pages 200-221 in our Main Catalog, K411.
- ★ **UPLIGHT** N/A
- ★ **LEAD WIRE** 78" ★ **cUL LISTED** Wet
- ★ **LOW CEILING ADAPTABLE** Yes, Flush Mount Canopy (Included)
- ★ **WARRANTY** Limited Lifetime

**AIRFLOW** 5150 Cubic Ft. Per Minute on High • 57 Watts on High (Excludes Lights)  
**AIRFLOW EFFICIENCY** 91 Cubic Ft. Per Minute Per Watt on High

Fan Finish — Reversible Blade Finish

ADC - Maple  
Blade Sample 33

SBK - Satin Natural Black  
Blade Sample 44

SNW - Satin Natural White  
Blade Sample N/A

TZP/WCP/WSP - Brown (ABS)  
Blade Sample 24


WH - White (ABS)  
Blade Sample 23



52"

BLADE SWEEP

153 x 15mm Motor



**HANGING MEASUREMENTS:**  
 WITH 4" DOWNROD  
 A - 12.25" B - 10.25" C - 11.00"  
 FLUSH MOUNT CANOPY  
 A - 9.00" B - 7.00" C - 11.00"

Pull Chain Controls



# Sterling Manor™ Patio *continued*

OUTDOOR/INDOOR  
CEILING FAN COLLECTION

OUTDOOR/INDOOR CEILING FANS



339520 SBK **NEW FINISH**  
SATIN BLACK FINISH SHOWN  
WITH SATIN NATURAL BLACK ABS  
ALL-WEATHER BLADES



339520 WH  
WHITE POWDER COAT FINISH  
SHOWN WITH WHITE ABS  
ALL-WEATHER BLADES





- ★ Hot Dip Galvanized Undercoat
- ★ Stainless Steel Mounting Hardware
- ★ Powder Coat Finish
- ★ All-Weather ABS Blade Sets



339520 SNW **NEW FINISH**

SATIN NATURAL WHITE FINISH  
SHOWN WITH SATIN NATURAL  
WHITE ABS ALL-WEATHER BLADES



339520 TZP

TANNERY BRONZE™ POWDER  
COAT FINISH SHOWN WITH BROWN  
ABS ALL-WEATHER BLADES



339520 ADC **NEW FINISH**

ADOBE CREAM™ POWDER COAT  
FINISH SHOWN WITH MAPLE  
ABS ALL-WEATHER BLADES




# COOL TOUCH CONTROLS

## TECHNOLOGY THAT DOES THE THINKING FOR YOU

Our CoolTouch™ Control System is intuitive to use and puts total control in your hands. The compact design is as stylish as the fan it operates. The patent-pending technology controls every feature and delivers a host of benefits you can sit back and enjoy:

- Adjusts all blade speeds, plus forward and reverse (counter-clockwise for summer cooling and clockwise for winter warming).
- Up and down lights easily turn on and off with the added feature of variable dimming. Intelligent return then allows you to return to your favorite preset brightness level.
- Replace a dedicated wall switch with the added convenience of a remote. Or, mount the remote to any flat surface.
- The CoolTouch™ controller runs multiple Kichler® fans – so your “great” room can truly look spectacular.

See pages 224-229 in our Main Catalog K411 for more details and to see all of our CoolTouch™ options.



CoolTouch™  
6-speed DC Control System







**KICHLER**  
LIGHTING



## 3-Light Decorative Fitter

Designed to accommodate 2-1/4" fitter glass (Sold Separately).  
See pages 201-203 of the main ceiling fan catalog K411 for  
the complete glass selection.



**350101 TZ**

- 3 Light Fitter, (3), 60 Watt (Max) B8/ E-12 Base
- Lamps Included
- 11.13" Width, 8.63" Height
- Threaded Nord Sockets
- Includes Retainer Nut Tool for Easy Assembly of Glass Shades
- cUL LISTED Indoor

**350101 ADC**  
Adobe Cream™

**350101 OBB**  
Oil Brushed Bronze™

**350101 SNW**  
Satin Natural White

**350101 WH**  
White Powder Coat

**350101 BSS**  
Brushed Stainless

**350101 NI**  
Brushed Nickel

**350101 TZ**  
Tannery Bronze™

## 4-Light Decorative Fitter

Designed to accommodate 2-1/4" fitter glass (Sold Separately).  
See pages 201-203 of the main ceiling fan catalog K411 for  
the complete glass selection.



**350104 NI**

- 4 Light Fitter, (4), 40 Watt (Max) B8/ E-12 Base
- Lamps Included
- 12.88" Width, 3.88" Height
- Threaded Nord Sockets
- Includes Retainer Nut Tool for Easy Assembly of Glass Shades
- cUL LISTED Indoor

**350104 ADC**  
Adobe Cream™

**350104 OBB**  
Oil Brushed Bronze™

**350104 SNW**  
Satin Natural White

**350104 WH**  
White Powder Coat

**350104 BSS**  
Brushed Stainless

**350104 NI**  
Brushed Nickel

**350104 TZ**  
Tannery Bronze™



# 4-Light Bent Arm Decorative Fitter

Designed to accommodate 2-1/4" fitter glass (Sold Separately). See pages 201-203 of the Main Catalog K411 for the complete glass selection.



- 4-Light Fitter, (4), 40 Watt (Max) B-10.5/ E-12 Base
- Lamps Included
- 12.63" Width, 3.38" Height
- Threaded Nord Sockets
- Includes Retainer Nut Tool for Easy Assembly of Glass Shades
- cUL LISTED Indoor

**350102 ADC**  
Adobe Cream™

**350102 BSS**  
Brushed Stainless Steel

**350102 NI**  
Brushed Nickel

**350102 SNW**  
Satin Natural White

**350102 WH**  
White Powder Coat

**350102 AP**  
Antique Pewter

**350102 DBK**  
Distressed Black

**350102 OBB**  
Oil Brushed Bronze™

**350102 TZ**  
Tannery Bronze™

## 2-1/4" Fitter Glass

2-1/4" fitter glass (Sold Separately). See pages 201-203 of the Main Catalog K411 for the complete glass selection.



**340133**  
Clear/Etched Glass  
4.75" Height, 5.25" Width



**340118**  
Umber Alabaster Glass  
4.75" Height, 5.25" Width



**340132**  
Clear/Frosted Glass  
4.75" Height, 4.75" Width  
Requires Nord Type Socket

# Light Fixtures

MULTI SIZED LIGHT KITS DESIGNED FOR SPECIFIC BLADE SWEEP FANS

## INCANDESCENT

FOR 30" TO 36" BLADE SWEEP FANS



380117

• **Requires remote control or wall control to operate**

- White Etched Glass
- Two Light, E-11, 50-W Halogen
- Lamps Included
- 3.38" Height, 8.38" Diameter
- cUL LISTED Wet
- Decorative Low Profile Fixture



- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

FOR 42" TO 46" BLADE SWEEP FANS



380118

• **Requires remote control or wall control to operate**

- White Etched Glass
- Single Light, E-11, 100-W Halogen
- Lamp Included
- 4.13" Height, 10.00" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture

- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

FOR 52" TO 56" BLADE SWEEP FANS



380119

• **Requires remote control or wall control to operate**

- White Etched Glass
- Single Light, E-11, 100-W Halogen
- Lamp Included
- 4.38" Height, 11.00" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture

- Available in finishes: **ADC** Adobe Cream™, **AP** Antique Pewter, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

INCANDESCENT



380117 ADC



380117 BSS



380117 DBK



380117 NI



380117 OBB



380117 SNW



380117 TZ



380117 WH



380118 ADC



380118 BSS



380118 NI



380118 OBB



380118 SNW



380118 TZ



380118 WH



380119 ADC



380119 AP



380119 BSS



380119 DBK



380119 NI



380119 OBB



380119 SNW



380119 TZ



380119 WH

# Light Fixtures

MULTI-SIZED LIGHT KITS DESIGNED FOR SPECIFIC  
BLADE SWEEP FANS

## INCANDESCENT

FOR 30" TO 36" BLADE SWEEP FANS



380120

- Etched Cased Opal Glass
- Single Light, E-11, 100-W Halogen
- Lamp Included
- 3.88" Height, 8.88" Diameter
- cUL LISTED Wet
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White



FOR 42" TO 46" BLADE SWEEP FANS



380121

- Etched Cased Opal Glass
- Single Light, E-11, 100-W Halogen
- Lamp Included
- 4.00" Height, 10.00" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

FOR 52" TO 56" BLADE SWEEP FANS



380122

- Etched Cased Opal Glass
- Single Light, E-11, 100-W Halogen
- Lamp Included
- 4.25" Height, 11.38" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **AP** Antique Pewter, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White



INCANDESCENT



380120 ADC



380120 BSS



380120 DBK



380120 NI



380120 OBB



380120 SNW



380120 TZ



380120 WH



380121 ADC



380121 BSS



380121 NI



380121 OBB



380121 SNW



380121 TZ



380121 WH



380122 ADC



380122 AP



380122 BSS



380122 DBK



380122 NI



380122 OBB



380122 SNW



380122 TZ



380122 WH

# Light Fixtures

MULTI-SIZED LIGHT KITS DESIGNED FOR SPECIFIC BLADE SWEEP FANS

INCANDESCENT

FOR 30" TO 36" BLADE SWEEP FANS



380123 ADC

- White Etched Glass
- 3-Light, E-12, 60-W Krypton T3
- Lamps Included
- 5.25" Height, 9.00" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

FOR 42" TO 46" BLADE SWEEP FANS



380124 BSS

- White Etched Glass
- 3-Light, E-12, 60-W Krypton T3
- Lamps Included
- 5.25" Height, 10.00" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **BSS** Brushed Stainless Steel, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

FOR 52" TO 56" BLADE SWEEP FANS



380125 DBK

- White Etched Glass
- 3-Light, E-12, 60-W Krypton T3
- Lamps Included
- 5.50" Height, 11.25" Diameter
- cUL LISTED Indoor
- Decorative Low Profile Fixture
- Available in finishes: **ADC** Adobe Cream™, **AP** Antique Pewter, **BSS** Brushed Stainless Steel, **DBK** Distressed Black, **NI** Brushed Nickel, **OBB** Oil Brushed Bronze™, **SNW** Satin Natural White, **TZ** Tannery Bronze™, **WH** Powder Coat White

INCANDESCENT



380123 ADC



380123 BSS



380123 DBK



380123 NI



380123 OBB



380123 SNW



380123 TZ



380123 WH



380124 ADC



380124 BSS



380124 NI



380124 OBB



380124 SNW



380124 TZ



380124 WH



380125 ADC



380125 AP



380125 BSS



380125 DBK



380125 NI



380125 OBB



380125 SNW



380125 TZ



380125 WH

# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT

ACCESSORIES



**380112 BSS**

- Clear Ribbed Exterior Glass
- Etched Opal Interior Glass
- Single Light, E-11, 50-W Halogen
- Lamp Included
- 5.50" Height, 13.00" Diameter
- cUL LISTED Indoor



**380112 BSS**  
Brushed Stainless Steel



**380112 NI**  
Brushed Nickel



**380112 OBB**  
Oil Brushed Bronze™



**380112 SNW**  
Satin Natural White



**380112 TZ**  
Tannery Bronze™



**380112 WH**  
Powder Coat White



# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT



**380113 BSS**

- Clear Swirl Exterior Glass
- Etched Opal Interior Glass
- Single Light, E-11, 50-W Halogen
- Lamps Included
- 5.50" Height, 13.00" Diameter
- cUL LISTED Indoor



**380113 BSS**  
Brushed Stainless Steel



**380113 NI**  
Brushed Nickel



**380113 OBB**  
Oil Brushed Bronze™



**380113 SNW**  
Satin Natural White



**380113 TZ**  
Tannery Bronze™



**380113 WH**  
Powder Coat White

# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT



**380114 BSS**

- Wire Frame Exterior Decor
- Etched Opal Interior Glass
- Single Light, E-11, 50-W Halogen
- Lamp Included
- 5.50" Height, 13.00" Diameter
- cUL LISTED Indoor



**380114 BSS**  
Brushed Stainless Steel



**380114 NI**  
Brushed Nickel



**380114 OBB**  
Oil Brushed Bronze™



**380114 SNW**  
Satin Natural White



**380114 TZ**  
Tannery Bronze™



**380114 WH**  
Powder Coat White

# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT



**380116 ADC**

- 10" School house Light Fixture
- Etched Cased Opal Exterior Glass
- Two Light, 60-W (Max) G-16.5 Base
- Lamps Included
- 5.75" Height, 10.00" Diameter
- cUL LISTED Indoor



**380116 ADC**  
Adobe Cream™



**380116 BSS**  
Brushed Stainless Steel



**380116 DBK**  
Distressed Black



**380116 NI**  
Brushed Nickel



**380116 OBB**  
Oil Brushed Bronze™



**380116 SNW**  
Satin Natural White



**380116 TZ**  
Tannery Bronze™



**380116 WH**  
Powder Coat White

# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

FLUORESCENT

ACCESSORIES



**380115 NI**

- 10" Schoolhouse Light Fixture
- Etched Cased Opal Exterior Glass
- Single Light, 13-W, GU-24 CFL
- Lamps Included
- 5.63" Height, 10.00" Diameter
- cUL LISTED Indoor



**380115 ADC**  
Adobe Cream™



**380115 BSS**  
Brushed Stainless Steel



**380115 DBK**  
Distressed Black™



**380115 NI**  
Brushed Nickel



**380115 OBB**  
Oil Brushed Bronze™



**380115 SNW**  
Satin Natural White



**380115 TZ**  
Tannery Bronze™



**380115 WH**  
Powder Coat White



# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT



**380065 DBK**

- 10" Schoolhouse Light Fixture
- Cased Opal Glass
- Single Light, E-12, 60-W (Max) G-16.5
- Lamps Included
- 7.63" Height, 10.00" Diameter
- cUL LISTED Indoor



**380065 ADC**  
Adobe Cream™



**380065 AP**  
Antique Pewter



**380065 BSS**  
Brushed Stainless Steel



**380065 DBK**  
Distressed Black



**380065 NI**  
Brushed Nickel



**380065 OBB**  
Oil Brushed Bronze™



**380065 SNW**  
Satin Natural White



**380065 TZ**  
Tannery Bronze™



**380065 WH**  
Powder Coat White

ACCESSORIES

# Decor Light Fixtures

FOR USE WITH MOST KICHLER CEILING FANS

INCANDESCENT



**380064 BSS**

- 8" Schoolhouse Light Fixture
- Cased Opal Glass
- Single Light, E-12, 60-W, G-16.5
- Lamps Included
- 6.75" Height, 8.00" Diameter
- cUL LISTED Indoor



**380064 ADC**  
Adobe Cream™



**380064 AP**  
Antique Pewter



**380064 BSS**  
Brushed Stainless Steel



**380064 DBK**  
Distressed Black



**380064 NI**  
Brushed Nickel



**380064 OBB**  
Oil Brushed Bronze™



**380064 SNW**  
Satin Natural White



**380064 TZ**  
Tannery Bronze™



**380064 WH**  
Powder Coat White

# Decor Light Fixtures

FOR USE WITH MOST KICHLER OUTDOOR/  
INDOOR CEILING FANS

FLUORESCENT



**380903 ADC**

- 8" Schoolhouse Light Fixture
- Cased Opal Glass
- Single Light, E-26, 13-W CFL
- Lamp Included
- 6.75" Height, 8.00" Diameter
- cUL LISTED Wet

Optional remote control operation requires **337214** control system. See page 223 of the Ceiling Fan Main Catalog K411 for details.



**380903 ADC**  
Adobe Cream™  
Powder Coat



**380903 SBK**  
Satin Black  
Powder Coat



**380903 SNW**  
Satin Natural White  
Powder Coat



**380903 TZP**  
Tannery Bronze™  
Powder Coat



**380903 WCP**  
Weathered Copper  
Power Coat



**380903 WSP**  
Weathered Steel  
Power Coat



**380903 WH**  
White Powder Coat

# Decor Light Fixtures

FOR USE WITH MOST KICHLER OUTDOOR/  
INDOOR CEILING FANS

FLUORESCENT



**380904 SBK**

- 10" Schoolhouse Light Fixture
- Cased Opal Glass
- Single Light, E-26, 13-W CFL
- Lamp Included
- 7.63" Height, 10.00" Diameter
- cUL LISTED Wet

Optional remote control operation requires **337214** control system. See page 223 of the main ceiling fan catalog K411 for details.



**380904 ADC**  
Adobe Cream™  
Powder Coat



**380904 SBK**  
Satin Black  
Powder Coat



**380904 SNW**  
Satin Natural White  
Powder Coat



**380904 TZP**  
Tannery Bronze™  
Powder Coat



**380904 WCP**  
Weathered Copper  
Power Coat



**380904 WSP**  
Weathered Steel  
Power Coat



**380904 WH**  
White Powder Coat



# Decor Light Fixtures

FOR USE WITH MOST KICHLER OUTDOOR/  
INDOOR CEILING FANS

FLUORESCENT



- Cased Opal Glass
- Two-Light, E-26, 13-W, CFL
- Lamps Included
- 5.50" Height, 10.25" Diameter
- cUL LISTED Wet

Optional remote control operation requires **337214** control system. See page 223 of the main ceiling fan catalog K411 for details.



**338050 ADC**



**NEW FINISH**

**338050 ADC**  
Adobe Cream™  
Powder Coat



**NEW FINISH**

**338050 SBK**  
Satin Black  
Powder Coat



**NEW FINISH**

**338050 SNW**  
Satin Natural White  
Powder Coat



**338050 TZP**  
Tannery Bronze™  
Powder Coat



**NEW FINISH**

**338050 WCP**  
Weathered Copper  
Powder Coat



**338050 WH**  
White Powder Coat



**NEW FINISH**

**338050 WSP**  
Weathered Steel  
Powder Coat

# Decor Light Fixtures

FOR USE WITH MOST KICHLER OUTDOOR/  
INDOOR CEILING FANS

FLUORESCENT



**380902 SNW**

- Cased Opal Glass
- Two Light, 13-W, GU24 CFL
- Lamps Included
- 4.50" Height, 11.00" Diameter
- cUL LISTED Wet

Optional remote control operation requires **337214** control system. See page 223 of the main ceiling fan catalog K411 for details.



**380902 ADC**  
Adobe Cream™  
Powder Coat



**NEW FINISH**

**380902 SBK**  
Satin Natural White  
Powder Coat



**NEW FINISH**

**380902 SNW**  
Satin Natural White  
Powder Coat



**380902 TZP**  
Tannery Bronze™  
Powder Coat



**380902 WCP**  
Weathered Powder  
Powder Coat



**380902 WSP**  
Weathered Steel  
Powder Coat

# 30° Slope Adapter

FOR SLOPED OR VAULTED CEILINGS FROM 0° – 30°

## Slope Adapter Features

- Adapts to ceilings from 0° to 30° of slope or 4/12 pitch
- Accepts our CoolTouch™ Receiver Unit for Remote Controlled Fans
- Heavy Duty design features steel safety bracket
- Designed for Indoor or Outdoor use
- Outdoor finishes are Powder Coated with a Galvanized under-coating
- Designed for use with 1" O.D. downrods ONLY
- Available in all 33 Kichler fan finishes
- Unit does not include downrod (must be ordered separately)



<b>370033 ADC</b>	Adobe Cream™	<b>370033 NI</b>	Brushed Nickel
<b>370033 AGZ</b>	Aged Bronze	<b>370033 OBB</b>	Oil Brushed Bronze™
<b>370033 ALR</b>	Antique Leather	<b>370033 OI</b>	Olde Iron
<b>370033 AMS</b>	Antique Marble with Silver Highlights	<b>370033 OLZ</b>	Oiled Bronze
<b>370033 AP</b>	Antique Pewter	<b>370033 OZ</b>	Olde Bronze®
<b>370033 APC</b>	Aged Pecan	<b>370033 PN</b>	Polished Nickel
<b>370033 BAB</b>	Burnished Antique Brass	<b>370033 SBK</b>	Satin Black
<b>370033 BKZ</b>	Berkshire Bronze™	<b>370033 SNW</b>	Satin Natural White
<b>370033 BSS</b>	Brushed Stainless Steel	<b>370033 TZ</b>	Tannery Bronze™
<b>370033 CTO</b>	Canyon Stone™	<b>370033 TZG</b>	Tannery Bronze™ with Gold Highlights
<b>370033 CTZ</b>	Colton Bronze™	<b>370033 TZP</b>	Tannery Bronze™ Powder Coat
<b>370033 CZ</b>	Carre Bronze®	<b>370033 WBR</b>	Wispy Brulee™
<b>370033 DBK</b>	Distressed Black	<b>370033 WCP</b>	Weathered Copper Powder Coat
<b>370033 GST</b>	Galvanized Steel	<b>370033 WSP</b>	Weathered Steel Powder Coat
<b>370033 MCH</b>	Midnight Chrome	<b>370033 WH</b>	White Powder Coat
<b>370033 MCO</b>	Mission Copper™		
<b>370033 MDW</b>	Mediterranean Walnut™		

## 5 AMP Wall Control System

### 370032 MUL White/Ivory/Almond 4 Speed Rotary Wall Control

- 4-Speed Fan Control
- Controls Multiple Fans (3 Max)
- For use with most ceiling fans
- Max. 5 AMP
- Includes White, Almond, and Ivory Faceplate and Control Knob



# Control Systems Compatibility Guide

Product Name	ID Number	337009R200 CoolTouch™ Upgrade System	337009R400 CoolTouch™ Upgrade System	337009R600 CoolTouch™ Upgrade System	337009R800 CoolTouch™ Upgrade System	337009W500 CoolTouch™ Upgrade System (outdoor)	CoolTouch™ Control System	CoolTouch™ 5 Speed DC Control	CoolTouch™ 6 Speed DC Control	Basic Function CoolTouch™ Control Manual Reverse – Light On/Off	337214 Universal CoolTouch™ Control – Manual Reverse (D-X)	337001 Basic Hand Held Control System	370012MUL Full Function In Wall Transmitter	370014MUL Limited Function In Wall Transmitter	337010 In Wall Manual Control Combo Fan & Light Control	337011 In Wall Manual Control Fan Light Dimmer	337012 In Wall Manual Control 4 Speed Fan Control	4 Speed Rotary Wall Switch 5 AMP
42" Sutter Place™	337013	●								●	●	●	●	●	●	●	●	●
42" Sutter Place™ Select	337014	●								●	●	●	●	●	●	●	●	●
52" Canfield™ Patio	310192					●				●			●	●				
52" Canfield™ Pro	337016									Included				●				
52" Deckard™	310105									●	●			●	●	●	●	●
52" Logan™	300148									●	●			●	●	●	●	●
52" Sterling Manor™	339010									●	●			●	●	●	●	●
52" Sterling Manor™ Select ES	339220									●							●	●
52" Sterling Manor™ Patio	339520									●								
56" Industrial Fan	337015																●	●

Note: In wall transmitters 370012 and 370014 must be used in conjunction with complete control systems. These are transmitters only and do not include receivers.

When used in association with damp or wet rated fans, these controls must be installed indoors or a dry location.

The CoolTouch™ conversion system includes all necessary components (transmitter, receiver, wiring harness, wall pocket, mounting hardware and batteries).

# Switch Housing Selection Guide


Product Name	ID Number	370018 ADC	370018 AP	370018 AMD	370018 BSS	370018 NI	370018 OBB	370018 SNW	370018 TZ	370018 WBR	370018 WH	370017 ADC	370017 AP	370017 AMD	370017 BSS	370017 CTO	370017 DBK	370017 NI	370017 OBB	370017 SBK	370017 SNW	370017 TZ	370017 TZP	370017 WCP	370017 WH	370017 WSP	
		115mm Switch Housings											130mm Switch Housings														
42" Sutter Place™	337013ADC	●																									
42" Sutter Place™	337013AP		●																								
42" Sutter Place™	337013BSS				●																						
42" Sutter Place™	337013OBB						●																				
42" Sutter Place™	337013NI					●																					
42" Sutter Place™	337013SNW							●																			
42" Sutter Place™	337013TZ								●																		
42" Sutter Place™	337013WH										●																
42" Sutter Place™ Select	337014ADC	●																									
42" Sutter Place™ Select	337014AP		●																								
42" Sutter Place™ Select	337014BSS				●																						
42" Sutter Place™ Select	337014OBB						●																				
42" Sutter Place™ Select	337014NI					●																					
42" Sutter Place™ Select	337014SNW							●																			
42" Sutter Place™ Select	337014TZ								●																		
42" Sutter Place™ Select	337014WH										●																
42" Canfield™ Patio	310192ADC											●															
42" Canfield™ Patio	310192TZP																						●				
42" Canfield™ Patio	310192SBK																			●							
42" Canfield™ Patio	310192SNW																				●						
42" Canfield™ Patio	310192WCP																							●			
42" Canfield™ Patio	310192WSP																								●		
42" Canfield™ Patio	310192WH																								●	●	




Lighting that defines your **style™**



Lighting that will inspire, excite and surprise.




Fashion  
Lighting



Distinctive  
Lamps &  
Accessories



Premium  
Landscape  
Lighting




Custom  
Lighting  
Systems

Be brilliant. Be striking. Be understated. Be bold. Be who you are and express it perfectly.  
That's the beauty of Kichler.® To see our entire line, visit [www.kichler.com](http://www.kichler.com).

**KICHLER**  
LIGHTING 

# Specifications


Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees	Blade Sweep	Number of Blades	Blade Material	Control System	Downlight Included	Downlight Removable	Downlight		Lead Wire Length	Flush Mount Adaptable	Mounting Slope – Pitch Out of Box
													Primary Lamp/Socket Specifications	Uplight			
Arkwright™ 58" Poly Carbonate Blades	S266	300146 AP, PN, WH	125mm x 65mm	DC	6	13°	58"	3	PC	Full Function CoolTouch™ 6-speed DC Control System	Optional	No	N/A	N/A	78"	No	30° or 7/12
Arkwright™ 58" Plywood Blades	S266	300146 AP, PN, WH	125mm x 65mm	DC	6	13°	58"	3	Ply	Full Function CoolTouch™ 6-speed DC Control System	Optional	No	N/A	N/A	78"	No	30° or 7/12
Cameron™	S302	310104 NI, TZP, WCP, WH	172mm x 20mm	AC Induction	3	14°	52"	5	ABS	Basic Function CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt Krypton T3	N/A	78"	No	30° or 7/12
Canfield Patio™ (52")	S306	310192 SBK, SNW, WH	172mm x 20mm	AC Induction	3	14°	52"	5	ABS	Pull Chain	Universal	N/A	N/A	N/A	78"	Yes	30° or 7/12
Canfield Pro™ (52")	S278	337016 ADC, BSS, OBB, NI, SNW, TZ, WH	172mm x 20mm	AC Induction	3	14°	52"	5	Ply	Basic Function CoolTouch™ Control System	Yes	No	E-26 (2) 13-Watt CFL	N/A	78"	Yes	30° or 7/12
Deckard™	S304	310105 NI, TZP, WCP, WH	172mm x 17mm	AC Induction	3	14°	52"	5	ABS	Pull Chain	Yes	No	E-12 (2) 60-Watt Krypton T3	N/A	78"	No	30° or 7/12
Fitch™	S260	300144 BSS, OBB, MCH, SNW	172mm x 17mm	AC Induction	3	14°	52"	5	Ply	Basic Function CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt Krypton T3	N/A	78"	Yes	30° or 7/12
Industrial (56")	S298	337015 SBK, WH	188mm x 15mm	AC Induction	1	21°	56"	3	Steel	Control NOT Included – High Speed Motor	No	N/A	N/A	N/A	78"	No	30° or 7/12
Logan™	S256	300148 AP, OBB, SNW	188mm x 15mm	AC Induction	3	14°	52"	5	Ply	Pull Chain	Yes	No	E-12 (3) 40-Watt Krypton T3	N/A	78"	No	30° or 7/12
Monarch™ (70")	S276	300106 AP	144mm x 61mm	DC	6	14°	70"	5	Ply	Full Function CoolTouch 6-5 Speed DC Control System	Universal	N/A	N/A	N/A	78"	No	30° or 7/12
Ridley™	S258	300145 BSS, WH	153mm x 18mm	AC Induction	3	14°	52"	3	Wood	Basic Function CoolTouch™ Control System	Yes	Cap	E-11 (1) 100-Watt JD	N/A	78"	No	30° or 7/12

	Downrods Included					ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Watts			Amps			RPM			CFM			Airflow Efficiency CFM Per Minute Per Watt			Product Name
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length							Hanging Measurements			H	M	L	H	M	L	H	M	L	H	M	L	
			A	B	C																			
	1" x 4"	N/A	15.25	12.75	7.50	Yes	ETL-Indoor	12.20	32	8	3	0.44	0.13	0.06	191	106	50	6848	3780	1690	215	461	545	Arkwright™ 58" Poly Carbonate Blades
	N/A	N/A	N/A	N/A																				
	1" x 4"	N/A	15.25	12.75	7.50	Yes	ETL-Indoor	12.20	32	8	3	0.39	0.11	0.05	178	102	51	6421	3570	1766	200	435	535	Arkwright™ 58" Plywood Blades
	N/A	N/A	N/A	N/A																				
	1" x 4"		16.25	12.00	14.75	No	Wet	26.30	62	33	10	0.51	0.44	0.27	165	110	50	5651	3733	1595	91	113	159	Cameron™
	N/A	N/A	N/A	N/A																				
	1" x 4"		13.50	10.75	12.75	Yes	Wet	24.20	65	31	10	0.55	0.38	0.22	168	116	62	6151	3940	1982	94	129	191	Canfield Patio™
	N/A	N/A	N/A	N/A																				
	1" x 4"		20.75	10.75	12.50	No	Indoor	23.68	65	31	10	0.55	0.38	0.24	164	111	57	6151	3940	1982	94	129	191	Canfield Pro™
	N/A	N/A	N/A	N/A																				
	1" x 4.5"		17.25	11.25	9.75	No	Wet	21.31	55	30	11	0.45	0.34	0.20	153	113	61	5170	3731	2051	94	124	186	Deckard™
	N/A	N/A	N/A	N/A																				
	1" X 4.5"		16.25	10.50	9.75	No	Indoor	20.64	61	41	17	0.50	0.47	0.34	154	125	76	4751	3831	2203	78	93	130	Fitch™
	N/A	N/A	N/A	N/A																				
	1" X 12"		18.75	16.25	7.75	Yes	Indoor	16.60	59	35	16	0.51	0.40	0.27	200	145	93	6193	4426	2755	106	126	177	56" Industrial
	N/A	N/A	N/A	N/A																				
	1" x 4.5"		16.75	10.75	10.75	No	Indoor	25.10	66	34	13	0.54	0.39	0.25	163	116	68	5277	3767	2351	80	111	181	Logan™
	N/A	N/A	N/A	N/A																				
	1" x 8"		18.50	16.50	15.00	No	ETL-Indoor	27.50	31	10	6	0.43	0.15	0.09	104	70	51	5759	4005	2787	188	401	457	Monarch™
	N/A	N/A	N/A	N/A																				
	1" x 6"		15.50	12.50	6.85	No	Indoor	19.19	55	28	10	0.46	0.38	0.26	198	138	75	4909	3278	1769	90	118	172	Ridley™
	N/A	N/A	N/A	N/A																				

# Specifications


Product Name	Page Number	ID Number	Motor Size	Motor Type	Motor Speeds	Blade Pitch in Degrees		Number of Blades	Blade Material	Control System	Downlight Included	Downlight Removable	Downlight	Uplight	Lead Wire Length	Flush Mount Adaptable	Mounting Slope – Pitch Out of Box
						Primary Lamp/ Lamp Size/Socket Specifications	Secondary Lamp/ Lamp Size/Socket Specifications										
Riggs™	S262	300143 BSS, OBB, WH	125mm x 65mm	DC	6	18°	44"	3	ABS	Full Function CoolTouch™ 6-speed DC Control System	Yes	No	E-12 (1) 75-Watt G16.5	N/A	78"	No	30° or 7/12
Rivetta II™	S272	300147 BSS, MCH, OBB, WH	125mm x 65mm	DC	6	14°	42"	4	PC	Full Function CoolTouch™ 6-speed DC Control System	Yes	CAP	(1) 100-Watt Halogen JDE	N/A	78"	No	30° or 7/12
Sterling Manor™	S290	339010 ADC, BSS, DBK, NI, OBB, SNW, TZ, WH	153mm x 15mm	AC Induction	3	11.5°	52"	5	MDF	Pull Chain	Universal	N/A	N/A	N/A	78"	Included	22° or 4/12
Sterling Manor™ Patio (52")	S310	339520 ADC, SBK, SNW, WCP, WSP	153mm x 15mm	AC Induction	3	11.5°	52"	5	ABS	Pull Chain	Universal	N/A	N/A	N/A	78"	Included	22° or 4/12
Sterling Manor™ Select ES	S294	339220 ADC, BSS, NI, OBB, SNW, TZ, WH	153mm x 15mm	AC Induction	3	11.5°	52"	5	MDF	Pull Chain	Yes	Yes	GU24 (2) 13-Watt CFL	N/A	78"	Included	22° or 4/12
Sutter Place™ (42")	S282	337013 ADC, AP, BSS, OBB, NI, SNW, TZ, WH	153mm x 13mm	AC Induction	3	12°	42"	5	MDF	Pull Chain	Universal	N/A	N/A	N/A	78"	Included	22° or 4/12
Sutter Place™ Select (42")	S286	337014 ADC, AP, BSS, OBB, NI, SNW, TZ, WH	153mm x 13mm	AC Induction	3	12°	42"	5	MDF	Pull Chain	Yes	Yes	E-13 (3) 40-Watt B-8	N/A	78"	Included	22° or 4/12
Vance™	S264	300142 BSS, OBB, PN, SNW	188mm x 25mm	AC Induction	3	14°	54"	5	Ply	Full Function CoolTouch™ Control System	Yes	No	E-12 (3) 40-Watt Krypton/ T3	N/A	78"	No	30° or 7/12



	Downrods Included			ENERGY STAR® Rated	cUL Certified & Rating Indoor - Damp - Wet	Hanging Weight (Lbs.)	Performance Metrics									Airflow Efficiency CFM Per Minute Per Watt	Product Name						
	Downrod 1 Diameter x Length	Downrod 2 Diameter x Length					Hanging Measurements			Watts			Amps					RPM			CFM		
							A	B	C	H	M	L	H	M	L			H	M	L	H	M	L
	1" x 6"			No	ETL-Indoor	14.20	30	7	3	0.38	0.11	0.05	228	120	51	4835	2520	1126	161	360	402	Riggs™	
	N/A																						
	1" x 4"			No	ETL-Indoor	17.98	29	6	3	0.41	0.10	0.05	251	120	51	5010	2493	930	172	389	332	Rivetta II™s	
	N/A																						
	1" x 4"			Yes	Indoor	20.90	60	29	10	0.51	0.36	0.21	210	141	73	5323	3708	1908	89	127	197	Sterling Manor™	
	Flush Mount Canopy Included																						
	1" x 4"			Yes	Wet	20.90	57	32	11	0.48	0.36	0.22	190	139	76	5150	3805	1986	91	120	179	Sterling Manor Patio™ (52")	
	Flush Mount Canopy Included																						
	1" X 4"			Yes	Indoor	18.77	65	30	10	0.55	0.38	0.21	200	134	67	5275	3579	1849	81	119	185	Sterling Manor Select™ ES	
	Flush Mount Canopy Included																						
	1" X 4"			No	Indoor	15.03	47	27	11	0.39	0.31	0.20	230	173	103	3774	2923	1664	80	110	158	Sutter Place™ (42")	
	Flush Mount Canopy Included																						
	1" x 4"			No	Indoor	17.40	47	27	11	0.39	0.31	0.20	230	173	103	3774	2923	1664	80	110	158	Sutter Place™ Select (42")	
	Flush Mount Canopy Included																						
	1" x 8"			No	Indoor	31.85	69	40	14	0.57	0.49	0.32	160	112	63	5878	4290	2254	85	107	161	Vance™	
	N/A																						

# Light Bulb Reference

## Incandescent and Compact Fluorescent Light Bulbs



### Incandescent Light Bulbs

Product ID	Description	Product ID	Description
<b>4062 CLR</b>	E-12 40W, B8 Clear Replacement Lamp	<b>4068 CLR</b>	E-12 40W, B10.5 Clear Replacement Lamp
<b>4063 CLR</b>	E-12 40W, B10 Clear Replacement Lamp	<b>4069 CLR</b>	E-12 15W, C7 Clear Replacement Lamp
<b>4064 CLR</b>	E-12 60W, B10 Clear Replacement Lamp	<b>4070 CLR</b>	E-12 10W, C7 Clear Replacement Lamp

### Fluorescent Light Bulbs

Product ID	Description	Product ID	Description
<b>4055</b>	22W T9 Circline G10q Base Replacement Lamp	<b>4043</b>	13W GU24 Replacement Lamp
<b>4056</b>	22W G10q Replacement Ballast	<b>4051</b>	18W GU24 Squat Replacement Lamp
		<b>4052</b>	13W E26 Replacement Lamp

### Halogen Light Bulbs

Product ID	Description	Product ID	Description
<b>5925</b>	100W J Type DE Halogen Replacement Lamp	<b>5907 FST</b>	40W E-12 Krypton T3 Replacement Lamp
<b>5920 CLR</b>	50W E-11 Halogen T3 Replacement Lamp	<b>5919 FST</b>	50W E-12 Krypton T3 Replacement Lamp
<b>5910 CLR</b>	75W E-11 Halogen T3 Replacement Lamp	<b>5905 FST</b>	60W E-12 Krypton T3 Replacement Lamp
<b>5903 CLR</b>	100W E-11 Halogen T3 Replacement Lamp		

### Equivalent Light Output

To determine which qualified CFL light bulbs will provide the same amount of light as your current incandescent light bulbs, consult the following chart:

Incandescent Light Bulbs Watts (W)	Incandescent Minimum Light Output Lumens	Common CFL Light Bulbs Watts (W)
40	450	9-13
60	800	13-15
75	1,100	18-25
100	1,600	23-30
150	2,600	30-52

- Lamps are included on all products.
- Wattages stated are the maximum recommended, however, you may use lower wattage lamps to suit your lighting needs.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants and other forms of weathering.

- All electrical products are rated as 120-volt, AC unless otherwise noted.
- All electrical products are certified and listed to UL/CSA/ETL Standards for use in U.S.A. and Canada.
- All products featured in the outdoor section are certified and listed to UL/CSA standards for wet or damp location except where noted.

- To serve you better, Kichler® Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand applied finishing will cause some differences between the printed images and actual product, and from one product to another.

## Index

4043 .....s342	337013 ADC ...s282	350101 OBB ...s316	370033 OBB ...s335	380115 BSS ...s328	380122 DBK ...s320
4051 .....s342	337013 AP ...s284	350101 SNW ...s316	370033 OI .....s335	380115 DBK ...s328	380122 NI .....s320
4052 .....s342	337013 BSS ...s285	350101 TZ .....s316	370033 OLZ ...s335	380115 NI .....s328	380122 OBB ...s320
4055 .....s342	337013 NI .....s282	350101 WH .....s316	370033 OZ .....s335	380115 OBB ...s328	380122 SNW ...s320
4056 .....s342	337013 OBB ...s285	350102 ADC ...s317	370033 PN .....s335	380115 SNW ...s328	380122 TZ .....s320
4062 CLR .....s342	337013 SNW ...s285	350102 AP .....s317	370033 SBK ...s335	380115 TZ .....s328	380122 WH .....s320
4063 CLR .....s342	337013 TZ .....s284	350102 BSS ...s317	370033 SNW ...s335	380115 WH .....s328	380123 ADC ...s322
4064 CLR .....s342	337013 WH .....s284	350102 DBK ...s317	370033 TZ .....s335	380116 ADC ...s327	380123 BSS ...s322
4068 CLR .....s342	337014 ADC ...s286	350102 NI .....s317	370033 TZG .....s335	380116 BSS ...s327	380123 DBK ...s322
4069 CLR .....s342	337014 AP .....s287	350102 OBB ...s317	370033 TZP .....s335	380116 DBK ...s327	380123 NI .....s322
4070 CLR .....s342	337014 BSS ...s288	350102 SNW ...s317	370033 WBR ...s335	380116 NI .....s327	380123 OBB ...s322
5903 CLR .....s342	337014 NI .....s288	350102 TZ .....s317	370033 WCP ...s335	380116 OBB ...s327	380123 SNW ...s322
5905 FST .....s342	337014 OBB ...s286	350102 WH .....s317	370033 WH .....s335	380116 SNW ...s327	380123 TZ .....s322
5907 FST .....s342	337014 SNW ...s289	350104 ADC ...s316	370033 WSP ...s335	380116 TZ .....s327	380123 WH .....s322
5910 CLR .....s342	337014 TZ .....s289	350104 BSS ...s316	380046 AP .....s268	380116 WH .....s327	380124 ADC ...s322
5919 FST .....s342	337014 WH .....s289	350104 NI .....s316	380046 PN .....s268	380117 ADC ...s318	380124 BSS ...s322
5920 CLR .....s342	337015 SBK ...s299	350104 OBB ...s316	380046 WH .....s268	380117 BSS ...s318	380124 NI .....s322
5925 .....s342	337015 WH .....s298	350104 SNW ...s316	380047 AP .....s268	380117 DBK ...s318	380124 OBB ...s322
300106 AP .....s276	337016 ADC ...s278	350104 TZ .....s316	380047 PN .....s268	380117 NI .....s318	380124 SNW ...s322
300142 BSS ...s264	337016 BSS ...s278	350104 WH .....s316	380047 WH .....s268	380117 OBB ...s318	380124 TZ .....s322
300142 OBB ...s265	337016 NI .....s280	370025 AP .....s269	380064 ADC ...s330	380117 SNW ...s318	380124 WH .....s322
300142 PN .....s265	337016 OBB ...s280	370025 PN .....s269	380064 AP .....s330	380117 TZ .....s318	380125 ADC ...s322
300142 SNW ...s264	337016 SNW ...s281	370025 WH .....s269	380064 BSK ...s330	380117 WH .....s318	380125 AP .....s322
300143 BSS ...s262	337016 TZ .....s281	370026 AP .....s269	380064 DBK ...s330	380118 ADC ...s318	380125 BSS ...s322
300143 OBB ...s262	338050 WH .....s281	370026 PN .....s269	380064 NI .....s330	380118 BSS ...s318	380125 DBK ...s322
300143 WH .....s263	338050 ADC ...s333	370026 WH .....s269	380064 OBB ...s330	380118 NI .....s318	380125 NI .....s322
300144 BSS ...s261	338050 SBK ...s333	370027 AP .....s269	380064 SNW ...s330	380118 OBB ...s318	380125 OBB ...s322
300144 MCH ...s260	338050 SNW ...s333	370027 PN .....s269	380064 TZ .....s330	380118 SNW ...s318	380125 SNW ...s322
300144 OBB ...s261	338050 TZP .....s333	370027 WH .....s269	380064 WH .....s330	380118 TZ .....s318	380125 TZ .....s322
300144 SNW ...s260	338050 WCP .....s333	370028 AP .....s269	380065 ADC ...s329	380118 WH .....s318	380125 WH .....s322
300145 BSS ...s258	338050 WCP .....s333	370028 PN .....s269	380065 AP .....s329	380119 ADC ...s318	380902 ADC ...s334
300145 WH .....s259	338050 WH .....s333	370028 WH .....s269	380065 BSS ...s329	380119 AP .....s318	380902 SBK ...s334
300146 AP .s266-s271	339010 WSP ...s333	370029 AP .....s269	380065 DBK ...s329	380119 BSS ...s318	380902 SNW ...s334
300146 PN .s267-s271	339010 ADC ...s293	370029 PN .....s269	380065 DBK ...s329	380119 DBK ...s318	380902 TZP ...s334
300146 WH .s266-s271	339010 BSS ...s293	370029 WH .....s269	380065 OBB ...s329	380119 NI .....s318	380902 WCP ...s334
300147 BSS ...s272	339010 DBK ...s292	370029 WH .....s269	380065 SNW ...s329	380119 OBB ...s318	380902 WH ...s334
300147 MCH ...s272	339010 NI .....s292	370030 AP .....s269	380065 SNW ...s329	380119 SNW ...s318	380902 WSP ...s334
300147 OBB ...s273	339010 OBB ...s293	370030 PN .....s269	380065 TZ .....s329	380119 SNW ...s318	380903 ADC ...s331
300147 WH .....s273	339010 SNW ...s293	370030 WH .....s269	380065 WH .....s329	380119 TZ .....s318	380903 SBK ...s331
300148 AP .....s256	339010 TZ .....s290	370032 MUL ...s335	380112 BSS ...s324	380119 WH .....s318	380903 SNW ...s331
300148 OBB ...s257	339010 WH .....s292	370033 ADC ...s335	380112 NI .....s324	380120 ADC ...s320	380903 SNW ...s331
300148 SNW ...s256	339220 ADC ...s296	370033 AGZ ...s335	380112 OBB ...s324	380120 BSS ...s320	380903 TZP ...s331
310104 NI .....s303	339220 BSS ...s296	370033 ALR ...s335	380112 SNW ...s324	380120 DBK ...s320	380903 WCP ...s331
310104 TZP .....s302	339220 NI .....s294	370033 AMS ...s335	380112 TZ .....s324	380120 NI .....s320	380903 WH ...s331
310104 WCP ...s302	339220 OBB ...s297	370033 AP .....s335	380112 WH .....s324	380120 OBB ...s320	380903 WSP ...s331
310104 WH .....s302	339220 SNW ...s297	370033 APC ...s335	380113 BSS ...s325	380120 SNW ...s320	380904 ADC ...s332
310105 NI .....s304	339220 TZ .....s297	370033 BAB ...s335	380113 NI .....s325	380120 TZ .....s320	380904 SBK ...s332
310105 TZP .....s305	339220 WH .....s296	370033 BKZ ...s335	380113 OBB ...s325	380120 WH .....s320	380904 SNW ...s332
310105 WCP .....s304	339520 ADC ...s313	370033 BSS ...s335	380113 SNW ...s325	380121 ADC ...s320	380904 TZP ...s332
310105 WH .....s304	339520 SBK ...s312	370033 CTO ...s335	380113 TZ .....s325	380121 BSS ...s320	380904 WCP ...s332
310192 ADC ...s309	339520 SNW ...s313	370033 CTZ ...s335	380113 WH .....s325	380121 NI .....s320	380904 WH ...s332
310192 SBK ...s306	339520 TZP .....s313	370033 CZ .....s335	380114 BSS ...s326	380121 OBB ...s320	380904 WSP ...s332
310192 SNW ...s307	339520 WCP ...s310	370033 DBK ...s335	380114 NI .....s326	380121 SNW ...s320	
310192 TZP .....s308	339520 WH .....s312	370033 GST ...s335	380114 OBB ...s326	380121 TZ .....s320	
310192 WCP ...s309	339520 WSP ...s310	370033 MCH ...s335	380114 SNW ...s326	380122 ADC ...s320	
310192 WSP ...s308	350101 ADC ...s316	370033 MCO ...s335	380114 TZ .....s326	380122 AP .....s320	
310192 WH .....s306	350101 BSS ...s316	370033 MDW ...s335	380114 WH .....s326	380122 BSS ...s320	
	350101 NI .....s316	370033 NI .....s335	380115 ADC ...s328		





**KICHLER® LIGHTING**

World Headquarters  
7711 E. Pleasant Valley Rd.  
PO Box 318010  
Cleveland, Ohio 44131-8010

[www.kichler.com](http://www.kichler.com)

40M/11-KF-1695  
Catalog No. **K1211**  
Printed in USA  
© Copyright All rights reserved.  
Kichler Lighting.

The majority of newer Kichler Lighting fixtures are U.S. Patent Pending. Many are also Patent Pending in Canada.



*Featured on Front Cover:  
Ridley™ Ceiling Fan 300145 BSS*

*Featured on Back Cover:  
Deckard™ Ceiling Fan 310105 TZP*



Become a fan of Kichler Lighting at:  
[facebook.com](http://facebook.com)  
search Kichler Lighting



Follow us on  
[twitter.com/kichlerlight](http://twitter.com/kichlerlight)



Watch us on  
[youtube.com/KichlerLighting](http://youtube.com/KichlerLighting)