

Oak Bluffs[™] Collection | Lantern 49302 AZT | Pages 636-637

KICHLER®

560

Outdoor Lantern Visual Index



Aged Praire 652



Alameda™ 644-645



Amesbury' 592



Atwood 659



Barrie 616-617



Bay Shore™ 579



Benton™ 672



Bowen[™] 674-675



Brockton^T 654-655



Camden¹ 688-689



Cameron™ 612-613



Caterham™ 686-687



Celino¹ 670



Centennial™ 670



Chesapeake¹ 620-621



Chicago™ 646-647



Concord 626



Cotswold™ 604-605



Coturri™ 676



Courtney Point™ 668-669



Courtyard™ 580-581



Creston™ 653



Crosett^T 661



Cross Creek™ 662-663



Duquesne™ 610-611



Eau Claire™ 590



Embassy Row 602-603



Franceasi™ 608-609



Franceasi™ LED 562-563



Leeds™ 656-657



Gadsden™ 598



Grove Mill" 578



Hendrik™ 652



Izona" 673



Kirkwood™ 614-615



La Mesa™ 642-643



Lantana™ 664-665



Lindstrom™



Lura™ 650-651



Luverne™ 576-577



Lynnewood Gardens™ 593



MacKenzie™ 624-625



Madison 600-601



Maya Palm™ 564



606-607





Montara" 658



Morris™ 640-641



Mount Vernon 588-589



Newport™ 670



Outdoor 698



Nob Hill' 570-571



North Creek[™] 632-633



Oak Bluffs™ 636-637



Outdoor 699





Outdoor 671



701



Outdoor 701



Pacific Edge™ 678-681



Pasadena 634-635



Point Judith™ 692-693



Portman Square™ 628-631



Seaside™ 694-695



Ralston™ 618-619



Ripley™ 696



Riverbank™ 622-623



Rustic™ 627



Salisbury™ 582-585



Sausalito™ 591



Savannah Estates™ 597



Takil™ 565



Tavistock™ 690-691



Tiverton™ 666-667



Tournai™ 566-569



Townhouse™ 594-595



Tremillo™ 682-683



Trenton™ 596



Tularosa 638-639



Tuscana 673



Venetian Rain™ 572-575



Warner Park™ 586-587



Warrington™ 599



Westport® 677

Outside the box

From uplighting to downlighting, the great outdoors has never looked better. And while safety is still key, aesthetics are playing more and more of a role. So why not blend form and function with extraordinary fixtures from the Kichler® Outdoor Collection.



Pacific Edge[™] Collection Lantern 49345 PSS316, Page 679

Our distinctive offering transforms exterior lighting into works of art with striking pieces that illuminate entryways, driveways, pathways and more. All of which can be incorporated into your home's existing outdoor design to create a look that's entirely your own.

Symbol Guide

DAMP

Hybrid

WET Dark Sky



Title 24 Compliant



Lamp Included



Installation Requirements



CFL Included



90° C. Wire Rated



ADA Compliant



75° C. Wire Rated



Franceasi LED

Olde Bronze® Finish







B 49226 0Z LED





Matching Family See entire matching Incandescent Lanterns on pages 608-609.



D 49227 0Z LED

LED Equivalencies

9.4W	Light equivalent to a 40W incandescent bulb	78% energy savings
12.1W	Light equivalent to a 60W incandescent bulb	81% energy savings

Cast Aluminum

Dark Sky Compliant



_	ITEM	SOURCE	W	Н	EXT.	HCWO	NOTES
Α	49229 OZ LED	12.1W Q *	10	25	12.25	8.75	00
В	49226 OZ LED	9.4W Q *	5.5	14.5	7.25	4.5	00
С	49228 OZ LED	12.1W Q *	8.5	22	10.5	7.5	00
D	49227 OZ LED	9.4W Q *	7	18	9	5.75	00

Measurements shown in inches. U.S. Patent Pending ** LED Light Source included

Maya Palm LED

Aged Bronze Finish



A 49249 AGZ LED

LED Equivalencies

9.4W	Light equivalent to a 40W incandescent bulb	78% energy savings
12.1W	Light equivalent to a 60W incandescent bulb	81% energy savings



B 49248 AGZ LED

Cast Aluminum

	LED ITEM	SOURCE	W	Н	EXT.	HCWO	NOTES
Α	49249 AGZ LED	12.1W Q *	9.5	13.25	6.75	4	00
В	49248 AGZ LED	9.4W Q *	7.75	10.75	5.75	3.25	00

Takil LED

Aged Bronze Finish







49250 AGZ LED

Cast Aluminum





	LED ITEM	LIGHT SOURCE	W	Н	EXT.	HCWO	NOTES
Α	49251 AGZ LED	12.1W Q *	10	12.75	7.75	4.75	00
В	49250 AGZ LED	9.4W Q *:	8	10.25	6.5	4.5	00

Measurements shown in inches. U.S. Patent Pending **LED Light Source included















F 9360 LD

Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9362 LD*	(5) 100W (M)	25.5	69.5			36.5		
В	9855 LD	(3) 60W (C)	11.75	24.5	98.5	15(72)			0
С	9564 LD	(4) 100W (M)	17	33.5	107.5	9(72)			◎ ② ③ OD (23-30W CFL)
D	9854 LD	(2) 60W (C) �	12	7.5					0
E	9357 LD	(2) 60W (C)	10	24			14.75		Variable height mounting hardware included, Junction Box 6"-17.5"
F	9360 LD	(4) 100W (M)	17	46			25	24.5	◎ ① ② OD (23-30W CFL)

Measurements shown in inches. *Special order: Call for delivery.



	INCAND.	INCAND. BULB	W	н	OVRLL	(CHAIN)	EXT.	HCWO	NOTES
Α	9568 LD*	(8) 100W (M)	25.5	47.5	121.5	(72)			1 ② ③ ③ OD (23-30W CFL)
В	9358 LD	(3) 60W (C)	11.75	29			17.75		Variable height mounting hardware included, Junction Box 6.5"-21.5"
С	9356 LD	(1) 150W (M)	7.5	18			11.25		© ① ≦0D (23-30W CFL) Variable height mounting hardware included, Junction Box 5.75"-11.75"
D	9355 LD	(1) 100W (M)	6	10.75			7.75	4	◎ ≦ 0D (23-30W CFL)

Measurements shown in inches. *Special order: Call for delivery.



	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	NOTES
-						
Е	9559 LD	(4) 60W (C)	13.75	30		©
F	9558 LD	(3) 60W (C)	11.75	27		©
G	9359 LD	(4) 60W (C)	14	37.75	21	▼ ① Variable height mounting hardware included, Junction Box 11"-33.25"
Н	9565 LD	(4) 100W (M)	17	37.5		◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥







C 49415 RZ



E 49416



	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49417 RZ	(1) 100W (M)	10	20.5			12.75	5.5	◎ ② OD (30-52W CFL)
В	49419 RZ	(1) 150W (M)	12.5	19.75	94	22(72)			◎ ② OD (23-30W CFL)
С	49415 RZ	(1) 75W (M)	6	9.25			7.25	2.75	◎ ≦ 0D (18-25W CFL)
D	49035 RZ	(2) 40W (C) 💠	10	6.25					0
E	49416 RZ	(1) 100W (M)	8	16.5			10.25	4.5	◎ ② OD (23-30W CFL)
F	49418 RZ	(1) 150W (M)	12.5	22.25					◎ ⑤ 0D (30-52W CFL)



C 49131 BRZ

49135 BRZ NOT TO SCALE



_	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49135 BRZ	(4) 40W (C)	11.25	37			16	9	0
В	49132 BRZ	(3) 60W (C)	9.25	31			13.5	7	©
С	49131 BRZ	(2) 60W (C)	7.25	25.25			10.75	6	©
D	49136 BRZ	(2) 40W (C) �	9.25	5.5					0
Е	49134 BRZ	(2) 60W (C)	7.25	24.75	98.75	16(72)			0
F	49130 BRZ	(1) 60W (C) 🗸	6.75	11.75			3.75	7.25	₩ ADA
G	49133 BRZ	(3) 60W (C)	9.25	32.5			15.5		0





_	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49135 BKG	(4) 40W (C)	11.25	37			16	9	0
В	49132 BKG	(3) 60W (C)	9.25	31			13.5	7	©
С	49131 BKG	(2) 60W (C)	7.25	25.25			10.75	6	©
D	49136 BKG	(2) 40W (C) �	9.25	5.5					0
Е	49134 BKG	(2) 60W (C)	7.25	24.75	98.75	16(72)			0
F	49130 BKG	(1) 60W (C) 🗸	6.75	11.75			3.75	7.25	₩ ADA
G	49133 BKG	(3) 60W (C)	9.25	32.5			15.5		©

Luverne

Rubbed Bronze™ Finish with Clear Ribbed Glass



	INCAND. ITEM	BULB	W	Н	H H	(CHAIN)	EXT.	HCWO	NOTES
Α	49003 RZ	(1) 150W (M)	11	22.25			13.5	6.5	♥ 3 0D (30-52W CFL)
В	49005 RZ	(1) 150W (M)	11	19.75	93.75	24(72)			⊙ ⊜ OD (23-30W CFL)
С	49002 RZ	(1) 100W (M)	9	18			11	6.25	♥ 3 0D (23-30W CFL)
D	49001 RZ	(1) 100W (M)	7	13.25			7.75	4	♥ 3 OD (9-13W CFL)
Е	49004 RZ	(1) 150W (M)	11	20.75					♥ 3 OD (23-30W CFL)

0UTD00R

_uverne

Rubbed Bronze™ Finish with Satin-Etched Ribbed Glass

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.



A 11032 : RZ



11031 : RZ



C 11030 : RZ



Cast Aluminum

	FLUOR. ITEM	FLUOR. BULB		W	Н	EXT.	HCWO	NOTES
Α	11032 RZ	(1) 26W (GU24)	0	11	22.25	13.5	6.5	©
В	11031 RZ	(1) 18W (GU24)	0	9	18	11	6.25	©
С	11030 RZ	: (1) 13W (GU24)	0	7	13.25	7.75	4	®
D	11035 RZ	(1) 18W (GU24)	0	11	20.75			• • • • • • • • • • • • • • • • • • •

Grove Mill*

LifeBrite™ Polished Brass Finish over Solid Brass with Clear Beveled Glass Panels



Bay Shore

LifeBrite™ Polished Brass Finish over Solid Brass with Clear Beveled Glass Panel



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9713 PB	(1) 100W (M)	9.5	20			10.75	15.5	◎ ② OD (23-30W CFL)
В	9513 PB	(1) 100W (M)	9.5	20	94	25(72)			◎ ② OD (23-30W CFL)
С	9711 PB	(1) 100W (M)	5.75	10.25			6.75	4	◎ ≦ 0D (23-30W CFL)
D	9712 PB	(1) 100W (M)	7	15.5			7.75	12	◎ ≦ 0D (23-30W CFL)
E	9913 PB	(1) 100W (M)	9.5	22.5					◎ ② 0D (23-30W CFL)





	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9034 RZ		(3) 60W (C)		10.25	22.25			13.5	9	•
В		11012 RZ		(1) 18W (GU24) 124	10.25	22.25			13.5	9	®
С	9035 RZ		: (3) 60W (C)		12.25	26.5			16.5	12.5	©
С		11013 RZ		(1) 26W (GU24) 12 (1)	12.25	26.5			16.5	12.5	©
D	9033 RZ		(1) 150W (M)		8.25	17.75			11	7.75	◎ ② OD (23-30W CFL)
D		11011 RZ		(1) 18W (GU24) 12 (1)	8.25	17.75			11	7.75	©
Е	9538 RZ		(3) 40W (C) 🗸		12.25	6.25					0
F	9539 RZ		(3) 60W (C)		12.25	21.5	95.5	20(72)			0
F		11016 RZ		(1) 26W (GU24) 🔞 👣	12.25	21.5	95.5	20(72)			0
G	9032 RZ		(1) 100W (M)		6.25	11			7	3.5	◎ ② OD (23-30W CFL)
G		11010 RZ	·	(1) 13W (GU24) (1/4)	6.25	11			7	3.5	: ®
Н	9533 RZ		(3) 60W (C)	•	12.25	27					· •

0

0

@ 230D (23-30W CFL)

Measurements shown in inches. Incandescent comes in Clear Seedy Glass and Fluorescent comes in Etched Seedy Glass.

: (1) 26W (GU24) @ 🚺 : 12.25 :

: (1) 18W (GU24) 🔞 🚺 : 10.25 : 23.75

10.25

23.75

11015 RZ

11014 RZ

(1) 200W (M)

9532 RZ





_	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9043 BK	(1) 200W (M)	12	29			16.25	14.25	◎ ② OD (23-30W CFL)
В	9039 BK	(1) 60W (M)	6	10.25			7	3.5	◎ ② ○ O (13-15W CFL)
С	9041 BK	(1) 100W (M)	8	19.25			10.75	9.5	◎ ② ③ OD (23-30W CFL)
D	9040 BK	(1) 100W (M)	8	19.25			10.75	7	◎ ② OD (23-30W CFL)
Е	9042 BK	(1) 150W (M)	10	24.25			13.25	12.25	◎ ② OD (23-30W CFL)
F	9843 BK	(1) 200W (M)	12	25	99	22(72)			● ② OD (23-30W CFL)
G	9848 BK	(2) 60W (M)	13.5	7.5					● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
Н	9938 BK	(1) 150W (M)	10	21.75					◎ ② ③ OD (23-30W CFL)
J	9940 BK	(1) 200W (M)	12	25.5					◎ ⑤ ⑤ O (23-30W CFL)



	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	9040 RZ		(1) 100W (M)		8	19.25	10.75	7	◎ ② OD (23-30W CFL)
Α		11002 RZ		(1) 18W (GU24) (14)	8	19.5	10.75	6.75	
В	9041 RZ		(1) 100W (M)		8	19.25	10.75	9.5	◎ ⑤ D (23-30W CFL)
С	9043 RZ		(1) 200W (M)		12	29	16.25	14.25	◎ 3 0D (23-30W CFL)
С		11005 RZ		(1) 26W (GU24) 124	12	29.25	16.25	15.5	
D	9039 RZ		(1) 60W (M)		6	10.25	7	3.5	◎ 3 0D (13-15W CFL)
D		11001 RZ		(1) 13W (GU24) 124 (1)	6	10.25	7	4.5	



	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB		W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Е	9042 RZ		(1) 150W (M)			10	24.25			13.25	12.25	№ 3 0D (23-30W CFL)
Е		11004 RZ		(1) 18W (GU24)	<u>14</u>	10	24.25			13.25	12.5	
F	9843 RZ		(1) 200W (M)			12	25	99	22(72)			● 3 0D (23-30W CFL)
F		11006 RZ		(1) 26W (GU24)	124 🕖	12	24.75	98.75	22(72)			
G	9848 RZ		(2) 60W (M)			13.5	7.5					● ② OD (13-15W CFL)
Н	9938 RZ		(1) 150W (M)			10	21.75					№ 3 0D (23-30W CFL)
Н		11008 RZ		(1) 18W (GU24)	<u>12</u>	10	22					®
J	9940 RZ		(1) 200W (M)			12	25.5					№ 3 0D (23-30W CFL)
J		11009 RZ		(1) 26W (GU24)	<u>124</u>	12	25.5			·	· ·	w

Warner Park

Rubbed Bronze[™] Finish with Light Golden Seedy Glass



Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	49103 RZ		(1) 150W (M)		13.75	25.75	16.25	6.75	◎ ② OD (30-52W CFL)
В	49102 RZ		(1) 150W (M)		11.5	21.25	13.25	6	◎ ⑤ OD (30-52W CFL)
В		49102 RZ FL		(1) 18W (GU24) 🔞 🌎	11.5	21.25	13.25	6	©
С	49100 RZ		(1) 100W (M)		6.75	12.5	8.25	3	◎ ⑤ 0D (23-30W CFL)
С		49100 RZ FL		(1) 13W (GU24) 🔞 🌎	6.75	12.5	8.25	3	©

Measurements shown in inches. U.S. Patent Pending

49100 RZ 49100 RZ FL









	49101	R7
	70101	112
F	49101	R7 FI
	49101	RZ FL

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49108 RZ		(1) 60W (M) �		9	13					● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
E	49106 RZ		(1) 150W (M)		11.5	23.5	97.5	22(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
Е		49106 RZ FL		(1) 18W (GU24) 🔞 🚱	11.5	23.5	97.5	22(72)			0
F	49101 RZ		(1) 100W (M)		9	17			10.75	4.25	◎
F		49101 RZ FL		(1) 18W (GU24) 🔞 🌎	9	17			10.75	5	©
G	49104 RZ		(1) 150W (M)		11.5	24.75					◎ ○ OD (30-52W CFL)
G		49104 RZ FL		(1) 18W (GU24) 🔞 🌘	11.5	24.75					•

Mount Vernon

Olde Bronze® Finish over Solid Brass with Etched Seedy Glass



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9703 OZ	(6) 60W (C)	16	32.5			17	12.25	©
В	9804 OZ	(4) 60W (C)	13	26	100	(72)			©
С	9809 OZ	(1) 150W (M)	9.5	18.5	92.5	23(72)			◎ ② OD (23-30W CFL)
D	9704 OZ	(4) 60W (C)	13	27.75			13.75	11.25	©
Е	9707 OZ	(1) 100W (M)	5.5	12.5			6.25	5.25	◎ 3 0D (23-30W CFL)
F	9909 OZ	(1) 150W (M)	9.5	20.5					◎
G	9709 OZ	(1) 150W (M)	9.5	19.5			10.25	7.25	◎
Н	9708 OZ	(1) 150W (M)	7.5	16.75			8.25	7	© ⊜ 0D (23-30W CFL)

Mount Vernon

Olde Bronze® Finish over Solid Brass with Etched Seedy Glass



Solid Brass

	FLUOR. ITEM	FLUOR. BULB		W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	10909 OZ	(1) 18W (GU24)	124	9.5	19.5			10.25	7.25	©
В	10910 OZ	(1) 18W (GU24)	<u>14</u>	9.5	18.5	92.5	23(72)			0
С	10907 OZ	(1) 13W (GU24)	124	5.5	12.5			6.25	5.25	©
D	10908 OZ	(1) 13W (GU24)	124	7.5	16.75			8.25	7	•
E	10911 0Z	(1) 18W (GU24)	124	9.5	21.25					®

Eau Claire



Sausalito

Olde Bronze® Finish with Clear Ribbed Optic Glass





C 9412 0Z



See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.



Aluminum

	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9492 OZ	(3) 60W (C)	11	28			13.5	10.5	®
В	9452 OZ	(3) 60W (C)	9.5	24			12	9.75	©
С	9412 OZ	(1) 100W (M)	7	19.5			9	7.5	◎ 3 OD (23-30W CFL)
D	9832 OZ	(3) 60W (C)	11.5	23	97	15(72)			0
Е	9932 OZ	(3) 60W (C)	11.5	24.5					©

Amesbury

Tannery Bronze™ Finish and Gold Accents with Clear Beveled Glass



Lynnewood Gardens

Legacy Bronze™ Finish with Textured Linen Seedy Glass




	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9015 LZ	(1) 150W (M)	11	23			13	5.25	◎ ② OD (23-30W CFL)
В	9815 LZ	(1) 150W (M)	11	19.5	93.5	25(72)			◎
С	9013 LZ	(1) 150W (M)	9	19			11	4.75	◎
D	9011 LZ	(1) 100W (M)	7	14.75			8.75	4	◎
Ε	9514 LZ	(1) 150W (M)	11	22.5					◎

Townhouse

Black or Tannery Bronze™ Finish with Clear Curved Beveled Glass Panels







B 9790 ⋮ BK, **TZ**



D 9789 **BK**, TZ



	INCAND. ITEM	FINISH	BULB	W	Н	EXT.	HCWO	NOTES
Α	49185	BK, TZ	(3) 60W (C)	12.25	31.5	12.25	23.5	w .
В	9790	BK, TZ	(1) 100W (M)	7.25	21.5	9.75	16.75	♥ ≦ 0D (23-30W CFL)
С	9791	BK, TZ	(1) 100W (M)	9.25	26.75	10.25	21	₩ 3 0D (23-30W CFL)
D	9789	BK, TZ	(1) 100W (M)	7.25	15.25	9	4.5	♥ ⊜ 0D (23-30W CFL)



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Е	9892	BK, TZ	(1) 100W (M)	9.25	24.5	98.5	23(72)			● ● OD (23-30W CFL)
F	9886	BK, TZ	(2) 40W (C) �	12	7					0
G	9788	BK, TZ	(1) 100W (M)	6.5	11.75			6.5	3	◎ ⑤ OD (23-30W CFL)
Н	9992	BK, TZ	(1) 100W (M)	9.25	24.25					◎ ⑤ OD (23-30W CFL)
J	49188	BK, TZ	: (3) 60W (C)	12.5	29.5					®







Olde Bronze® Finish over Solid Brass with Clear Beveled Glass



9931 NOT TO SCALE



9676



Solid Brass construction

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9931 OZ	(3) 60W (C)	12.25	25					©
В	9831 OZ	(4) 60W (C)	15	30.25	104.25	(72)			0
С	9677 OZ	(3) 60W (C)	12	24.75			11.5	12	©
D	9676 OZ	(2) 60W (C)	9.5	19.25			9	10	©
E	9631 OZ	(4) 60W (C)	13	35			16		W Variable height mounting hardware included, Junction Box 18"-25.5"



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49509 BST	(1) 100W (M)	9	16			11	3	◎ ≦ 0D (23-30W CFL)
В	49511 BST	(1) 100W (M)	9	15.25	89.25	26(72)			◎ ② OD (23-30W CFL)
С	9848 BST	(2) 60W (M)	13.5	7.5					◎ ② OD (13-15W CFL)
D	49507 BST	(1) 60W (M)	6	11			6.75	2.5	◎ 3 OD (13-15W CFL)
Е	49508 BST	(1) 75W (M)	7.5	13.5			9.25	2.5	◎ 3 OD (18-25W CFL)
F	49510 BST	(1) 100W (M)	9	17					◎ 3 OD (23-30W CFL)

Warrington


Tannery Bronze™ Finish with Clear Seedy Glass







E 9368 TZ






B 9372 : TZ



9369





D 9881 TZ



C 9371 TZ



	INCAND. ITEM	INCAND. BULB	W	н	OVRLL.		EXT.	HCWO	NOTES
Α	9370 TZ	(1) 150W (M)	9.25	19.25			10.25	13.75	◎ ≦ 0D (23-30W CFL)
В	9372 TZ	(3) 60W (C)	11.5	24			12.5	16.75	®
С	9371 TZ	(3) 60W (C)	11.5	19.5	93.5	14(72)			0
D	9881 TZ	(2) 40W (C) *	12	7.5					0
Е	9368 TZ	(1) 100W (M)	7.25	13	V		7.75	3.25	♥ 3 OD (23-30W CFL)
F	9369 TZ	(1) 150W (M)	9.25	16			10.25	5.5	♥ 3 OD (23-30W CFL)
G	9898 TZ	(3) 60W (C)	11.5	25.25					©

Madison

Tannery Bronze™ Finish with Light Linen Glass



	FLUOR. ITEM	FLUOR. BULB		W	Н	EXT.	HCWO	NOTES
Α	10955 TZ	(1) 18W (GU24) (<u> </u>	9.5	23.25	10.5	17.5	•
В	10954 TZ	(1) 18W (GU24) (T	<u> </u>	9.5	17	10.25	6.5	©
С	10953 TZ	(1) 13W (GU24) (T	<u> </u>	8	19.75	8.5	15.5	©
D	10950 TZ	(1) 13W (GU24) (T	<u> </u>	8	14.75	8.5	4.5	©
Е	10956 TZ	(1) 18W (GU24) (<u> </u>	9.5	22.75			©

Madison

Black, Tannery Bronze™ or White Finish with Clear Beveled Glass



See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.



9850 : **BK**, TZ, WH



G 9655 BK, TZ, WH

Cast Aluminum

Shown with Black Post, 9506 BK

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9654	BK, TZ, WH	(1) 150W (M)	9.5	23.25			10.5	17.5	♥ 6 0D (23-30W CFL)
В	9805	BK, TZ, WH	(1) 100W (M)	9.25	13.5	87.5	26(72)			. ● ● 0D (23-30W CFL)
С	9850	BK, TZ, WH	(2) 60W (C) �	10.75	7.25					0
D	9653	BK, TZ, WH	(1) 100W (M)	8	19.5			8.5	15.5	◎ ⑤ OD (23-30W CFL)
E	9650	BK, TZ, WH	(1) 100W (M)	8	13			8.5	4.75	◎ ⑤ OD (23-30W CFL)
F	9956	BK, TZ, WH	(1) 150W (M)	9.5	22.75					◎ ⑤ OD (23-30W CFL)
G	9655	BK, TZ, WH	(1) 100W (M)	9.25	17			10	6	♥ 6 0D (23-30W CFL)

Measurements shown in inches.

BK Black TZ Tannery Bronze™ WH White

Embassy Row

Antique Pewter Finish over Solid Brass with Clear Beveled Glass Panels



	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9785 AP	(3) 60W (C)	10.5	21	9.25	8.25	©
В	9784 AP	(1) 100W (M)	8.25	14.75	8	5.5	◎ ② OD (23-30W CFL)
С	9783 AP	(1) 100W (M)	7	10.75	7	4	◎ ② OD (23-30W CFL)
D	9985 AP	(3) 60W (C)	10.5	20.75			©

Embassy Row

Olde Bronze® Finish over Solid Brass with Clear Beveled Glass Panels



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9785 OZ	(3) 60W (C)	10.5	21			9.25	8.25	©
В	9885 OZ	(3) 60W (C)	10.5	19.5	93.5	14(72)			0
С	9786 OZ	(3) 60W (C)	12.5	24.5			11.75	9.5	©
D	9783 OZ	(1) 100W (M)	7	10.75			7	4	◎ ② OD (23-30W CFL)
Е	9985 OZ	(3) 60W (C)	10.5	20.75					©
F	9784 OZ	(1) 100W (M)	8.25	14.75			8	5.5	◎ ⑤ DD (23-30W CFL)

Cotswold





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9354 AGZ	(1) 200W (M)	12	19			16.5	3	◎ ② OD (23-30W CFL)
В	9351 AGZ	(1) 60W (C)	6	7.75			7.75	2.5	©
С	9353 AGZ	(1) 150W (M)	10	14.5			14.5	3	◎ ② OD (23-30W CFL)
D	9352 AGZ	(1) 100W (M)	8	12.25			11	2.5	◎ ② OD (9-13W CFL)
E	9852 AGZ	(1) 150W (M)	12	16.5	90.5	26(72)			● ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
F	9954 AGZ	(1) 200W (M)	12	18					◎ ⑤ ⑤ O (23-30W CFL)

McAdams

Rubbed Bronze™ Finish with Light Umber-Etched Seedy Glass





49271 RZ



	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49273 RZ	(1) 150W (M)	12	21	14.25	9	◎ ≦ 0D (30-52W CFL)
В	49271 RZ	(1) 100W (M)	8	14	9.5	6.5	♥ ⑤ D (23-30W CFL)
С	49272 RZ	(1) 150W (M)	10	17.5	11.5	8	♥ ⑤ D (30-52W CFL)



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49270 RZ	(1) 100W (M)	5.5	9.5			6.75	5.25	◎ ② OD (18-25W CFL)
Е	49276 RZ	(1) 150W (M)	10	22.25	96.25	23(72)			● ② 0D (30-52W CFL)
F	49277 RZ	(2) 75W (M)	11.5	5.5					● ② OD (13-15W CFL)
G	49274 RZ	(1) 150W (M)	10	22.25					◎ ② OD (30-52W CFL)
Н	49275 RZ	(1) 200W (M)	12	26					◎ ② OD (30-52W CFL)





B 49227 : 0Z

Franceasi

Olde Bronze® Finish with Light Umber-Etched Seedy Glass

A 49229 OZ NOT TO SCALE

	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49229 OZ	(1) 150W (M)	10	25	12.25	8.75	♥⊜ 0D (30-52W CFL)
В	49227 OZ	(1) 100W (M)	7	18	9	5.75	♥ ⑤ © (23-30W CFL)









Cast Aluminum

C 49231 0Z

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
С	49231 OZ	(1) 100W (M)	7	20.25	94.25	19(72)			● ② OD (23-30W CFL)
D	49232 OZ	(2) 60W (M) *	11	6.5					● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
Е	49228 OZ	(1) 100W (M)	8.5	22			10.5	7.5	◎ ② OD (23-30W CFL)
F	49226 OZ	(1) 100W (M)	5.5	14.5			7.25	4.5	◎ ② OD (18-25W CFL)

E 49228 0Z

Duquesne

Brown Stone Finish with Umber-Etched Seedy Glass













49033 : BST







49035

BST

Cast Aluminum

49029 BST

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49032 BST	(1) 150W (M)	11.5	20			10.75	13.5	◎ ② ③ OD (30-52W CFL)
В	49031 BST	(1) 150W (M)	9.5	17			8.5	9.75	◎ ⑤ 0D (30-52W CFL)
С	49030 BST	(1) 100W (M)	7.5	12.5			7	7	◎ ⑤ 0D (23-30W CFL)
D	49035 BST	(2) 40W (C) �	10	6.25					0
Е	49033 BST	(1) 150W (M)	11	18	92	24(72)			● ■ 0D (30-52W CFL)
F	49029 BST	(1) 100W (M)	6	10.75			6	6.25	◎ ⑤ 0 D (23-30W CFL)
G	49034 BST	(1) 150W (M)	10.25	24.25					◎ ② OD (30-52W CFL)





C 9721 PR



NOT TO SCALE

9720 : PR

Cameron

Prairie Rock[™] Finish with White-Etched Linen Glass

9718 : PR 11017 : PR D

Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	9720 PR		(1) 200W (M)		10	17.75	11.25	4.5	♥ © © O D (23-30 W CFL)
Α		11019 PR		(1) 18W (GU24) 124	10	17.5	11.25	4	0
В	9719 PR		(1) 150W (M)		8	14.25	9.25	3.75	♥ 6 0D (23-30W CFL)
В		11018 PR		(1) 18W (GU24) 124	8	14	9.25	3.75	©
С	9721 PR		(1) 200W (M)		12	20.75	13.25	4.5	◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
D	9718 PR		(1) 60W (M)		6	10.75	7	3	◎ ⑤ 0 D (13-15W CFL)
D		11017 PR		(1) 13W (GU24) 14	6	10.75	7	3	0







	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	NOTES
Е	9511 PR	·	(1) 200W (M)		10	17.75	91.75	24(72)	● ② ② OD (23-30W CFL)
F	9811 PR		(3) 40W (C) �		13	6.75			0
G	9911 PR		(1) 100W (M)		8	16.75			◎ ⑤ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
Н	9902 PR		(1) 150W (M)		10	20			◎ ⑤ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
Н		11020 PR		(1) 18W (GU24) 🔞 🕢	10	20			0

Kirkwood

Tannery Bronze[™] Finish with Seedy Glass



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9030 TZ : (3	3) 60W (C)	9.75	21			11.25	13	©
В	9859 TZ : (1	1) 100W (M) 🗸	7.25	7.25					◎ ② OD (9-13W CFL)
С	9810 TZ : (1	1) 150W (M)	8.5	18	92	22(72)			◎ ② OD (23-30W CFL)
D	9028 TZ : (1	1) 100W (M)	6.5	12.75			7.5	8	◎ ② OD (23-30W CFL)
E	9029 TZ : (1	1) 150W (M)	8.5	17			9.5	10.25	◎ ⑤ O O (23-30W CFL)
F	9918 TZ : (3	3) 60W (C)	9.75	23.5					©

Kirkwood

Black Finish with Seedy Glass



	ITEM	BULB	W	Н	H H	(CHAIN)	EXT.	HCWO	NOTES
Α	9030 BK	(3) 60W (C)	9.75	21			11.25	13	®
В	9859 BK	(1) 100W (M) 🗸	7.25	7.25					⊙ ⊜ OD (9-13W CFL)
С	9810 BK	(1) 150W (M)	8.5	18	92	22(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
D	9028 BK	(1) 100W (M)	6.5	12.75			7.5	8	◎ ⑤ OD (23-30W CFL)
Е	9029 BK	(1) 150W (M)	8.5	17			9.5	10.25	◎ 3 0D (23-30W CFL)
F	9918 BK	(3) 60W (C)	9.75	23.5					©





Barrie

Black or Tannery Bronze[™] Finish with Clear Beveled Glass



C 9735 **BK**, TZ

Cast Aluminum

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
A	9736	BK, TZ	(1) 100W (M)	8.25	21.75	8	15	® ⊜ 0D (23-30W CFL)
В	49186	BK, TZ	(1) 100W (M)	9.75	19	9.5	7.75	♥ ≦ 0D (23-30W CFL)
C	9735	BK, TZ	(1) 100W (M)	8	15.5	8	6.25	♥ ≦ 0D (23-30W CFL)


















	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	9886	BK, TZ	(2) 40W (C) �	12	7					0
Е	9835	BK, TZ	(1) 100W (M)	8	13.5	87.5	25(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
F	49183	BK, TZ	(1) 100W (M)	6.25	11			6.5	2.5	◎ ② OD (23-30W CFL)
G	49187	BK, TZ	(1) 100W (M)	9.75	18					◎ ② OD (23-30W CFL)
Н	9935	BK, TZ	(1) 100W (M)	8	16					◎ ② OD (23-30W CFL)
J	9794	BK, TZ	(1) 100W (M)	4.75	8.5			5.75	2.75	♥ © © D (23-30W CFL)



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9848 BKS	(2) 60W (M)	13.5	7.5					● ⊜ © © O D (13-15W CFL)
В	49412 BK	(1) 100W (M)	10	17	91	25(72)			◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
С	49411 BK	(1) 100W (M)	10	16.75			11.25	7.75	♥ ⑤ ⑤ ⑤ 0 0 (23-30W CFL)
D	49410 BK	(1) 100W (M)	8	14			9	6.75	♥ ⑤ ⑤ ⑤ 0 0 (23-30W CFL)
Е	49409 BK	(1) 75W (M)	6	10.5			7	5	◎ ⑤ DD (18-25W CFL)
F	49413 BK	(1) 100W (M)	10	22.5					♥ © © 0 (23-30W CFL)

Ralston

Rubbed Bronze™ Finish with Satin-Etched Glass

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.





49410 RZ









E 49409





Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9848 RZS	(2) 60W (M)	13.5	7.5					◎ ② ③ ② ③ ② ③ ③ ③ ③ ③ ③ ③ ③ ③ ③
В	49412 RZ	(1) 100W (M)	10	17	91	25(72)			◎ ② ② ② O D (23-30W CFL)
С	49411 RZ	(1) 100W (M)	10	16.75			11.25	7.75	◎ ≦ 0D (23-30W CFL)
D	49410 RZ	(1) 100W (M)	8	14			9	6.75	♥ (23-30W CFL)
Е	49409 RZ	(1) 75W (M)	6	10.5			7	4.75	◎ ② ② OD (18-25W CFL)
F	49413 RZ	(1) 100W (M)	10	22.5					◎ ② OD (23-30W CFL)

Chesapeake

Black, Tannery Bronze™ or White Finish with Clear Beveled Glass Panels



Cast Aluminum

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49255	BK, TZ, WH	(1) 100W (M)	6.5	17	7.75	14	◎ ② OD (23-30W CFL)
В	49256	BK, TZ, WH	(1) 100W (M)	6.5	18			◎ 3 0D (23-30W CFL)

















	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
С	9774	BK, TZ, WH	(1) 60W (M)	5.5	10.5	6.25	2.25	♥ ② OD (23-30W CFL)
D	9777	BK, TZ, WH	(3) 60W (C)	7.25	15.25	8.5	3.5	©
Е	9977	BK, TZ, WH	(3) 60W (C)	7.25	17.5			©
F	9776	BK, TZ, WH	(1) 100W (M)	6.5	12.25	8	3.25	♥ (23-30W CFL)

Shown with Black Post, 9506 BK

E 9977 BK, TZ, WH

Measurements shown in inches.

Shown with Black Post, 9506 BK



Riverbank

Aged Bronze Finish with White Linen Mist Glass

A 49148 AGZ
NOT TO SCALE




B 49146 : AGZ







Cast Aluminum



_	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49148 AGZ	(1) 150W (M)	9	13.5		·	11.25	4	◎ ◎ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
В	49146 AGZ	(1) 100W (M)	5	8.25			6.5	3.75	◎ ⑤ OD (18-25W CFL)
С	49152 AGZ	(1) 150W (M)	9	14.75	98.75	26(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
D	49153 AGZ	(2) 60W (C) �	9.5	5.25					0
Е	49147 AGZ	(1) 100W (M)	7	10.5			8.75	3	◎ ⑤ O D (23-30W CFL)
F	49150 AGZ	(1) 150W (M)	9	16.5					◎ ⑤ OD (30-52W CFL)







Cast Aluminum

INCAND. INCAND. OVRLL. WIRE NOTES ITEM BULB (CHAIN) EXT. HCWO 49040 AZ : (1) 150W (M) 9 19.5 93.5 **● 3**0D (23-30W CFL) 25(72) ---В 49037 AZ : (1) 60W (C/K) **Q** 5 9 5.5 4.5 W Krypton bulb included С 9 49039 AZ : (1) 150W (M) 18.25 ---9.25 9.75 **◎ ②** 0D (23-30W CFL) D 7 49038 AZ : (1) 100W (M) 7.5 12.5 Ε 49042 AZ : (1) 150W (M) 9 **◎ ②** 0D (23-30W CFL) 21.25 ---

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.



B 9478 : 0B



C 9477 OB



A 9479 OB

NOT TO SCALE

Concord

Olde Brick® Finish with Seedy Glass



Solid Brass

	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	9479 OB	(1) 100W (M)	8	17	8.25	3.75	© ⊜ OD (23-30W CFL)
В	9478 OB	(1) 100W (M)	6.25	14.25	6.5	3.5	♥ 6 0D (23-30W CFL)
С	9477 OB	(1) 100W (M)	4.75	10.75	5	3.25	♥ ≤ 0D (23-30W CFL)
D	9979 OB	(1) 100W (M)	7.75	19.75			♥ ⑤ D (23-30W CFL)

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors. 9870 : RST 9761 9759 RST

Rustic

Rustic[™] Finish over Solid Brass with Clear Beveled Glass Panels







Solid Brass

9762

NOT TO SCALE

RST

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9762 RST	(1) 150W (M)	11	20.25			11.75	8	◎ ② ② O (23-30W CFL)
В	9870 RST	(1) 150W (M)	11	17.75	91.75	27(72)			● ② OD (23-30W CFL)
С	9759 RST	(1) 100W (M)	6	10			6.75	2.5	◎ ② OD (23-30W CFL)
D	9761 RST	(1) 150W (M)	9.5	17.75			10.5	7	◎ ② OD (23-30W CFL)
Е	9760 RST	(1) 100W (M)	7	13.5			8	5.5	◎ ② OD (23-30W CFL)
F	9962 RST	(1) 150W (M)	9.5	18.5					◎ ② OD (23-30W CFL)

Portman Square

Olde Bronze® Finish over Solid Brass with Etched Seedy Glass








Solid Brass construction

	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49160 OZ	(2) 100W (M)	11	22	6.25	10	◎ ② OD (23-30W CFL)
В	49159 OZ	(1) 150W (M)	9	14	9.75	7.25	◎ (30-52 W CFL)
С	49158 OZ	(1) 100W (M)	7	10.75	7.75	5.25	© 🗐 OD (23-30W CFL)







	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49157 OZ	(1) 100W (M)	6	8			6.5	4	◎ 3 0D (23-30W CFL)
Е	49161 OZ	(1) 100W (M)	11	18.5	92.5	25(72)			◎ ② OD (23-30W CFL)
F	49164 OZ	(2) 60W (M)	12	5					● 3 0D (13-15W CFL)
G	49162 OZ	(1) 100W (M)	9	16.25					◎ 3 0D (23-30W CFL)
Н	49163 OZ	(1) 150W (M)	11	18.25					◎ 3 0D (30-52W CFL)



Stainless Steel

	INCAND.	INCAND.			OVRLL.	WIRE			
	ITEM	BULB	W	Н	Н	(CHAIN)	EXT.	HCWO	NOTES
Α	49161 SS	(1) 100W (M)	11	18.5	92.5	25(72)			⊙ ⊜ OD (23-30W CFL)
В	49164 SS	(2) 60W (M)	12	5					⊙ ⊜ ⊙ D (13-15W CFL)
С	49158 SS	(1) 100W (M)	7	10.75			7.75	5.25	◎ 3 0D (23-30W CFL)

See pages 704-705 for our complete selection












	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
D	49160 SS	(2) 100W (M)	11	22	6.25	10	◎ ⑤ O D (23-30W CFL)
Е	49157 SS	(1) 100W (M)	6	8	6.5	4	◎ ⑤ O D (23-30W CFL)
F	49159 SS	(1) 150W (M)	9	14	9.75	7.25	◎ ⑤ OD (30-52W CFL)
G	49162 SS	(1) 100W (M)	9	16.25			◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
Н	49163 SS	(1) 150W (M)	11	18.25			◎ ⑤ OD (30-52W CFL)





	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB		W		OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49177 OZ		(1) 150W (M)			12.5	18			13.25	5	◎ ② OD (23-30W CFL)
Α		49177 0Z FL		(1) 26W (GU24)	<u>14</u> 🕖	12.5	18			13.25	5	©
В	49175 OZ		(1) 100W (M)			8.25	13.5			9.25	2.75	◎ ② OD (23-30W CFL)
В		49175 0Z FL		(1) 18W (GU24)	<u>14</u> 🕖	8.25	13.5			9.25	2.75	©
С	49176 OZ		(1) 100W (M)			10.5	16.5			11.25	4.5	◎ ② OD (18-25W CFL)
С		49176 0Z FL		(1) 18W (GU24)	<u>14</u> 🕖	10.5	16.5			11.25	4.5	©
D	49174 OZ		(1) 100W (M)			6.25	8.5			7.25	3.25	◎ ② OD (13-15W CFL)
D		49174 0Z FL		(1) 13W (GU24)	<u>14</u>	6.25	8.5			7.25	3.25	©
Е	49180 OZ		(1) 150W (M)			10.5	17.25	91.25	27(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
F	49181 OZ		(2) 75W (M) ❖			12.5	6.5					● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
F		49181 0Z FL		(2) 26W (GU24) 🗸	<u>14</u> 🕞	12.5	6.5					0
G	49178 OZ		(1) 100W (M)			10.5	20					◎ ○ OD (23-30W CFL)
G		49178 0Z FL		(1) 26W (GU24)	124 🕖	10.5	20					•
Н	49179 OZ		(1) 150W (M)			12.5	21.75					◎ ② 0D (30-52W CFL)





	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49140 OZ	(1) 100W (M)	11	14.75			13.25	5.5	◎ ⑤ D (23-30W CFL)
В	49137 OZ	(1) 100W (M)	7.5	11.25			9.25	4.5	♥⑤D (23-30W CFL)
С	49143 OZ	(1) 100W (M)	11	16.25	90.25	25(72)			◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
D	49144 OZ	(2) 60W (M) �	12.5	6.75					◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
Е	49139 OZ	(1) 100W (M)	9	12			10.75	5.25	◎ ⑤ D (23-30W CFL)
F	49138 OZ	(1) 100W (M)	6.25	7.75			7.25	4.25	◎ ⑤ D (23-30W CFL)
G	49142 OZ	(1) 100W (M)	11	19					◎ ⑤ DD (23-30W CFL)



Aluminum construction












	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49302 AZT	(1) 150W (M)	10.5	19			12	3.75	◎ ② ③ 0D (30-52W CFL)
В	49300 AZT	(1) 75W (M)	6.5	11.75			8	2.5	◎ ② OD (18-25W CFL)
С	49304 AZT	(1) 100W (M)	6.5	11.5	85.5	29(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
D	49306 AZT	(2) 75W (M) 🗸	12.25	5.5					● ② OD (18-25W CFL)
E	49301 AZT	(1) 100W (M)	8.5	15.25			10	3	◎ ② OD (23-30W CFL)
F	49307 AZT	(1) 150W (M)	10.5	17.5					◎ ⑤ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥

Tularosa

Canyon View[™] Finish over Solid Brass with Honey Opalescent Art Glass Panels













Solid Brass construction

Removable Cup for

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9645 CV	(1) 100W (M)	6	13.5			9.25	2.5	◎ ≦ 0D (23-30W CFL)
В	9646 CV	(1) 100W (M)	8	17			11	3	♥ ② OD (23-30W CFL)
С	9647 CV	(1) 150W (M)	11.25	13.25			13	3	♥ ② OD (23-30W CFL)
D	9846 CV	(1) 100W (M)	8	15.75	89.75	26(72)			◎
Е	9945 CV	(1) 150W (M)	11.25	12.75					Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø
F	9845 CV	(1) 100W (M) 💠	9	6.5					0

Measurements shown in inches. Complete selection of Dark Sky adapter panels for: A, B,C, D on pages 702-703

Е

9945







9026 : DCO



9027 DC0 NOT TO SCALE

Morris

Distressed Copper Finish with Inside-Etched Iridized Seedy Glass



D 9024 : DC0

Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9027 DC0	(1) 200W (M)	12	13.25	13	4.5	♥ ⑤ OD (23-30W CFL)
В	9025 DC0	(1) 100W (M)	8	9.25	8.75	2.75	w
C	9026 DC0	(1) 150W (M)	10	11	10.75	3.5	♥ 3 OD (23-30W CFL)
D	9024 DC0	(1) 60W (M)	6.5	8.25	7.25	2.75	w









	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
E	9837 DC0	(1) 150W (M)	12	12.75	86.75	28(72)			◎ ② ③ OD (23-30W CFL)
F	9838 DCO	(2) 60W (M) �	11.75	6					◎ ② OD (13-15W CFL)
G	9031 DC0	(1) 100W (M)	8	15			8.75	6	◎ ② OD (23-30W CFL)
Н	9920 DC0	(1) 200W (M)	12	15					◎ ② OD (23-30W CFL)

La Mesa


Canyon View[™] Finish over Solid Brass with Honey Opalescent Art Glass Panels





Solid Brass

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9726 CV	(1) 150W (M)	17	14.25			19	2.75	◎
В	9724 CV	(1) 100W (M)	9	8			10	2.25	©
С	9824 CV	(1) 100W (M)	12	9.75	83.75	29(72)			◎ ② OD (23-30W CFL)
D	9825 CV	(2) 75W (M) �	11.5	6.25					◎ ② OD (18-25W CFL)
Е	9725 CV	(1) 100W (M)	12	10.5			13.25	2.25	◎ 3 OD (23-30W CFL)
F	9926 CV	(1) 150W (M)	17	13.75					◎ 3 OD (23-30W CFL) Convertible from post to column mount



	ITEM	ITEM	BULB	BULB	W	Н	H	L	(CHAIN)	EXT.	HCWO	NOTES
Α	49090 CV		(3) 100W (M)		6	20	58	36	56			• Additional chain 2996 CV, Additional stem 2999 (12") CV
В	9652 CV		(1) 150W (M)		9	14.25				10.5	3.5	♥ 3 0D (23-30W CFL)
В		10960 CV		(1) 18W (GU24) 🔞 🌘	9	14				10.25	3.5	w ·
С	9651 CV		(1) 100W (M)		7	11.5				8.5	3	♥ 3 0D (23-30W CFL)
С		10961 CV		(1) 13W (GU24) 🔞 🚺	7	11.75				8.5	3	w .
D	9148 CV		(1) 150W (M)		7	15				8.5	3	™ ≥ 0D (18-25W CFL)



	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Е	9825 CV		(2) 75W (M) *		11.5	6.25					● ② OD (18-25W CFL)
Е		10957 CV		(2) 13W (GU24) 🔞 🚯	11.25	6.25					0
F	9649 CV		(1) 75W (M) 🗸		5	7			5.5	4	◎ 3 0D (18-25W CFL)
F		10962 CV		(1) 13W (GU24) 🔞 🔞	5	7			5.5	4	®
G	49091 CV		(4) 100W (M)		25	17	55	59			• Additional chain 2996 CV, Additional stem 2999 (12") CV
Н	9143 CV		(1) 100W (M)		7	8.25			4.75	3.75	◎ ② OD (23-30W CFL)
J	9849 CV		(1) 100W (M)		7	11.25	85.25	28(72)			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
J		10958 CV		(1) 13W (GU24) 🔞 🚯	7	11	85	28(72)			0
K	9147 CV		(1) 100W (M)		9	10			5.5	4	◎ ② OD (23-30W CFL)
L	9953 CV		(1) 150W (M)		9	12.25					™ 3 OD (23-30W CFL) Convt from post to column mount
L		10959 CV		(1) 18W (GU24) 🔞 🚺	9	12.25					0

Chicago

Aged Bronze Finish with Textured Linen Seedy Glass





9364 AGZ



C 9365 AGZ

Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9367 AGZ	(1) 150W (M)	12	14.75	13.25	3.5	♥ 3 OD (23-30W CFL)
В	9364 AGZ	(1) 60W (M)	6.75	9.5	7.75	3	♥ (30D (13-15W CFL)
С	9365 AGZ	(1) 75W (M)	8	10.75	9	3	◎ ⑤ D (18-25W CFL)





E 9867 : AGZ





	INCAND.	INCAND.			OVRLL.	WIRE			
	ITEM	BULB	W	Н	Н	(CHAIN)	EXT.	HCWO	NOTES
D	9827 AGZ	(1) 100W (M)	10	12.75	86.75	27(72)			⑤ ⑤ ⑥ O (23-30W CFL)
Е	9867 AGZ	(2) 75W (M) 💠	12	6				:	● 3 0D (18-25W CFL)
F	9366 AGZ	(1) 100W (M)	10	12.75			11	3	◎ 3 OD (23-30W CFL)
G	9975 AGZ	(1) 150W (M)	12	16					◎ ≦ 0D (23-30W CFL)

Melbern

Aged Bronze Finish with Light Umber-Etched Glass







Cast Aluminum


	INCAND. ITEM	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9054 AGZ	(1) 100W (M)	13	18	14.75	3.75	♥ 3 OD (23-30W CFL)
В	9052 AGZ	(1) 100W (M)	9	13.5	10	2.75	♥ 3 OD (23-30W CFL)
С	9051 AGZ	(1) 75W (M)	7	11	8	2.75	♥ ⑤ OD (18-25W CFL)





D 9554 AGZ





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	9554 AGZ	(1) 100W (M)	11	13	87	27(72)			◎ ② ③ OD (23-30W CFL)
Е	9555 AGZ	(1) 100W (M) ❖	9.75	7.25					◎ ② OD (18-25W CFL)
F	9053 AGZ	(1) 100W (M)	11	15.75			12.5	3	◎ 3 OD (23-30W CFL)
G	9955 AGZ	(1) 100W (M)	11	16.25					◎ ② OD (23-30W CFL)

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors. 49371 AVI NOT TO SCALE KICKLER Lura



Cast Aluminum

Anvil Iron Finish with Satin-Etched Cased Opal Glass

650 | KICHLER®



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49371 AVI	(1) 100W (M)	10	13.5				11.25	3.5	◎ ⑤ O D (23-30W CFL)
В	49374 AVI	(2) 75W (M)	8	10.5		19.5				◎ ⑤ O D (18-25W CFL)
С	9555 AVI	(1) 100W (M) �	9.75	7.25						● ● OD (23-30W CFL)
D	49372 AVI	(1) 60W (M)	6.75	9	47		66			● ● OD (13-15W CFL) Add. chain 4927 AVI, Add. stem 2999 (12") AVI
Е	49373 AVI	(1) 100W (M)	10	12.25	51		64			● ● OD (23-30W CFL) Add. chain 4927 AVI, Add. stem 2999 (12") AVI
F	49369 AVI	(1) 60W (M)	6.75	11				8	3.75	◎ ⑤ O D (13-15W CFL)
G	49370 AVI	(1) 75W (M)	8	10.75				9.25	3	◎ ⑤ OD (18-25W CFL)

Hendrik

Textured Architectural Bronze[™] Finish with Light Umber Glass

ged Prairie

Aged Bronze Finish with Amber Glass







9100 : AZT



9101 : AZT



D 11039 AGZ



E 11038 AGZ

Aluminum

Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	9203 AZT		(1) 150W (M)		8	18	11	9	◎ ⑤ O D (23-30W CFL)
В	9101 AZT		(1) 100W (M)		6.25	15	9.25	7.5	◎ ⑤ OD (23-30W CFL)
С	9100 AZT		(1) 100W (M)		5.25	11.5	7.25	5.75	◎ ⑤ O D (23-30W CFL)
D		11039 AGZ		(4) 18W (GU24) 🔞	10	32	13	10.25	©
Е		11038 AGZ		(2) 13W (GU24) 124	6	22	8.5	11	©

Creston

Aged Bronze Finish with Light Umber-Etched Glass



Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9556 AGZ	(1) 100W (M)	11	14.25	52.25	64			● ● OD (23-30W CFL) Additional chain 4927 AGZ, Additional stem 2999 (12") AGZ
В	9557 AGZ	(1) 100W (M)	10.5	6.25					◎ ② OD (23-30W CFL)
С	9059 AGZ	(1) 100W (M)	11	14.25			11.75	6.25	◎ 3 OD (23-30W CFL)
D	9058 AGZ	(1) 60W (M)	9	12			9.75	5	©
Е	9959 AGZ	(1) 100W (M)	11	17					◎ 3 OD (23-30W CFL)
F	9057 AGZ	(1) 60W (M)	7	9.25			7.75	4	®

Brockton

Anvil Iron Finish with Satin-Etched Cased Opal Glass



A 49217 AVI 49217 AVI FL NOT TO SCALE

Cast Aluminum



C 49214 AVI 49214 AVI FL

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB		W	Н	EXT.	HCWO	NOTES
Α	49217 AVI		(1) 150W (M)			11	15.75	11.5	7.5	◎ ⑤ O D (30-52W CFL)
Α		49217 AVI FL		(1) 18W (GU24)	(14)	11	15.75	11.5	7.5	©
В	49215 AVI		(1) 100W (M)			6.75	9.75	7	4.75	◎ ○ ○ (23-30W CFL)
В		49215 AVI FL		(1) 18W (GU24)	12	6.75	9.75	7	4.75	© (4)
С	49214 AVI		(1) 75W (M)			5.75	9	4.75	4.75	◎ ○ ○ (18-25W CFL)
С		49214 AVI FL		(1) 13W (GU24)	124 (7)	5.75	9	4.75	4.75	w









	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49219 AVI		(1) 150W (M)		9.25	17.25	91.25	11	24(72)			● ② OD (30-52W CFL)
D		49219 AVI FL		(1) 18W (GU24) 🔞	9.25	17.25	91.25	11	24(72)			0
Е	49220 AVI		(2) 60W (M) �		11	7						● ② 0D (13-15W CFL)
Е		49220 AVI FL		(2) 18W (GU24) 🗸 🔞	11	7						0
F	49216 AVI		(1) 100W (M)		9	13				9.25	6	™ 3 0D (23-30W CFL)
F		49216 AVI FL		(1) 18W (GU24) 🔞	9	13				9.25	6	©
G	49218 AVI		(1) 150W (M)		9.25	19.75		11				♥ 3 0D (30-52W CFL)
G		49218 AVI FL		(1) 18W (GU24) 124	9.25	19.75		11				w

Measurements shown in inches. U.S. Patent Pending: D, E, F, G (Incandescent)





Leeds

Anvil Iron Finish with Satin-Etched Cased Opal Glass



NOT TO SCALE







49116 AVI

49111 AVI 49111 AVI FL Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	w	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49113 AVI	49113 AVI FL	(2) 100W (M)	(2) 18W (GU24) 🔞 🚺	9.5	20				7	10	№ ② OD (23-30W CFL)
В	49112 AVI	49112 AVI FL	(1) 100W (M)	(1) 18W (GU24) 🔞 🚺	7.5	16.5				5.75	8.25	♥ 6 OD (23-30W CFL)
С	49110 AVI	49110 AVI FL	(1) 100W (M)	(1) 18W (GU24) 🔞 🚺	5.75	12.25				5	6	♥ 6 0D (13-15W CFL)
D	49116 AVI		(2) 60W (M) *		14	6						● ② OD (13-15W CFL)
Е	49115 AVI		(1) 100W (M)		7.5	19	93	8.5	26(72)			● ② 0D (23-30W CFL)
F	49111 AVI	49111 AVI FL	(2) 75W (M)	(2) 18W (GU24) 🔞 🚺	5.75	17.75				5	8.75	♥ 6 0D (13-15W CFL)
G	49114 AVI		(1) 100W (M)		7.5	19.75		8.5				™ ≥ 0D (23-30W CFL)

Montara

Olde Iron Finish with Umber-Etched Linen Glass



Aluminum

	INCAND.	BULB	W	Н	OVRLL. H	L	(CHAIN)	EXT.	HCWO	NOTES
Α	49078 OI	(1) 60W (M)	8.5	16				4	9.5	▼ ADA T type bulb required
В	49049 OI	(1) 100W (M)	6.5	13.5	87.5	9.25	27(72)			0
С	49076 OI	(1) 60W (M)	6	7.75				4	4	₩ 🗚 T type bulb required
D	49077 OI	(1) 60W (M)	7.25	10				4	6	▼ ADA T type bulb required
Е	49080 OI	(1) 150W (M)	6.25	14		9.25				©

Atwood

Brown Stone Finish with Light Umber Mist Glass



	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB		W	н	OVRLL.	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49075 BST	49075 BST FL	(1) 150W (M)	(1) 18W (GU24)	14 ()	10	17.75	91.75	23(72)		·/	● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
В	49073 BST	49073 BST FL	(1) 150W (M)	(1) 18W (GU24)	12	10	17.75			11	3.25	∞ ⊜ 0D (30-52W CFL)
С	49071 BST	49071 BST FL	(1) 100W (M)	(1) 13W (GU24)	<u>124</u>	6	11			7	2.5	∞ ≤ 0D (23-30W CFL)
D	49072 BST	49072 BST FL	(1) 100W (M)	(1) 18W (GU24)	<u>114</u>	8	14.25			9	3	♥ 3 0D (23-30W CFL)
E	49074 BST	49074 BST FL	(1) 150W (M)	(1) 18W (GU24)	124	10	22.25			7		♥ 6 0D (30-52W CFL)

Lindstrom

Rubbed Bronze™ Finish with Clear Beveled Glass and Inside Satin-Etched Cased Opal Glass Cylindrical Diffuser





D 49400 RZ



Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL.	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49402 RZ	(1) 100W (M)	9	14				8	2.5	♥ 6 0D (23-30W CFL)
В	49403 RZ	(1) 100W (M)	6.75	14.5	53	9	62			● ● OD (23-30W CFL) Additional chain 4927 AGZ, Additional stem 2999 (12") AGZ
С	49401 RZ	(1) 60W (M)	7 :	11				6.75	2.5	◎ ⑤ O D (9-13W CFL)
D	49400 RZ	(1) 60W (M)	5.75	9				6.5	2.5	◎ ⑤ O D (9-13W CFL)
Е	49404 RZ	(1) 100W (M)	6.75	16.5	7/7	9				♥ 6 0D (23-30W CFL)

Crosett™

Aged Bronze Finish with Etched White Linen Seedy Glass



9811 AGZ



49319 AGZ NOT TO SCALE





See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.

49318



49320 : AGZ



Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9811 AGZ	(3) 40W (C) �	13.25	6.75						0
В	49320 AGZ	(1) 100W (M)	5	11.5	50	9.25	65			● ■ OD (23-30W CFL) Add. chain 4927 AGZ, Add. stem 2999 (12") AGZ
С	49318 AGZ	(1) 60W (M)	7.25	9.25				5.25	3.25	◎ ⑤ 0 0 (9-13W CFL)
D	49319 AGZ	(1) 100W (M)	9.25	11.5				6.5	2.75	◎ ⑤ 0 D (23-30W CFL)
E	49321 AGZ	(1) 100W (M)	5	13.25		9.25				◎ ② OD (23-30W CFL)

Measurements shown in inches. U.S. Patent Pending: B, C, D, E

Cross Creek

Aged Bronze Finish with Textured Linen Seedy Glass











Cast Aluminum

	INCAND. INCAND. ITEM BULB	W	Н	EXT.	HCWO	NOTES
Α	9656 AGZ (2) 150W (M)	7.25	24	9.5	11.75	♥ ⑤ O D (23-30W CFL)
В	9830 AGZ : (2) 75W (M)	9	5.5			◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
С	9128 AGZ (1) 100W (M)	6	8.5	7.25	2.5	♥ ⑤ D (9-13W CFL)
D	9130 AGZ : (1) 150W (M)	9	15.75	10.25	3	♥ ⑤ O D (23-30W CFL)
E	9129 AGZ : (1) 150W (M)	7.5	13.5	8.75	3	♥ ⑤ O D (23-30W CFL)

Measurements shown in inches. U.S. Patent Pending: B, C, D, E



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
F	9829 AGZ	(1) 150W (M)	11.5	14.5	88.5	25(72)			◎ ② OD (23-30W CFL)
G	9132 AGZ	(1) 200W (M)	13.5	22			14.5	3.5	◎ ② OD (23-30W CFL)
Н	9131 AGZ	(1) 150W (M)	11.5	18.5			12.75	3.5	◎ ② OD (23-30W CFL)
J	9527 AGZ	(1) 100W (M)	9	14					◎ ② OD (23-30W CFL)
K	9529 AGZ	(1) 150W (M)	11.5	17					◎ ⑤ DD (23-30W CFL)

Lantana

Architectural Bronze™ Finish with Light Umber Glass







Cast Aluminum



B 7002 AZ







F 9167 11068	:	F
---------------------	---	---

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	w	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9567 AZ		(1) 150W (M)		10.5	17.25	91.25	26(72)			● 3 0D (23-30W CFL)
В	7002 AZ		(1) 75W (M) 🗸		9	5.5					● ○ ○ ○ ○ ○ O O (18-25W CFL)
С	9168 AZ		(1) 150W (M)		10.5	15			8.75	4	♥ 3 0D (23-30W CFL)
С		11069 AZ		(1) 18W (GU24) 🔞 🕞	10.5	15.25			8.5	4	®
D	9166 AZ		(1) 75W (M)		7	10			5.75	3.25	◎ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
D		11067 AZ		(1) 13W (GU24) 🔞 🕞	7	10			6	3.25	w
Е	9967 AZ		(1) 150W (M)		10.5	19.5					◎ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
E		11070 AZ		(1) 18W (GU24) 🔞 🚱	10.5	19.75					w
F	9167 AZ		(1) 100W (M)		9	13			7.5	4	♥ 3 0D (23-30W CFL)
F		11068 AZ		(1) 13W (GU24) 🔞 🕜	9	13			7.5	4	00

Measurements shown in inches. U.S. Patent Pending: A, C, D, E, F

Lantana

Granite Finish with Etched Opal Glass













See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.





F	9167	:	GNT

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	(CHAIN)	EXT.	HCWO	NOTES
Α	9567 GNT	(1) 150W (M)	10.5	17.25	91.25	26(72)			◎ ② OD (23-30W CFL)
В	7002 GNT	(1) 75W (M) 🗸	9	5.5					◎ ○ (18-25W CFL)
С	9168 GNT	(1) 150W (M)	10.5	15			8.75	4	♥ 3 OD (23-30W CFL)
D	9166 GNT	(1) 75W (M)	7	10			5.75	3.25	♥ 3 OD (18-25W CFL)
Е	9967 GNT	(1) 150W (M)	10.5	19.5					♥ 3 OD (23-30W CFL)
F	9167 GNT	(1) 100W (M)	9	13			7.5	4	◎ ⑤ O D (23-30W CFL)

Measurements shown in inches. U.S. Patent Pending: A, C, D, E, F



NOT TO SCALE



Tiverton

Architectural Bronze™ Finish with Satin-Etched Cased Opal Glass



C 49280 AZ





Cast Aluminum construction



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49283 AZ	(1) 150W (M)	11	19			12.5	5.5	◎ ② OD (30-52W CFL)
В	49282 AZ	(1) 100W (M)	9	18			10.25	3.5	◎ ② OD (23-30W CFL)
С	49280 AZ	(1) 100W (M)	7	12			8	3.75	◎ ② OD (23-30W CFL)
D	49284 AZ	(1) 100W (M)	9	15.25	89.25	27(72)			● ② OD (23-30W CFL)
Е	49125 AZ	(1) 75W (M) 🗸	9.75	5.5					● 3 0D (18-25W CFL)
F	49281 AZ	(1) 150W (M)	9	14			10.25	3.5	◎ ② OD (30-52W CFL)
G	49285 AZ	(1) 150W (M)	9	17					♥ 🗐 OD (30-52W CFL) Convertible from post to column mount

Measurements shown in inches. U.S. Patent Pending A, B, C, F, G

Courtney Point

Architectural Bronze™ with Satin-Etched Cased Opal Glass







Cast: Aluminum


	INCAND. ITEM	INCAND. BULB	W	н	EXT.	HCWO	NOTES
Α	49262 AZ	(1) 150W (M)	11.5	15	12.25	3	♥ 3 0D (30-52W CFL)
В	49261 AZ	(1) 150W (M)	9.5	12.75	10.25	3	♥ 3 0D (30-52W CFL)
С	49260 AZ	(1) 100W (M)	7.5	10	8.25	3	♥ ⑤ OD (23-30W CFL)



	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49266 AZ	(1) 75W (M) 🗸	11	5.5					◎ ② OD (18-25W CFL)
Е	49264 AZ	(1) 150W (M)	11.5	17.75					◎ ② OD (30-52W CFL)
F	49265 AZ	(1) 100W (M)	9.5	14.5	88.5	26(72)			● 3 0D (23-30W CFL)
G	49259 AZ	(1) 100W (M)	6.25	7.5			7	2.5	◎ ⑤ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥

Outdoors







	INCAND.	FLUOR. ITEM	FINISH	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	9110		BA, BK	(1) 150W (M)		7	18.5	6.75	14.25	◎ ⑤ DD (23-30W CFL) Cast aluminum construction
В	9109		BA, BK	(1) 100W (M)		5	13.25	5	10.25	
С	6040	10640	AZ, NI	(1) 60W (M)	(1) 18W (GU24) 🔞 🌎	9.25	10.25	3.75		
D	9671		NI, OZ	(1) 100W (M) 🗸		6	13.75	4.75	7	◎ ⑤ DD (23-30W CFL) Solid brass construction

Outdoors

Satin-Etched or Light Umber Glass











Aluminum

	INCAND. ITEM	FLUOR. ITEM	FINISH	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	9670		AZ	(1) 60W (M)		7	12.5	5	6.25	©
В	9672		AZ	(1) 75W (M)		9	16	5.75	8	©
С	9095		AZ	(1) 100W (M)		7	12	5.5	6	®
С		10922 AZ	AZ		(1) 13W (GU24) 🔞 🚯	7	12	5.25	6	Dark sky panels included
D	9817		AP, OZ	(2) 100W (M) 🗸		: 13	7			0

Measurements shown in inches. U.S. Patent Pending: C, D

AZ Architectural Bronze™ **AP** Antique Pewter

BK Black

NI Brushed Nickel OZ Olde Bronze® KICHLER.COM | 671

Benton

Olde Bronze® Finish over Solid Brass with Light Umber Glass





Solid

Ideal for Coastal Applications



Shown with Black Post, 9506 BK

Convertible

Two distinct lighting fixtures in one!

Pendant and Semi Flush

When converted to Pendant, 9.5" H. When converted to Semi Flush, 10.5" H.

9800



Shown as Pendant

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9429 OZ	(1) 150W (M)	9.25	14.5			9.75	6.5	◎ ② ③ OD (23-30W CFL)
В	9869 OZ	(1) 150W (M)	9	15.5	53.5	62			● ■ 0D (23-30W CFL) Additional chain 4927 OZ, Additional stem 2999 (12") OZ
С	9428 OZ	(1) 100W (M)	7.25	11.25			7.75	4.75	◎ ② OD (23-30W CFL)
D	9427 OZ	(1) 60W (M)	5.75	8.75			5.75	3.75	0
Е	9430 OZ	(1) 200W (M)	11	18			11.5	8	◎ ② ③ OD (23-30W CFL)
F	9528 OZ	(1) 150W (M)	9	17.5			9		◎ ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
G	9800 OZ	(1) 100W (M)	5.5	9.5	47.5	65			● 🗐 0D (23-30W CFL) Additional chain 4927 OZ, Additional stem 2999 (12") OZ

Measurements shown in inches. U.S. Patent Pending: A, B, C, D, G

Energy Efficient





10992 Tuscana* : LZ ADA Compliant



Aluminum

	FLUOR. ITEM	FLUOR. BULB		W	н	EXT.	HCWO	NOTES
Α	10925 DC0	(1) 13W (GU24)	14 (7)	7	11	9	6	00
В	10924 DCO	(1) 13W (GU24)	124	5	9.25	7.5	5.25	00
С	10926 DC0	(1) 18W (GU24)	129	9	14.5	12	7.75	© ©
D	10992 LZ	(1) 18W (GU24)	124	9.75	15.25	4	7.75	₩ ADA
Е	10900 OZ	(1) 18W (G24Q-2)	124	4.75	19.5	4.25	11	0

Measurements shown in inches. *See Page 722

LZ Legacy Bronze

OZ Olde Bronze®





Bowen

Architectural Bronze™ Finish with Satin-Etched Cased Opal Glass

A 49341 AZ
NOT TO SCALE









49338 : AZ

Cast Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49341 AZ	(2) 100W (M)	7.25	20.25	94.25	27(72)			●
В	49337 AZ	(1) 100W (M)	7.25	13			8.5	5.75	◎ ② OD (23-30W CFL)
С	49336 AZ	(1) 75W (M)	5.5	9.5			6.5	4.25	◎ ② OD (18-25W CFL)
D	49343 AZ	(2) 75W (M) 🗸	11	6.5					● ② ② ② ② ② ② ② ② ② ②
Е	49339 AZ	(2) 100W (M)	7.25	18			8.5	5.75	◎ ② OD (23-30W CFL)
F	49338 AZ	(1) 150W (M)	9	15.75			10.25	7	◎ ② OD (30-52W CFL)
G	49342 AZ	(1) 150W (M)	9	18.5					◎ ② OD (30-52W CFL)

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.







49354 : OZ

Coturri

Olde Bronze® Finish with Satin-Etched Cased Opal Glass



E 49350 ⋮ 0Z



Cast Aluminum

49352 OZ NOT TO SCALE

	INCAND. ITEM	INCAND. BULB	w	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49352 OZ	(1) 100W (M)	8	19.5				7.5	3.75	◎ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
В	49351 OZ	(1) 75W (M)	8	15				7.25	3.75	♥ ⊜ OD (18-25W CFL)
С	49125 OZ	(1) 75W (M) 🗸	9.75	5.5						● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
D	49354 OZ	(1) 100W (M)	6	15	53	8	64			● ● OD (23-30W CFL) Additional chain 4927 OZ, Additional stem 2999 (12") OZ, Sloped ceiling kit included
Е	49350 OZ	(1) 60W (M)	6.5	9.5				6.25	3.5	♥ 3 OD (9-13W CFL)
F	49355 OZ	(1) 150W (M)	7.75	16.75		10.5				♥ ⑤ ⑤ 0 0 0 0 0 0 0 0 0 0

Measurements shown in inches. U.S. Patent Pending: A, B, D, E, F

See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.







Westport®

Black Finish with Satin-Etched Cased Opal Glass



49313 : BK



C 49316 BK NOT TO SCALE

Aluminum construction

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49315 BK	(1) 150W (M)	8.5	18			7.5	8.25	◎ ② OD (30-52W CFL)
В	49314 BK	(1) 100W (M)	8.5	14			7.5	8.25	◎ ② OD (23-30W CFL)
С	49316 BK	(1) 100W (M)	8.5	14.5	52.5	63			● 🗐 OD (23-30W CFL) Additional chain 4927 BK, Additional stem 2999 (12") BK
D	49313 BK	(1) 75W (M)	6.5	10.5			5.75	6.25	◎ ② OD (18-25W CFL)
Е	49317 BK	(1) 150W (M)	8.5	17.75					◎ ② OD (30-52W CFL)




678 | KICHLER®

extreme weather conditions

LifeBrite™ Finish has a lifetime finish guarantee to withstand the harshest elements, salt air and











49345 : PSS316

		NCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49346 PSS316 (1) 1	150W (M)	9.5	16			10.25	11.5	♥ 3 0D (30-52W CFL)
В	49347 PSS316 : (1) 7	75W (M)	6	11.5	50	65			● 🗐 0D (18-25W CFL) Add. chain 2996 PSS316, Add. stem 2999 (12") PSS316
С	49344 PSS316 : (1) 7	75W (M)	6	10.5			6.75	7	◎ ② OD (18-25W CFL)
D	9557 PSS316 (1) 1	100W (M)	10.5	6.25					◎ ② OD (30-52W CFL)
E	49348 PSS316 : (1) 1	100W (M)	8	13.5	52	64			● OD (23-30W CFL) Add. chain 2996 PSS316, Add. stem 2999 (12") PSS316
F	49345 PSS316 : (1) 1	100W (M)	8	13			9	9.25	♥ 3 OD (23-30W CFL)
G	49349 PSS316 (1) 1	150W (M)	9.5	18.75					♥ 3 0D (30-52W CFL)





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49346 AZ ((1) 150W (M)	9.5	16.5			9.5	9.5	◎ ② OD (30-52W CFL)
В	49347 AZ : ((1) 75W (M)	6 :	11.5	50	65			● 🗐 OD (18-25W CFL) Additional chain 4927 AZ, Additional stem 2999 (12") AZ
С	49344 AZ : ((1) 75W (M)	6 :	10.75			6.25	6.75	◎ ② OD (18-25W CFL)
D	9557 AZ : ((1) 100W (M)	10.5	6.25					● ፭ 0D (30-52W CFL)
E	49348 AZ : ((1) 100W (M)	8	13.75	52	64			● 🗐 OD (23-30W CFL) Additional chain 4927 AZ, Additional stem 2999 (12") AZ
F	49345 AZ : ((1) 100W (M)	8 :	13.25			8.25	8	◎ ② OD (23-30W CFL)
G	49349 AZ : ((1) 150W (M)	9.5	19					◎ ② 0D (30-52W CFL)





B 49202 BK 49202 BK FL

Tremillo

Black Finish with Satin-Etched Cased Opal Glass



C 49201 BK 49201 BK FL

Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB		W	Н	EXT.	HCWO	NOTES
Α	49203 BK	49203 BK FL	(1) 150W (M)	(1) 18W (GU24)	124	10	20.25	11.25	8.5	™ 3 0D (30-52W CFL)
В	49202 BK	49202 BK FL	(1) 150W (M)	(1) 18W (GU24)	<u>124</u>	8.5	17.25	9.75	7.25	™ 3 0D (30-52W CFL)
С	49201 BK	49201 BK FL	(1) 100W (M)	(1) 13W (GU24)	<u>14</u>	7	14.25	8	6	™ ⊜ 0D (23-30W CFL)















	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
D	49200 BK	49200 BK FL	(1) 100W (M)	(1) 13W (GU24) 🔞 🕢	5.75	11.75				6.75	5	♥ 6 OD (18-25W CFL)
Е	49205 BK	49205 BK FL	(1) 100W (M)	(1) 18W (GU24) (14)	6.5	17	91	7	25(72)			● 3 0D (23-30W CFL)
F	49206 BK	49206 BK FL	(2) 60W (M) �	(1) 18W (GU24) (14)	11.5	6.5						● 3 0D (9-13W CFL)
G	49207 BK	49207 BK FL	(1) 150W (M)	(1) 18W (GU24) (14)	8.25	20		8.5				™ ≥ 0D (30-52W CFL)
Н	49204 BK	49204 BK FL	(1) 150W (M)	(1) 18W (GU24) 🔞 🚺	10	23						♥ 3 0D (30-52W CFL)

Measurements shown in inches. U.S. Patent Pending (Incandescent Only)





	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49377 AGZ	(1) 150W (M)	9.25	18.25			10.5	3.5	◎ ② ○ O (30-52W CFL)
В	49380 AGZ	(1) 100W (M)	9.25	17.75					◎ ⑤ 0 D (23-30W CFL)
С	49153 AGZS	(2) 60W (C) �	9.5	5.25					0
D	49379 AGZ	(1) 150W (M)	9.25	16	54	66			● GD (30-52W CFL) Additional chain 4927 AGZ, Additional stem 2999 (12") AGZ
E	49378 AGZ	(1) 60W (M)	6	11	49	66			● ■ OD (13-15W CFL) Additional chain 4927 AGZ, Additional stem 2999 (12") AGZ
F	49376 AGZ	(1) 100W (M)	7.5	16.25			8.5	3	◎ ⑤ 0 D (23-30W CFL)
G	49375 AGZ	(1) 60W (M)	6	12.25			7	2.75	◎ ② OD (13-15W CFL)

Caterham

Olde Bronze® Finish with Satin-Etched Cased Opal Glass Suitable for Outdoor Living Environments





49638 Indoor/Outdoor Chandelier



49645 : OZ





C 49643 : 0Z



Post, 9506 BK



VIEW THIS PRODUCT ON KICHLER.COM

scan with your smartphone app.

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49638 OZ	(4) 100W (M)	21	12.75	50.75	67			● ● OD (23-30W CFL) Add. chain 4927 OZ, Add. stem 2999 (12") OZ, Indoor/Outdoor, Sloped ceiling kit included
В	49645 OZ	(1) 100W (M)	8	19	51	64			● GOD (23-30W CFL) Add. chain 4927 OZ, Add. stem 2999 (12") OZ, Sloped ceiling kit included
С	49643 OZ	(1) 100W (M)	8	14.75			9	4	◎ ⊜ 0D (23-30W CFL)
D	49642 OZ	(1) 100W (M)	6.5	11.75			7.5	4	◎ ⊜ 0D (23-30W CFL)
Е	49646 OZ	(1) 100W (M)	10	16.75					♥ 3 OD (23-30W CFL)



Indoor | Outdoor

	INCAND. ITEM	INCAND. BULB	W	н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
F	49636 OZ	(3) 100W (M)	13	18	50	32	100			● GOD (23-30W CFL) Add. chain 4927 OZ, Add. stem 4935 (12") OZ, Indoor/Outdoor, Sloped ceiling kit included
G	49641 OZ	(3) 100W (M)	15	8.5						● OD (23-30W CFL) Indoor/Outdoor
Н	49644 OZ	(1) 150W (M)	10	17.5				10.75	4.5	● SOD (30-52W CFL) Indoor/Outdoor
J	49637 OZ	(3) 100W (M)	8	16.25	48.25	24	64			● GOD (23-30W CFL) Add. chain 4927 OZ, Add. stem 4935 (12") OZ, Indoor/Outdoor, Sloped ceiling kit included
K	49640 OZ	(1) 100W (M)	6.5	16	48		58			● 🖨 0D (23-30W CFL) Add. chain 4927 0Z, Add. stem 2999 (12") 0Z, Indoor/Outdoor





B 49120 AVI 49120 AVI FL

Camden

Anvil Iron Finish with Opal-Etched Glass



c 49119 AVI 49119 AVI FL

Cast Aluminum

	INCAND. ITEM	FLUOR. ITEM	INCAND. BULB	FLUOR. BULB	W	Н	EXT.	HCWO	NOTES
Α	49122 AVI	49122 AVI FL	(3) 100W (M)	(3) 18W (GU24) (4)	9	26	11.25		
В	49120 AVI	49120 AVI FL	(2) 100W (M)	(2) 18W (GU24) 124 (Table 1)	6.25	19.5	7.25	9.75	◎ ⑤ OD (23-30W CFL)
С	49119 AVI	49119 AVI FL	(1) 100W (M)	(1) 13W (GU24) @ 🕡	5	11	5.75	5.5	♥ ⑤ OD (23-30W CFL)







49125 AVI 49125 AVI FL Е





49121 AVI 49121 AVI FL

	INCAND.	FLUOR.	INCAND.	FLUOR.			OVRLL.	WIRE			
	ITEM	ITEM	BULB	BULB	W	H	Н	(CHAIN)	EXT.	HCWO	NOTES
D	49124 AVI	49124 AVI FL	(1) 150W (M)	(1) 18W (GU24) 124	9.5	18.75	92.75	24(72)			● ② 0D (30-52W CFL)
E	49125 AVI	49125 AVI FL	(1) 75W (M) 🗸	(1) 18W (GU24) 124	9.75	5.5					● ⊜ 0D (18-25W CFL)
F	49123 AVI	49123 AVI FL	(1) 150W (M)	(1) 26W (GU24) 124	9.5	17					◎ 3 0D (30-52W CFL)
G	49121 AVI	49121 AVI FL	(2) 75W (M)	(2) 18W (GU24) 124	7.25	22.5			8.25	11.25	◎ ② 0D (18-25W CFL)



Olde Bronze® Finish with Satin-Etched Cased Opal Glass Suitable for Outdoor Living Environments







VIEW THIS PRODUCT ON KICHLER.COM

scan with your smartphone app.





	INCAND. ITEM	INCAND. BULB		W	н	OVRLL. H	L	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49812 OZ	(4) 35W (G9)	0	26	15.75	53.75			60			Add. chain 4927 OZ, Add. stem 2999 (12") OZ, Halogen Light Source, Indoor/Outdoor
В	49815 OZ	(1) 100W (M)		18	16.5	48.5		•	58			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
С	49814 OZ	(1) 35W (G9)	0	12	7.75	45.75		45°(12:12)	58			• Add. stem 2999 (12") 0Z, Halogen Light Source, Indoor/Outdoor
D	49813 OZ	(1) 35W (G9)	0	8	6.5	44.5		45°(12:12)	61			• Add. stem 2999 (12") 0Z, Halogen Light Source, Indoor/Outdoor
E	49817 OZ	(1) 35W (G9)	0	8	9					8.5	2.5	■ Halogen Light Source, Indoor/Outdoor
F	49816 OZ	(1) 35W (G9)	0	5	8	46		45°(12:12)	48			• Add. stem 2999 (12") OZ, Halogen Light Source, Indoor/Outdoor
G	49811 OZ	(3) 100W (M)		17	11.75	49.75	36	•	98			◎ ② OD (23-30W CFL) Add. chain 4927 OZ, Add. stem 2999 (12") OZ, Indoor/Outdoor



Point Judith®

Olde Bronze® Finish with Clear and Inside-Etched Glass





	INCAND.	INCAND.	14/		OVRLL.	WIRE	EVE	110040	NOTEO
	ITEM	BULB	W	н	Н	(CHAIN)	EXT.	HCWO	NOTES
Α	49223 SS	(1) 100W (M)	12	11.75			13	4.75	◎ ② OD (23-30W CFL)
В	49221 SS	(1) 60W (M)	8	9			9	3.5	©
С	49222 SS	(1) 75W (M)	10	10.25			11	4.5	◎ ② OD (18-25W CFL)
D	49224 SS	(1) 100W (M)	12	9.25	47.25	66			⊙ ⊜ OD (23-30W CFL) Add.chain 2996 SS, Add. stem 2999 (12") SS, Sloped Ceiling Kit Included





	INCAND. ITEM	FLUOR. ITEM	FINISH	INCAND. BULB	FLUOR. BULB	w	Н	OVRLL. H	STEM TILT	WIRE (CHAIN)	EXT.	HCWO	NOTES
G		310131	NI, OZ		(1) 18W (GU24)								See our full line of Ceiling Fans in the Ceiling Fan catalog K411 or visit Kichler.com
Н		11100	NI		(1) 18W (G24Q-2) 🔞 🌎	11	8				11.5	2.5	®
J	2621		NI, OB	(1) 100W (M)		8	9.75	47.75	45°(12:12)	62			● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
K	9044		NI, OB	(1) 150W (M)		11	8				11.5	2.5	
L	9923		NI, OB, OZ	(1) 100W (M)		10.25	14.75						™ G type lamp recommended

Measurements shown in inches.

BK Black

NI Brushed Nickel

OB Olde Brick®

OZ Olde Bronze®

WH White

Ripley

Olde Bronze® Finish



See pages 704-705 for our complete selection of Posts and Pedestal Mount Adaptors.





E 49060 : 0Z

Aluminum

	INCAND. ITEM	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49061 OZ	(1) 40W (Type R) or 60W (G type)	12	10			13	3.25	O O Dark sky compliant with use of R14, 40W bulb
В	49063 OZ	(1) 40W (Type R) or 60W (G type)	12	16					O O Dark sky compliant with use of R14, 40W bulb
С	49059 OZ	(1) 40W (Type R) or 60W (G type)	8	7.5			9.25	2.5	O O Dark sky compliant with use of R14, 40W bulb
D	49062 OZ	(1) 40W (Type R) or 60W (G type)	10	8	46	59			O O Dark sky compliant with use of R14, 40W bulb;
									Additional chain 4927 OZ and/or stem 2999 (12") OZ
Е	49060 OZ	(1) 40W (Type R) or 60W (G type)	10	9			11.25	3	O Dark sky compliant with use of R14, 40W bulb

Energy Efficient Outdoor







C 10622 BK, WH



B 11029 : **BK**, WH



E 11026 BK, WH



11027 : BK, **WH**



11028 : BK, **WH**

	ITEM	FINISH	FLUOR. BULB		W	Н	EXT.	HCWO	NOTES
Α	10941	BK, WH	(1) 18W (GU24)	124	7.75	9.75	4.25	4.5	W White Acrylic Panels
В	11029	BK, WH	(1) 13W (GU24)	<u>14</u>	5	8.5	4.25	4.25	
С	10622	BK, WH	(1) 18W (GU24)	<u>14</u>	10	10	5	5	
D	10923	BK, TZ	(1) 13W (GU24)	124	4.75	9	5.75	2.5	Satin-Etched Glass
Е	11026	BK, WH	: (1) 18W (GU24) 🗸	124	7.5	5			Satin-Etched Glass
F	11027	BK, WH	(2) 18W (GU24) 🗸	124	9.25	5.25			Satin-Etched Glass
G	11028	BK, WH	(1) 18W (GU24)	124	11.5	4.75			© Etched Acrylic Panels

Outdoor

Black, White, Olde Brick®, Olde Bronze®, Polished Brass, Stainless Steel or Tannery Bronze™ Finish with Clear Glass



	INCAND.	FINISH	INCAND. BULB	w	н	EXT.	HCWO	NOTES
Α.				: -	0.05			
A	9611							© ≥ 0D (23-30W CFL) Aluminum construction
В	9618	OZ, SS	(1) 100W (M)	5.5	10.25	5.75	3.25	© ≥ 0D (18-25W CFL) 0Z: Solid Brass construction, SS: Stanless Steel Construction
С	9816	OZ, SS	(1) 75W (M)	8	7.75			● ● OD (18-25W CFL) OZ: Solid Brass construction, SS: Stanless Steel Construction
D	9401	PB	(1) 60W (M)	4.5	13	5.5	7.5	♥ ≥ 0D (13-15W CFL) Solid Brass construction

Outdoor

Black, Tannery Bronze™ and White Finishes

















C 345 : WH



1148 : BK



D 1148 TZ



D 1148 WH

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9859	BK, TZ	(1) 100W (M) 🗸	7.25	7.25			● OD (9-13W CFL) Seedy Glass
В	365	BK, WH	(1) 60W (M) �	7.5	5			● OD (9-13W CFL) Textured Clear Glass
С	345	BK, TZ, WH	(2) 60W (M) *	9.25	5.25			● OD (9-13W CFL) Textured Clear Glass
D	1148	BK, TZ, WH	: (1) 75W (M)	4.5	7.5	5.75	2.25	© ■ OD (18-25W CFL) Clear Glass

Outdoor

Lens Accessories





9534 BK	Glass Lens use with 9234, 9244					
9536 BK	Glass Lens use with 9236, 9246					

Convert open top units to outdoor applications. Heat-resistant glass lens with black frame.

Brightness Control Accessories



9544 BK

INICAND



9546 BK

INICAND

9544 BK	Grooved Baffle use with 9234, 9244
9546 BK	Grooved Baffle use with 9236, 9246

Grooved black plastic baffles achieve low, even surface brightness.



	ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	6051	AZ, WH	(1) 120W (M) BR-40 or 150W (M) PAR 38	6	11.25			▼ Fixture can be wall or ceiling mounted
В	6052	AZ, WH	(2) 120W (M) BR-40 or 150W (M) PAR 38	6	11.25			▼ Fixture can be wall or ceiling mounted
С	9246	AZ, WH	(2) 120W (M) BR-40	6	15	8.5	7.5	● ⊜ OD (23-30W CFL)
D	9236	AZ	(1) 120W (M) BR-40	6	7.75	8.5	4	№ © © © OD (13-15W CFL)
Е	9234	AZ, WH	(1) 65W BR-30	4.5	7	7	3.5	○ ⑤ ⑤ ⑤ O D (13-15W CFL)
F	9834	WH	(1) 65W (M) BR-30 *	4.5	8.5			● ⑤ ⑤ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥ ⑥
G	9244	AZ, WH	(2) 65W (M) BR-30	4.5	12	7	6	● ⊜ 0D (13-15W CFL)

Dutdoor

Black or White Finish



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	9302	BK, WH	(1) 60W (M)	7.75	14.25	8.25	12	◎
В	9901	BK, WH	(1) 60W (M)	7.75	13.75			®
С	9322	BK, WH	(2) 60W (M) 🗸	10.5	5.5			● Etched White Acrylic Panels
D	9320	BK, WH	(1) 60W (M)	8.5	5			● Etched White Acrylic Panels
E	9312	BK, WH	(1) 60W (M)	6	7.5	7	2.5	W White Glass

Measurements shown in inches.

AZ Architectural Bronze™

BK Black

WH White



Lyndon

Architectural Bronze™ Finish with Clear Seedy Glass



Suitable for Indoor use with Glass Facing Up or Down



Vintage Squirrel Cage Filament Bulb Included



Can Only Be Mounted with Glass Facing Down for Outdoor Use



49445 AZ Indoor/Outdoor Wall NOT TO SCALE

Cast Aluminum

Vintage Squirrel Cage Filament Bulb

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49258	AZ	(1) 150W (M)	8.5	23.25	11	9	◎ ፭ 0D (30-52W CFL)
В	49257	AZ	(1) 100W (M)	6.5	17.75	8.75	6.75	◎ ⑤ OD (23-30W CFL)
С	49444	AZ	(1) 75W (M) or (1) 60W (M) S21 Q	5	11.25	7.5	4	OD (18-25W CFL) 4071 CLR bulb included.
D	49445	AZ	(1) 100W (M) or (1) 60W (M) S21 Q	6	15	8	5	

Measurements shown in inches. U.S. and Canadian Patent Pending.

South Hope

Rubbed Bronze™ Finish with Satin-Etched Cased Opal Glass



A | 49476 RZ NOT TO SCALE

Cast Aluminum





40474 07




Post Lantern & Column Mount Lantern Installation Options. Hardware included.



-9506 AZ Post

Vitalino[™]

Anvil Iron Finish with Satin-Etched Cased Opal Glass







Cast Aluminum

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	EXT.	HCWO	NOTES
Α	49476	RZ	(1) 100W (M)	9	19.75	9.5		
В	49475	RZ	(1) 60W (M)	7	17.75	7.75	9.5	☑ ☐ OD (13-15W CFL) T-type lamp recommended.
С	49474	RZ	(1) 60W (C)	5.5	11.75	6.25	7.5	₩
D	49478	RZ	(1) 100W (M)	9	21.5			☑ ☐ OD (23-30W CFL) Convertible from post to column mount.
E	49024	AVI	(1) 75W (M)	4.75	16.25	6.25	3.25	Wet location with glass in downward position only.
F	49025	AVI	(1) 100W (M)	5	20	7.25	4	₩ Wet location with glass in downward position only. 60D (23-30W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.







Cast Aluminum

F 49450 AGZ

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49449	AGZ	(1) 75W (M)	6	10.25			7	2.25	◎ ፭ 0D (18-25W CFL)
В	49451	AGZ	(1) 150W (M)	9	15.25			10	2.75	◎ ፭ 0D (30-52W CFL)
С	49453	AGZ	(1) 150W (M)	9	16					◎ ፭ 0D (30-52W CFL)
D	49452	AGZ	(1) 100W (M)	9	14	88	28(72)			● ② 0D (23-30W CFL)
Е	49153	AGZVM	(2) 60W (C) �	9.5	5.25					0
F	49450	AGZ	(1) 100W (M)	7.5	11.75			8.5	2.25	◎ ፭ 0D (23-30W CFL)

Measurements shown in inches. 49153: U.S. and Canadian Patent Pending

Tolland

Brushed Bronze Finish with Vertical Rain Glass



Cast Aluminum









	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49464	BRZ	(4) 60W (C)	11	27			13.5		Variable height mounting hardware included. Junction box 16.25"-20.5".
В	49461	BRZ	(1) 75W (M)	6.5	12			7	6.75	◎ ፭ 0D (13-15W CFL)
С	49466	BRZ	(3) 60W (C)	9.5	21.25					©
D	49463	BRZ	(3) 60W (C)	9.5	21.5			11.25	11.5	©
E	49465	BRZ	(3) 60W (C)	9.5	19.75	94	13(72)			0
F	49462	BRZ	(2) 60W (C)	8	18			9.75	11	©
G	9538	BRZ	(3) 40W (C) 🗸	12.25	6.25					0

Measurements shown in inches. A, B, C, D, E, F: U.S. and Canadian Patent Pending.

Nob Hill

Rubbed Bronze[™] Finish with Etched Seedy Glass





B 49419 RZ



C 49417 B

Cast Aluminum







F 49416 RZ



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49420	RZ	(1) 150W (M)	13	28.5			16.5		
В	49419	RZ	(1) 150W (M)	12.5	19.75	94	22(72)			● 🗐 0D (30-52W CFL)
С	49417	RZ	(1) 150W (M)	10	20.5			12.75	5.5	◎ 🗐 0D (30-52W CFL)
D	49415	RZ	(1) 75W (M)	6	9.25			7.25	2.75	◎ ≥ 0D (18-25W CFL)
E	49035	RZ	(2) 40W (C) 💠	10	6.25					0
F	49416	RZ	(1) 100W (M)	8	16.5			10.25	5	◎ 3 0D (23-30W CFL)
G	49418	RZ	(1) 150W (M)	12.5	22.25					◎ 🗐 0D (30-52W CFL)

Measurements shown in inches. 49035: U.S. and Canadian Patent Pending.







9854 LD Outdoor Ceiling



E 9357 LD

9564 LD Outdoor Pendant



F 9360 LD

Cast Aluminum

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9362*	BKT, LD	(5) 100W (M)	25.5	69.5			36.5		
В	9855	BKT, LD	(3) 60W (C)	12	24.75	99	15(72)			0
С	9564	BKT, LD	(4) 100W (M)	17	33.5	108	9(72)			□ □ OD (23-30W CFL)
D	9854	BKT, LD	(2) 60W (C) *	12	7.5					0
E	9357	BKT, LD	: (2) 60W (C)	10	24			14.75		W ① Variable height mounting hardware included, Junction Box 6"-17.5"
F	9360	BKT, LD	(4)100W (M)	17	46			25	24.5	⑩ ① ፭ 0D (23-30W CFL)

Measurements shown in inches. *Special order: Call for delivery.



Tournai™ is available in two finishes: Londonderry™ Finish with Clear Seedy Glass or Textured Black Finish with Clear Seedy Glass





9558 LD Post Lantern



C 9356 LD



9565 LD Post Lantern

See pages 704-705 in Kichler Catalog K112 for our complete

selection of Posts and Pedestal Mount Adaptors.

INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL H	WIRE (CHAIN)	EXT.	HCWO		NOTES
9568*	BKT, LD	(8) 100W (M)	25.5	47.75	122	(72)			○ ① ② OD (23-30W CFL)	

В	9358	BKT, LD	(3) 60W (C)	11.75	29	 	17.75		▼ ① Variable height mounting hardware included. Junction Box 6.5"-21.5"
С	9356	BKT, LD	(1) 150W (M)	7.5	18	 	11.25		◎ ① ② OD (23-30W CFL) Variable height mounting hardware included. Junction Box 5.75"-11.75"
D	9355	BKT, LD	(1) 100W (M)	6	10.5	 	7.75	4	◎ ② OD (23-30W CFL)
Е	9559	BKT, LD	(4) 60W (C)	14	30	 			w
F	9558	BKT, LD	(3) 60W (C)	12	27	 			w
G	9359	BKT, LD	(4) 60W (C)	14	37.75	 	20.75		Variable height mounting hardware included. Junction Box 11"-33.25"
Н	9565	BKT, LD	(4) 100W (M)	17	37.5	 			◎ 3 OD (23-30W CFL)

Measurements shown in inches. *Special order: Call for delivery.

Cast Aluminum

Α

Courtyard

Textured Black Finish with Clear Seedy Glass or Rubbed Bronze™ Finish with Clear Seedy Glass





B 9035 BKT



c 9032 BKT



D 9033 BKT

Courtyard™ is available in two finishes: Textured Black Finish with Clear Seedy Glass or

Rubbed Bronze[™] Finish with Clear Seedy Glass



G 9060 RZ

Cast Alumi







COURTYARD™

9533 RZ Post Lantern J | 9532 RZ Post Lantern

	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9034	BKT, RZ	(3) 60W (C)	10.25	22.25			13.5	9	₩
В	9035	BKT, RZ	(3) 60W (C)	12.25	26.5			16.5	12.5	©
С	9032	BKT, RZ	(1) 100W (M)	6.25	11			7	3.5	◎ 3 0D (23-30W CFL)
D	9033	BKT, RZ	(1) 150W (M)	8.25	17.75			11	7.75	◎ 3 0D (23-30W CFL)
Е	9538	BKT, RZ	(3) 40W (C) 🗸	12.25	6.25					0
F	9539	BKT, RZ	(3) 60W (C)	12.25	21.5	96	20(72)			0
G	9060	BKT, RZ	(3) 60W (M)	13.5	40.5			16.5		◎ ① ⑤ DD (13-15W CFL) Variable height mounting hardware included. Junction box 18" - 24".
Н	9533	BKT, RZ	(3) 60W (C)	12.25	27					®
J	9532	BKT, RZ	(1) 200W (M)	10.25	23.75					◎ ፭ 0D (30-52W CFL)

Measurements shown in inches. 9060: U.S. and Canadian Patent Pending. 9033, 9034: U.S. Patent No. D389,269.



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9848	BKS	(2) 60W (M)	13.5	7.5					● 3 0D (13-15W CFL)
В	49412	BK	(1) 100W (M)	10	17	91	25(72)			● 🗐 OD (23-30W CFL)
С	49411	BK	(1) 100W (M)	10	16.75			11.25	6.5	◎ 🗐 OD (23-30W CFL)
D	49410	BK	(1) 100W (M)	8	14			9	6.75	◎ 🗐 OD (23-30W CFL)
Е	49414	BK	: (1) 100W (M)	11.75	25			14	10	◎ 🗐 OD (23-30W CFL)
F	49409	BK	: (1) 75W (M)	6	10.5			7	5	◎ 🗐 OD (18-25W CFL)
G	49413	BK	(1) 100W (M)	10	22.5					◎ 3 0D (23-30W CFL)

Measurements shown in inches.

Ralston

Rubbed Bronze™ Finish with Satin-Etched Glass



A 9848 RZS Outdoor Ceiling



E 49414 RZ

Cast Aluminum



B 49412 RZ Outdoor Pendant



C 49411 RZ



D 49410 RZ



F 49409 RZ



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9848	RZS	(2) 60W (M)	13.5	7.5					● ● ○ ○ ○ ○ ○ ○ ○ ○ ○ ○
В	49412	RZ	(1) 100W (M)	10	17	91	25(72)			● 3 0D (23-30W CFL)
С	49411	RZ	(1) 100W (M)	10	16.75			11.25	6.5	◎ 🗐 0D (23-30W CFL)
D	49410	RZ	(1) 100W (M)	8	14			9	6.75	◎ 🗐 0D (23-30W CFL)
Е	49414	RZ	(1) 100W (M)	11.75	25			14	10	◎ ② OD (23-30W CFL)
F	49409	RZ	: (1) 75W (M)	6	10.5			7	5	◎ ⑤ 0D (18-25W CFL)
G	49413	RZ	: (1) 100W (M)	10	22.5					₩ 3 OD (23-30W CFL)

Measurements shown in inches.

Lakeway

Rubbed Bronze™ Finish with Etched Seedy Glass



A 49433 RZ



49035 RZ Outdoor Ceiling



49432 RZ Outdoor Pendant



E 49428 RZ

Cast Aluminum



49430 RZ



49431 RZ Post Lantern

	INCAND.	FINISH	INCAND. BULB	W	н	OVRLL. H	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	49433	RZ	(1) 200W (M)	11	17			9.5	3.75	◎
В	49035	RZ	(2) 40W (C) �	10	6.25					0
С	49432	RZ	(1) 150W (M)	8.5	13.75	88	27(72)			● ② OD (30-52W CFL)
D	49429	RZ	: (1) 100W (M)	. 7	11.25			6.25	2.75	● OD (23-30W CFL)
E	49428	RZ	(1) 60W (M)	5.25	7.75			5	3.5	©
F	49430	RZ	(1) 150W (M)	8.5	13.75			7.5	3	◎ ② OD (30-52W CFL)
G	49431	RZ	(1) 150W (M)	8.5	16.25					◎ ② OD (30-52W CFL)

Measurements shown in inches. U.S. and Canadian Patent Pending.

Weatherly™

Black Finish with **Etched Seedy Glass**



9538 BK Outdoor Ceiling



E 49443 BK

Cast Aluminum



B 49439 BK



D 49440 BK



49438 BK



49441 BK Outdoor Pendant



	INCAND. ITEM	FINISH	INCAND. BULB	W	Н	OVRLL. H	L	WIRE (CHAIN)	EXT.	HCWO	NOTES
Α	9538	BK	(3) 40W (C) 🗸	12.25	6.25						0
В	49439	BK	: (1) 100W (M)	7	11				7	3.75	♥
С	49441	BK	: (1) 150W (M)	7.5	15.75	90	9	20(72)			●
D	49440	BK	: (1) 150W (M)	9	14				8.75	4.75	♥
Е	49443	BK	(1) 200W (M)	11	17				10.5	6	♥ ② OD (30-52 W CFL)
F	49438	BK	(1) 60W (M)	5.5	8.5				5.75	3.75	♥ © OD (13-15W CFL)
G	49442	BK	(1) 150W (M)	7.5	16.25		9				♥ ② OD (30-52 W CFL)

Measurements shown in inches. B, C, D, E, F, G: U.S. and Canadian Patent Pending.

Accessories

Decorative Lamp Posts

Cast Aluminum



A 9506 : AZ, BA, BK, OB, TZ



9595 : **AGZ**, BK, AZ, BST, LZ, OB, OZ, TZ



C 9510 : BK, BST, LD, LZ, OZ




9542 : BK, BST, LD, LZ, OZ



Shown with Tournai™ Lantern 9565 LD





Decorative Lamp Posts

	ITEM	FINISH	D	Н	NOTES
Α	9506	AZ, BA, BK, OB, TZ	3	: 84	Direct Burial Aluminum Post
В	9595	AGZ, AZ, BK, BST, LZ, OB, OZ, TZ	3	: 84	Direct Burial Fluted Aluminum Post
С	9510	BK, BST, LD, LZ, OZ	3	: 72	Cast Aluminum Post, hardware incl. (J-bolts) for use at time of concrete base pour
D	9542	BK, BST, LD, LZ, OZ	3	96	Cast Aluminum Post, hardware incl. (J-bolts) for use at time of concrete base pour
E	9523	LD	4	96	Cast Aluminum Post, hardware incl. (J-bolts) for use at time of concrete base pour
F	9501	BK, WH	3	: 84	Direct Burial Aluminum Post with Ladder Rest
G	9502	AZ, BK	3	: 84	Direct Burial Aluminum Post with Ladder Rest and Internal Photocell (Repl. Internal Photocell 49950)
Н	49904	AZ, BK, WH	3	: 84	Direct Burial Aluminum Post with Ladder Rest and External Photocell (Repl. External Photocell 49951)
J	49907	AZ, BK, WH	3	84	Direct Burial Aluminum Post with Ladder Rest, External Photocell and GCO (Replacement External Photocell 49951 or GCO 49952)
	9505	AZ	3	: 89	Direct Burial Aluminum Post with Ladder Rest (Not Shown)
	9548	BK	3	: 84	Cast Aluminum Post with External Photocell
	49914	AZ, BK	3	: 14	Direct Burial Aluminum Post (Not Shown)

Pedestal Mount Adapters & Miscellaneous

	ITEM	FINISH	D	Н	NOTES
K	49950	BK			Replacement Internal Photocell (Black Only) (Not Shown)
L	49951	BK, WH			Replacement External Photocell (Not Shown)
M	49952	BK, WH			Replacement GCO (Not Shown)
N	9530	BK, LZ, OB, OZ, PB, TZG, WH	7	3.5	Cast Aluminum Pedestal Mount (PB is Solid Cast Brass), Hardware not included
0	9531	BK, LZ	8	9	Cast Aluminum Pedestal Mount, Hardware included (#10 Philips, SS wood screws)
Р	9551	BK	9.5	9.5	Cast Aluminum Pedestal Mount, Hardware included (#10 Philips, SS wood screws)
Q	9540	LD	10	4.75	Cast Aluminum Pedestal Mount, Hardware included (J-bolts)
R	9549	LD	10	5.75	Cast Aluminum Pedestal Mount, Hardware included (J-bolts)
	49914	AZ, BK	3	144	Direct Burial Aluminum Post (Not Shown)
	49953	AZ, BK, WH			Replacement Ladder Rest (Not Shown)

Measurements shown in inches. Do not mount post to Pedestal Mount Adaptor. Fixtures assemble directly to Adaptor.