Electrical Accessories

LEVITON®

Residential Grade

Electrical Accessories

Leviton Electrical Accessories for the home include taps and adapters, night lights and battery operated lighting. Every electrical accessory is subject to Leviton's strict in-house quality control and must meet or exceed applicable industry standards.

LEVITON

Taps and Adapters

Specifications and Features
- Plug-In Switch provides ON/OFF switching at outlet location
- Plug-In Outlet Adapters provide convenient expansion of outlet capacity
- Lampholder Outlet Adapters convert lampholders into lampholders with outlets

SWITCH TAPS
2-Pole, 2-Wire ⓤ ⓢ

1-15R Polarized

Description	Rating	Cat. No.	Color
Plug-In Switch Tap, non-grounded	13A-125V	1469	W, I

PLUG-IN OUTLET ADAPTERS
2-Pole, 2-Wire, Non-Grounded ⓤ ⓢ

1-15R Polarized

| Description	Rating	Cat. No.	Color
Single-to-Triple, 3 round or flat plugs accepted	15A-125V	63	W, I
Single-to-Triple Right Angle, 3 round or flat plugs accepted*	15A-125V	65	W, I
Single-to-Triple, Swivel, 3 flat plugs accepted	15A-125V	69	W, I
Triple Cube Adapter, Vinyl, 3 Round or flat plugs accepted	15A-125V	531	W, I
Duplex outlet to 6 outlets, 6 round or flat plugs accepted	15A-125V	49687	W, I

1469-W

2-Pole, 3-Wire – Grounded ⓤ ⓢ

5-15R

Description	Rating	Cat. No.	Color
3-Wire, Single-to-Triple, 3 straight plugs accepted	15A-125V	694	O, G
Triple Cube Adapter, 3 round or flat plugs accepted	15A-125V	692	W, I
3-Wire, Duplex-to-Six, 6 small or 4 large plugs accepted	15A-125V	6ADPT	W, I
3-Wire, Single-to-Triple, 3 straight or angle plugs accepted	15A-125V	697	W, I
3-Wire, Single-to-Triple, Vinyl 3 straight or angle plugs accepted	15A-125V	699	O

69-W

2-Pole, 2-Wire To 2-Pole 3-Wire Grounding ⓤ ⓢ

5-15R

Description	Rating	Cat. No.	Color
2-Wire to 3, 1 straight or 1 angle plug accepted*	15A-125V	274	GY
2-Wire to 3, 3 straight plugs accepted*	15A-125V	698	W, I

CSA Certified except where indicated*
Note: All Leviton #274 and #698 adapters use the outlet wallplate screws for grounding.

698-W

Residential Grade

MEDIUM BASE LAMPHOLDER OUTLET ADAPTERS
2-Pole, 2-Wire

1-15R Polarized

Description	Rating	Cat. No.	Color
Outlet-to-Lampholder*	660W-125V	61	W, I
Lampholder-to-Outlet	660W-125V	125	W, I
Pull Chain Lampholder and 2 Outlets, Pull chain controls lamp socket ONLY. Outlet continuously live	660W-125V Max. Total	1406	W, I, E
Keyless Lampholder and 2 Outlets	660W-125V	1403	W, I, E
Single Lampholder-to-Twin Lampholder	660W-125V	128	W, I

CSA Certified except where indicated*

1403-W

TESTING AND CODE COMPLIANCE
- UL Listed (File #E13393–Cat. No. 125; File #E13394– Cat. Nos. 63, 65, 69, 531, 1469, 6ADPT, 692, 694, 697, 698, 699, 274, 128, 1403 and 1406; File #E-13399–Cat. Nos. 63, 65, 69, 531)
- CSA Certified (File #LR-406–Cat. No. 125; File #LR-1523– Cat. No. 63; File #LR-2780–Cat. No. 128; File #LR-61476– Cat. Nos. 65, 69, 531 and 1469; File #LR-91345–Cat. No. 6ADPT)
- NOM Certified (#057)

COLOR
Basic Cat. Nos. denote Mahogany (Brown). To order colors, add suffix to basic Cat. No. White (-W), Ivory (-I), Ebony (-E), Gray (-GY), Orange (-O), Green (-G)

Night and Guide Lights

Leviton Night Lights and Guide Lights provide just the right amount of light at the right time, in styles to please any homeowner. Both product lines include a low-wattage LED model. The night light line offers a choice of standard and automatic ON/OFF lights.

ENERGY SMART LIVING

Specifications and Features

Automatic Night Lights
• Turns ON automatically at dusk and OFF automatically at dawn or by sound, depending on model
• Long-life LED bulb included

Guide Lights
• Energy-efficient with soft, comforting light
• Compact Neon model keeps second outlet free
• No bulb to replace in LED models

NIGHT/GUIDE LIGHTS ⓤ ⓢ

Description	Rating	Cat. No.	Color
AUTOMATIC LIGHT DIRECTING LED NIGHT LIGHT Removable shade slides up and down to direct light	.25W-120V	48585	W
AUTOMATIC ROTATING SPOTLIGHT Incandescent Automatic ON/OFF with 360° rotating head directs light	2W-120V	49566	W
LED Automatic ON/OFF with 360° rotating spotlight directs light	.5W-120V	49566-LED	W
LED AUTOMATIC NIGHT LIGHT Automatic ON/OFF LED with sleek, contemporary styling (LED Available in 1,2 and 4 packs)	.5W-120V	48561	W
LED AUTOMATIC NIGHT LIGHT Automatic ON/OFF with light-reflecting, crystal-faceted shade	.25W-120V	48580	WHT, BLU,
AUTOMATIC SOUND-ACTIVATED NIGHT LIGHT Sound-Activated with adjustable sensitivity	4W-125V	51012	W
LED Sound-Activated with adjustable sensitivity	.5W-120V	51012-LED	W
LED DECORATIVE SHADE NIGHT LIGHTS 49563 Series—Consult your Leviton representative for available shade designs and colors	.5W-115V	49563	W
GUIDE LIGHTS Button-Style Neon Guide Light	.25W-120V	49567	W
LED Guide Light with clear shade	.5W-120V	49568	W (Night Light Base, Amber LED) BLU (Blue LED)
COOL GLOW NIGHT LIGHT Electro-Luminescent Guide Light (2 pack)	.03W-115V	16509-2PK	W
OUTLET NIGHT LIGHTS LED Outlet Server Automatic Night Light	.5W-120V	OUTLT-AMB	W (Night Light Base, Amber LED)
Automatic Night Light with Outlet and Safety Shade	7W-125V	51018	W (Night Light Base)

49566-LED

48561

49563

TESTING AND CODE COMPLIANCE
• UL Listed (File #E-39445–Cat. Nos. 16509, 49566 and 51012; File #E-121173–Cat. No. 48561); File #E-322201-Cat Nos. 49563, 49568, SNSOR
• NOM Certified (#057)

COLOR
To order colors, add suffix to basic Cat. No. White (-W), Blue LED (BLU)

Residential Grade

Utility and Battery-Operated Lights

Brighten dark corners and other out of the way places with convenient plug in or battery-operated fluorescent and LED utility lights. An adhesive mounting strip allows you to put them anywhere, even under cabinets and inside closets.

Specifications and Features

Utility Lights
- Plug in CCFL utility light lasts 4x longer than standard fluorescent
- Battery operation adds light without wiring anywhere extra light is needed
- Includes adhesives for easy, anywhere mounting

49568

FLUORESCENT UTILITY LIGHTS ⓊⓁ Ⓢ.

Description	Cat. No.	Color
6" Battery-Operated Fluorescent Light	6511-6	W (Base Only)
Requires 4 AA batteries (not included).		
6V DC Jack for use with AC/DC adapter (Sold separately)		
CCFL Plug-In Utility Light – 2.5W-120VAC, 60Hz	ØCCFL	W

LED UTILITY LIGHTS

Description	Cat. No.	Color
Battery-Operated LED Puck Utility Light with Push ON/OFF – Adhesive Back	LEDPL	E, SLV, L, R
Requires 3 AA batteries (included)		
6" Battery-Operated LED Utility Light	UTILY	W
Battery-Operated Oval Shaped LED	LEDVL	E
Push ON/OFF with Adhesive Back		

ØCCFL

Accessories

Outlet caps, staples, wiring fasteners, cable fittings, cable ties — Leviton has everything needed to get the job done.

Specifications and Features

Outlet Safety Caps
- Insert into unused outlets to serve as a barrier
- Can be easily removed by adults when needed

ELECTRICAL ACCESSORIES ⓊⓁ Ⓢ.

Description	Cat. No.	Color
Cable Ties – Holds wires, cables, bundles and hoses; comes in assorted lengths and colors. Quantities up to 1,000 pcs.	12540	W, E, NE
Outlet Caps – 12 Pack	12777	Clear
Outlet Caps – 24 Pack	12777-24p	Clear

12540

TESTING AND CODE COMPLIANCE
- UL Listed File #E-7416 – Cat. No. 12777
- CSA Certified
- NOM Certified (#057)

COLOR
To order colors, add suffix to basic Cat. No.
White (-W), Black (-E), Neon (-NE). Silver (-SLV), Blue (-L), Red (-R)