

Safety information

Robert Bosch GmbH

Revision: 04.05.2007 Rev.-No.: 1.02

Battery pack

1. Product- and Company Name

Trade name

Battery pack

Manufacturer/Distributor

Robert Bosch GmbH

Power Tools

Max-Lang-Str. 40-46

D-70771 Leinfelden-Echterdingen

Telephone : +49 (0)711 758-0

Emergency Response

GBK Gefahrgutbüro GmbH

Mail: gbk@gbk-ingelheim.de

Telephone: **+49(0)6132-84463**

2. Composition/Information on ingredients

Characterization

Lilon-battery pack, containing one ore more Lilon cells.

Important information

The battery should neither be opened, nor heated above 120°C nor burned since the exposition with the ingredients could be harmful under certain conditions. The product contains neither metallic lithium nor lithium alloy.

Composition Information

Substance/Ingredient	Percentage*
Transition metal oxides (e.g. Ni, Co, Mn)	20 – 50 %
Carbon	10 – 30 %
Copper foil	2 – 10 %
Aluminum Foil	2 – 10 %
Polymers (e.g. Polyvinylidene Fluoride, PVDF)	< 5%
Lithium salts	< 3%
Organic solvents (nonaqueous liquids)	< 3%
Stainless steel, Nickel, inert materials	Remainder

*) Mass percentage of substances refers to the mass of Lilon cell.

3. Possible Risks

Not classified as dangerous according the EC-Guideline 1999/45/EG.

4. First aid measures

The batteries are hermetically closed. A risk of exposure can only occur when the cells are mechanically abused. The following first aid measures therefore only refer to the handling in the case of release of the ingredients and not on the use of the battery under normal conditions.

General information

In case of contact, take off immediately all contaminated clothing..

Safety information

Robert Bosch GmbH

Revision: 04.05.2007 Rev.-No.: 1.02

Battery pack

In case of inhalation

In case of damages possible risk of respiratory irritation. Supply fresh air. If disorders persist, contact a doctor.

In case of skin contact

In case of damages possible risk of skin irritation. In case of skin contact wash off with water and soap. If disorders persist, contact a doctor.

In case of eye contact

In case of damages possible risk of eye irritation. In case of eye contact rinse thoroughly with water. If disorders persist, contact a doctor.

5. Fire-fighting measures

Suitable extinguishing material

Water

CO₂

Dry chemical extinguishers

Extinguishing material that may not be used for safety reasons

Full water jet

Special exposure hazards arising from the substance, combustible products or resulting gases

Fire fighting measures, rescue works and clearance works with impact of the smoldering fire fumes or fire gases should only be carried out with suitable respiratory protective equipment.

Additional information

Residues of fires and chemically contaminated water should be disposed in compliance with the local regulations.

6. Accidental release measures

Personal precautions

Use personal protective clothing. Avoid skin contact.

Environmental precautions

Dispose damaged batteries according pos. 13 of this safety information.

Methods for cleaning up/taking up

Soak up with suitable absorbent material and dispose in compliance with the regulations.

7. Handling and storage

Store in well ventilated cool areas. Avoid Overheating, e.g. through incident solar radiation. Protect from air humidity and water.

Do not short-circuit.

Storage temperature < 60°C.

8. Exposure controls / personal protection

If handled in a suitable way, no personal protective equipment is necessary.

9. Physical and chemical properties

Compact battery pack with plastic shell. The product neither contains metallic lithium nor lithium alloys.

10. Stability and Reactivity

Not applicable.

11. Toxicology

Safety information

Robert Bosch GmbH

Revision: 04.05.2007 Rev.-No.: 1.02

Battery pack

No risk if handled reasonable. In case of damages or improper use irritant or sensitizing ingredients may get released.

12. Ecology

No negative ecologic effects are expected, if the product is used and disposed regularly.

13. Disposal

Batteries have to be collected separately from other wastes. Avoid short-Circuits during collecting or storing. If damages occur, batteries have to be packed solitary in a plastic bag.

Admit to an approved disposal system (e.g. Bosch). Use only approved Containers for the collection.

EWC Nr. 16 06 05 Other batteries and accumulators

14. Transport information

Transport temperature: < 60°C.

Land transport (ADR/RID)

The product fulfils the requirements of Special provision 188 of ADR/RID and is therefore, keeping the prescribed quantity limits, excepted from the application of the dangerous goods regulations.

Sea ship

The product fulfils the requirements of Special provision 188 of the IMDG-Code and is therefore, keeping the prescribed quantity limits, excepted from the application of the dangerous goods regulations.

Air transport

The product fulfils the requirements of Special provision A 45 of IATA-DGR and is therefore, keeping the prescribed quantity limits, excepted from the application of the dangerous goods regulations.

Other appropriate information

Disposal of used Lithium batteries according the Multilateral Agreement M 126 (only in the states, who signed this agreement)

15. Other regulations

Labeling

The product has not to be labeled/classified according the EC-Guidelines

16. Other information

Data do not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product (s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet.