



Sea Gull Lighting[®]
LIFE ILLUMINATED | SINCE 1919

2014 FULL LINE CATALOG



Product Shown: (2) Manor House One Light Mini-Pendants in Weathered Iron Finish, p.199
Kitchen By Divine Kitchens: www.divinekitchens.com

Since 1919

Delivering Inspiration, Craftsmanship and Service



SeaGull Lighting

Our heritage continues on...

Sea Gull Lighting began as a small lighting specialty store in Philadelphia in 1919. Founder Henry Siegel based his new company on the core values of quality, variety and service – while always keeping an eye to the future for strategic expansion opportunities. Through the years, Sea Gull Lighting has successfully evolved by building its design capabilities, manufacturing prowess, inventory flow, product innovation and expertise in energy efficiency. The Sea Gull Lighting team has forged strong relationships and earned a reputation with builders, contractors, showrooms and homeowners to be among the very best in the industry.

Celebrating its 95th anniversary this year, Sea Gull Lighting proudly introduces its 2014 Catalog. Offering a total of over 2,500 products, the catalog unites hundreds of time-tested, traditional designs with a plethora of new transitional and contemporary fixtures, including 600 new, trend-right products, featuring 190 new silhouettes across 19 new Indoor Collections and 5 new Outdoor Collections. Tracking to the industry's technology trends, the Sea Gull Lighting catalog also offers a large selection of LED flush mounts and a line of medium and candelabra base LED lamps which can be used to easily convert 90% of our existing incandescent fixtures to LED.

Sea Gull Lighting will continue to focus on delivering on-trend, high quality, energy efficient lighting products at affordable price points for homeowners – with unparalleled customer service and best-in-class availability for channel partners. And with this continued commitment to serving all its valued customers, Sea Gull Lighting is poised for more success as it soon enters its second century of operation.

1919

Henry Siegel founds Sylvania Company in Philadelphia, PA

1948

Changed name to Sea Gull Lighting

1972

Moved headquarters to Riverside, NJ

1992

Became a Charter Partner in ENERGY STAR® Program

1993

Introduced Ambiance Lighting Systems

2004

Opened 500,000 sq. ft. distribution center in Burlington, NJ

2005

Received first of six ENERGY STAR® Partner Awards

2008

Recognized by CEE & ALA with first of three Lighting for Tomorrow Awards

2012

Moved headquarters to Skokie, IL with other Generation Brands' companies

2014

Sea Gull Lighting celebrates its 95th anniversary!




Product Shown: (2) Westminster Large Three Light Pendants in Autumn Bronze Finish, p.235

ENERGY STAR®: saving money & the environment

When you buy products with the blue ENERGY STAR® label, you know you are buying products which have been tested by third-party laboratories and confirmed to be more energy efficient than traditional light fixtures. This increased efficiency means lower electrical bills and less greenhouse gases released into the atmosphere. At Sea Gull Lighting, our ENERGY STAR® qualified products use approximately 80% less energy than their standard incandescent equivalents and also come with the added bonus of an extra two years of warranty coverage.

As a Charter Partner of the ENERGY STAR® program with the Environmental Protection Agency and Department of Energy since 1992, Sea Gull Lighting understands the importance of conserving our natural resources and finding ways to light our homes and offices more efficiently. In this catalog, you will find over 1,000 products which are ENERGY STAR® qualified.





Product Shown: Oslo Nine Light Chandelier in Blacksmith, p.48

ENERGY STAR[®] qualified product

Academy	p.126	Denhelm	p.82	Medford Lakes	p.482	Quality Max Plus	p.448
Acadia	p.200	Driscoll	p.28	Metropolis	p.56	Riverside	p.554
ADA Sconces	p.423	Drop Lens Fluorescent	p.288	Montreal	p.152	Roslyn	p.94
Ardsley Court	p.506	Ellington	p.78	Mullberry Hill	p.550	Sauganash	p.468
Bakersville	p.544	Englehorn	p.34	Nash	p.276	Sfera	p.74
Bancroft	p.511	Garfield Park	p.564	Newport	p.318	Solana	p.66
Bayside	p.552	Gladstone	p.130	Nexus	p.273	Somerton	p.88
Beacon Street	p.260	Harbor Point	p.548	Northbrook	p.158	Sussex	p.98
Belmar	p.543	Hermitage	p.494	Oslo	p.44	Traverse	p.576
Blayne	p.164	Herrington	p.514	Outdoor Bullets	p.562	Uptown	p.70
Brayden	p.252	Holman	p.112	Panorama	p.452	Vitelli	p.50
Brockton	p.120	Humboldt Park	p.565	Park West	p.136	Wheaton	p.190
Bucktown	p.466	Hunnington	p.460	Parkview	p.218	Windgate	p.174
Cape May	p.484	Irving Park	p.566	Plymouth	p.206	Winnetka	p.60
Centra	p.68	Jamestowne	p.536	Prairie	p.490	Wynfield	p.476
Chatham	p.498	Jordyn	p.250	Pratt Street Metal	p.256	Yorktown	p.530
Corbeille	p.108	Lemont	p.146	Pratt Street Prismatic	p.258		
Dayna	p.246	Long Beach	p.450	Quality Max	p.444		

Using this catalog

We hope you find this catalog easy to use. With such a vast product selection, we are always looking for new ways to help you find the right product for your application. New aspects of this catalog include:


NEW LAYOUT: To make the entire catalog easier on the eyes, products are now spaced out more generously and arranged in easy-to-follow grids.

NEW ROOM SHOTS: To help convey scale and design potential, more than 55 new photographs have been added showing our product installed in actual room settings. On each photo we have also called out key design features to help you select products for your space.

CROSS REFERENCED FIXTURES: To ensure you don't miss anything, at the end of each product category (e.g. pendants, flush mounts), there is a quick index directing you to additional fixtures of the same category that are presented within one of our full Indoor Collections of product.

VISUAL INDEX (p.8-25): To unify the design aesthetic across many different fixtures, this tool provides a quick view of the full complement of coordinating fixtures available in each of our Indoor Collections.

INDEX BY COLLECTION (p.627): To quickly find fixtures from a known Collection, we have included an alphabetized list of Collections and their corresponding page numbers.



Reference guides

Finishes

Our products come in a vast array of finishes to complement any décor. When placing your order you can ensure that you have the correct item number by verifying the finish code located after the hyphen in each item number.

Antique Bronze	[-71]	Oxford Bronze	[-746]
Antique Brushed Nickel	[-965]	Oxidized Bronze	[-46]
Autumn Bronze	[-715]	Palladium	[-824]
Bell Metal Bronze	[-827]	Platinum Oak	[-736]
Black	[-12]	Polished Brass	[-02]
Blacksmith	[-839]	Polished Nickel	[-841]
Bronze	[-10]	Regal Bronze	[-758]
Brushed Nickel	[-962]	Roman Bronze	[-191]
Brushed Stainless	[-98]	Russet Bronze	[-829]
Burled Iron	[-780]	Satin Bronze	[-848]
Burnt Sienna	[-710]	Sienna	[-26]
Chestnut Bronze	[-820]	Stardust	[-846]
Chrome	[-05]	Statuary Bronze	[-51]
Estate Bronze	[-708]	Textured Rust Patina	[-08]
Flemish Bronze	[-845]	Weathered Copper	[-44]
Forged Iron	[-185]	Weathered Iron	[-07]
Heirloom Bronze	[-782]	Weathered Pewter	[-57]
Misted Bronze	[-814]	White	[-15]
Obsidian Mist	[-802]		

Icons

Throughout this catalog you will find these icons which represent special features of our products.










-  **Related Product**
 Products are related to other product(s) in a different section of the catalog.
-  **LED Convertible**
 This fixture converts easily to LED. LED lamps are sold separately on p.620-623.
-  **Fluorescent Light Source**
 This fixture uses a fluorescent light source.
-  **ENERGY STAR® Qualified**
 These products meet strict energy efficiency guidelines set by the EPA and Department of Energy.
-  **Damp Rated**
 UL and c-UL listed for damp location.
-  **Wet Rated**
 UL and c-UL listed for wet location.
-  **Weights Over 50lbs.**
 This fixture weights over 50 lbs. and must be supported independently of outlet box.
-  **ADA Compliant**
 Meets Americans with Disabilities Act 4" maximum extension requirements.
-  **Dark Sky**
 These fixtures minimize light pollution in the night sky.

Table of contents

Visual Index

A thumbnail photo overview of our products showing all styles, fixtures and finishes for each Indoor Collection.


8-25



Indoor Collections

Chandeliers to wall sconces, style-coordinated collections help integrate décor from room to room.

26-227



Pendant Collections

Pendants and mini-pendants add style to dining areas, kitchens, foyers with splashes of color and style.


228-267



Ceiling Collections

Close-to-ceiling and flush mounted fixtures add style and interest with a crowning touch to any space.

268-295



Wall/Bath Collections

To add style, mood and ambient light, wall sconces are a perfect decorative accent to any space.

296-435


ADA Sconces p.423-426



Ceiling Fans

For added comfort (and light), ceiling fans bring a cooling breeze to spaces of all sizes.

436-457



Outdoor Collections

Outdoor lighting delivers a warm, welcome and safe entry to a home, office, retail space and more.


458-571



Recessed Lighting

A selection of quality recessed fixtures, trims and accessories provide overhead light for a wide range of applications.

572-603



Transitions

Customizable 120V rail lighting systems featuring a variety of luminaires.

604-619



Accessories

Extra chain, decorative shades and lamps including LED, MR16, CFLs and more.

620-626

Index

An alphabetized list of collections and corresponding page numbers, as well as an index by item number.

627-636

Visual Index

INDOOR COLLECTIONS

ACADEMY

INDOOR p.126-129 BATH p.350-353

FINISHES

BRUSHED NICKEL

HEIRLOOM BRONZE

CHROME*

GLASS

SATIN WHITE SCHOOLHOUSE

SATIN WHITE SCHOOLHOUSE

SATIN WHITE SCHOOLHOUSE



*Chrome finish only available for semi-flush mounts and wall/bath items.



Extra Large One Light Pendant



Large One Light Pendant



Medium One Light Pendant



Small One Light Pendant



Large One Light Ceiling Semi-Flush Mount



One Light Ceiling Semi-Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

ACADIA

INDOOR p.200-205 BATH p.400-401

FINISHES

MISTED BRONZE

GLASS

CHAMPAGNE SEEDED



Fifteen Light Chandelier



Nine Light Chandelier



Six Light Chandelier



Four Light Hall/Foyer



Three Light Chandelier



Three Light Island Pendant



Three Light Pendant



Two Light Ceiling Semi-Flush Mount



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

ALBANY

INDOOR p.140-145 BATH p.364-365

FINISHES

BRUSHED NICKEL

HEIRLOOM BRONZE

GLASS

SATIN ETCHED

SATIN ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Hall/Foyer



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

BLAYNE

INDOOR p.164-167 BATH p.379

FINISHES

PLATINUM OAK



GLASS

MERCURY



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

BROCKTON

INDOOR p.120-125 BATH p.346-349

FINISHES		GLASS	
	BRUSHED NICKEL		WHITE ALABASTER
	BURNT SIENNA		AMBER SCAVO



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



Two Light Wall/Bath



Three Light Wall/Bath





Four Light Wall/Bath



Coordinated Ceiling Fan

CENTRA

INDOOR p.68-69

FINISHES		GLASS	
	BRUSHED STAINLESS		SATIN WHITE



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mount





Two Light Wall/Bath



Coordinated Ceiling Fan

CORBEILLE

INDOOR p.108-111 BATH p.339

FINISHES		GLASS	
	STARDUST		CREME PARCHMENT



Nine Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Five Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



Two Light Ceiling Flush Mount



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

DEL PRATO

INDOOR p.186-189 BATH p.392-393

FINISHES

CHESTNUT
BRONZE

GLASS

SEEDED ACID ETCHED
WITH CAFE TINT



Nine Light Chandelier



Five Light Chandelier



Eight Light Hall/Foyer



Four Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

DENHELM

INDOOR p.82-87 BATH p.324-327

FINISHES

BRUSHED
NICKEL

GLASS

ETCHED,
WHITE INSIDE

BURNT
SIENNA

ETCHED,
WHITE INSIDE

CHROME*

ETCHED,
WHITE INSIDE



Twelve Light Chandelier



Ten Light Chandelier



Eight Light Chandelier



Four Light Chandelier



Six Light Island Pendant



One Light Pendant

*Chrome finish only available for flush mounts and wall/bath items.



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan



NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

DRISCOLL

INDOOR p.28-33 BATH p.298-300

FINISHES		GLASS	
	BRUSHED NICKEL		ETCHED, WHITE INSIDE
	SATIN BRONZE		ETCHED, WHITE INSIDE
	CHROME*		ETCHED, WHITE INSIDE



*Chrome finish only available for wall/bath items.



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath

ELLINGTON

INDOOR p.78-81

FINISHES		GLASS	
	BURNT SIENNA		CAFE TINT
	BRUSHED NICKEL*		SATIN ETCHED



*Brushed Nickel finish only available for wall/bath items.



Eighteen Light Chandelier



Twelve Light Chandelier



Nine Light Chandelier



Six Light Chandelier



One Light Wall/Bath



One Light Wall/Bath

ENGLEHORN

INDOOR p.34-37 BATH p.301

FINISHES		GLASS	
	CHROME		ETCHED, WHITE INSIDE



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

GLADSTONE

INDOOR p.130-135 BATH p.354-361

FINISHES		GLASS	
	ANT. BRUSHED NICKEL		SATIN ETCHED
	HEIRLOOM BRONZE		SMOKY AMBER
	CHROME*		SATIN ETCHED



*Chrome finish only available for wall/bath items.



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Five Light Wall/Bath



Six Light Wall/Bath



Coordinated Ceiling Fan

HIGHLANDS

INDOOR p.210-217 BATH p.406-409

FINISHES		GLASS		SHADES*	
	PALLADIUM		DUSTED IVORY		SILVER SILK SHANTUNG
	REGAL BRONZE		DUSTED IVORY		FAWN FABRIC



*Fabric shades only offered with select items.



Fifteen Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Five Light Chandelier



Five Light Mini Chandelier



Nine Light Hall/Foyer



Six Light Hall/Foyer



Three Light Pendant



Three Light Ceiling Semi-Flush Mount



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



Two Light Wall Sconce



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

HOLMAN

INDOOR p.112-119 BATH p.340-345

FINISHES

BRUSHED NICKEL

BELL METAL BRONZE

GLASS

SATIN ETCHED

SATIN ETCHED



Five Light Chandelier



Five Light Fluorescent Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Fluorescent Chandelier



Three Light Chandelier



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



One Light Fluorescent Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



One Light Fluorescent Wall/Bath



Two Light Fluorescent Wall/Bath



Three Light Fluorescent Wall/Bath



Four Light Fluorescent Wall/Bath



Coordinated Ceiling Fan

LAUREL LEAF

INDOOR p.180-185 BATH p.388-391

FINISHES

ANT. BRUSHED NICKEL

ESTATE BRONZE

GLASS

ETCHED RIPPLE

ETCHED RIPPLE



Fifteen Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Four Light Hall/Foyer



Two Light Island Pendant



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

LEMONT

INDOOR p.146-151 BATH p.366-369

FINISHES

- ANT. BRUSHED NICKEL
- BURN'T SIENNA

GLASS

- ETCHED WHITE ALABASTER
- CAFE TINT



Nine Light Chandelier



Six Light Chandelier



Five Light Chandelier



Three Light Chandelier



Eight Light Hall/Foyer



Four Light Hall/Foyer



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

MANOR HOUSE

INDOOR p.196-199

FINISHES

- WEATHERED IRON

GLASS

- CLEAR SEEDED



Fifteen Light Chandelier



Five Light Chandelier



Six Light Hall/Foyer



Six Light Pendant



Six Light Ceiling Semi-Flush Mount



Three Light Semi-Flush Convertible Pendant



One Light Mini Pendant



Three Light Ceiling Flush Mount



One Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

METROPOLIS

INDOOR p.56-59 BATH p.312

FINISHES
BRUSHED
NICKEL

GLASS
SATIN ETCHED



Five Light Chandelier



Three Light Chandelier



One Light Hall/Foyer



One Light Pendant



One Light Mini Pendant



One Light Wall Sconce



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

MONTREAL

INDOOR p.152-157 BATH p.370-373

FINISHES
ANT. BRUSHED
NICKEL
BURNT
SIENNA

GLASS
ETCHED,
WHITE INSIDE
CAFE TINT



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Three Light Semi-Flush Convertible Pendant



Three Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NORTHBROOK

INDOOR p.158-163 BATH p.376-378

FINISHES		GLASS	
	BRUSHED NICKEL		SATIN ETCHED
	ROMAN BRONZE		SATIN ETCHED
	CHROME*		SATIN ETCHED



*Chrome finish only available for wall/bath items.



Nine Light Chandelier



Five Light Downlight Chandelier



Five Light Uplight Chandelier



Three Light Chandelier



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

OSLO

INDOOR p.44-49 BATH p.302-305

FINISHES		GLASS	
	CHROME		CASED OPAL ETCHED
	BLACKSMITH		CASED OPAL ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Island Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

PARK WEST

INDOOR p.136-139 BATH p.362-363

FINISHES
BURNT
SIENNA

GLASS
CAFE TINT



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

PARKVIEW

INDOOR p.218-223 BATH p.410-411

FINISHES
ANT. BRUSHED
NICKEL
RUSSET
BRONZE

GLASS
SATIN ETCHED
GINGER



Fifteen Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Three Light Hall/Foyer



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

PLYMOUTH

INDOOR p.206-209 BATH p.402-405

FINISHES

WEATHERED PEWTER

BLACKSMITH

GLASS

ETCHED WHITE ALABASTER

ETCHED WHITE ALABASTER



Nine Light Chandelier



Nine Light Chandelier



Six Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Chandelier



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

RIALTO

INDOOR p.168-173 BATH p.380-383

FINISHES

ANT. BRUSHED NICKEL

RUSSET BRONZE

GLASS

ETCHED WHITE ALABASTER

GINGER



Fifteen Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

ROSLYN

INDOOR p.94-97 BATH p.330-331

FINISHES

FLEMISH
BRONZE

GLASS

CREME
PARCHMENT



Twelve Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Hall/Foyer



Three Light Pendant



One Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

SFERA

INDOOR p.74-77 BATH p.322-323

FINISHES

AUTUMN
BRONZE

GLASS

MERCURY

AUTUMN
BRONZE

CAFE TINT*

AUTUMN
BRONZE

SMOKY
AMBER*



Six Light Chandelier



Four Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Mini-Pendant



Three Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath




Coordinated Ceiling Fan

*Cafe Tint glass only available for indoor items. Smoky Amber glass only available for wall/bath items.

SOLANA

INDOOR p.66-67 BATH p.319

FINISHES

 POLISHED NICKEL

GLASS

 CASIED OPAL ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Two Light Island Pendant



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath




Coordinated Ceiling Fan


SOMERTON


INDOOR p.88-93 BATH p.328-329

FINISHES

 ANT. BRUSHED NICKEL

GLASS

 SATIN ETCHED

 BLACKSMITH

 CAFE TINT



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Six Light Hall/Foyer



Three Light Hall/Foyer



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

STIRLING

INDOOR p.38-43 BATH p.309-311

FINISHES	SHADES	GLASS*
BRUSHED NICKEL	WHITE LINEN	CASED OPAL ETCHED
BURNT SIENNA	BEIGE LINEN	CASED OPAL ETCHED
CHROME*		CASED OPAL ETCHED



*Chrome finish only available for wall/bath items. Glass only available for wall/bath items.



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Six Light Island Pendant



Four Light Island Pendant



Two Light Semi-Flush Convertible Pendant



Three Light Pendant



One Light Pendant



One Light Mini Pendant



Two Light Ceiling Flush Mount



One Light Wall Sconce



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

SUSSEX

INDOOR p.98-103 BATH p.332-335

FINISHES	GLASS
BRUSHED NICKEL	SATIN WHITE
HEIRLOOM BRONZE	SATIN ETCHED
CHROME*	SATIN WHITE



*Chrome finish only available for wall/bath items.



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Island Pendant



Three Light Hall/Foyer



Three Light Semi-Flush Convertible Pendant



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

TRADITIONAL

INDOOR p.224-227

FINISHES

BRUSHED NICKEL

POLISHED BRASS

HEIRLOOM BRONZE*



*Heirloom Bronze finish only available for small five light chandelier.



Fifteen Light Chandelier



Ten Light Chandelier



Six Light Chandelier



Large Five Light Chandelier



Medium Five Light Chandelier



Small Five Light Chandelier

UPTOWN

INDOOR p.70-73 BATH p.320-321

FINISHES

BLACKSMITH

GLASS

SATIN ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

VITELLI

INDOOR p.50-55 BATH p.306-308

FINISHES

WEATHERED PEWTER

AUTUMN BRONZE

GLASS

SATIN ETCHED

SATIN ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Visual Index

INDOOR COLLECTIONS

WARWICK

INDOOR p.104-107 BATH p.336-337

FINISHES

AUTUMN BRONZE

GLASS

SMOKY PARCHMENT



Nine Light Chandelier



Six Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Island Pendant



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

WHEATON

INDOOR p.190-195 BATH p.396-399

FINISHES

BRUSHED NICKEL

HEIRLOOM BRONZE

GLASS

SATIN ETCHED

SATIN ETCHED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Two Light Semi-Flush Convertible Pendant



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

WINDGATE

INDOOR p.174-179 BATH p.384-386

FINISHES	GLASS
BRUSHED NICKEL	ALABASTER
HEIRLOOM BRONZE	ALABASTER
CHROME*	ALABASTER



*Chrome finish only available for wall/bath items.



Five Light Uplight Chandelier



Five Light Downlight Chandelier



Three Light Uplight Chandelier



Three Light Downlight Chandelier



Three Light Hall/Foyer



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

WINNETKA

INDOOR p.60-65 BATH p.314-317

FINISHES	GLASS
BRUSHED NICKEL	SATIN ETCHED
BLACKSMITH	SATIN ETCHED



Fifteen Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Pendant



One Light Mini-Pendant



Ceiling Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NOTE: For style reference only, products not to scale.

Product Shown: Sfera Six Light Chandelier in Autumn Bronze with Mercury Glass, p.75



INDOOR COLLECTIONS



Product Shown: Warwick Six Light Chandelier [p.105] & (2) One Light Wall/Bath [p.107] in Autumn Bronze



INDOOR COLLECTIONS

Whether you are enjoying a family dinner, walking from one room to another, or working, having the right lighting is important. Indoor lighting helps set the right mood and is a key consideration when decorating a space. Sea Gull Lighting Indoor Collections offer a wide selection of styles and fixtures that can be utilized in many different spaces for many different purposes.

Tapered glass and stem are inspired by 1960's modernism



INDOOR COLLECTIONS

Product Shown: Driscoll Nine Light Chandelier in Satin Bronze



NINE LIGHT CHANDELIER

with brushed nickel finish

D: 32" H: 29.75"

10' of wire pre-laced through 3' of chain

3140409-962
(9) Medium Base 100w max.

3140409BLE-962
(9) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

with satin bronze finish

D: 32" H: 29.75"

10' of wire pre-laced through 3' of chain


3140409-848
(9) Medium Base 100w max.


3140409BLE-848
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 20.5" H: 16.75"
10' of wire pre-laced through 3' of chain


 **3140403-962**
(3) Medium Base 100w max.


 **3140403BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 25.25" H: 17.75"
10' of wire pre-laced through 3' of chain


 **3140405-962**
(5) Medium Base 100w max.


 **3140405BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5.25" H: 11.75"
6.5' of black field adjustable cord

 **6140401-962**
(1) Medium Base 100w max.


 **6140401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included




ONE LIGHT WALL / BATH



W: 5.25" H: 11.75" E: 6.75"
Height from center of outlet box
up: 8.75"

 **4140401-962**
(1) Medium Base 100w max.

 **4140401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included




ONE LIGHT CEILING FLUSH MOUNT



with twist-lock satin etched glass

D: 11.5" H: 4"

75434-962
(1) Medium Base 60w max.

 **79434BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included





TWO LIGHT CEILING FLUSH MOUNT



with twist-lock satin etched glass

D: 14" H: 4.5"

 **75435-962**
(2) Medium Base 60w max.

 **79435BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included





THREE LIGHT CEILING FLUSH MOUNT





with twist-lock satin etched glass

D: 16.75" H: 5.5"

 **75436-962**
(3) Medium Base 60w max.

 **79436BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT


DRISCOLL BATH, p.298 


Brushed Nickel / Satin Bronze / Chrome



THREE LIGHT CHANDELIER

D: 20.5" H: 16.75"
10' of wire pre-laced through 3' of chain


 **3140403-848**
(3) Medium Base 100w max.


 **3140403BLE-848**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 25.25" H: 17.75"
10' of wire pre-laced through 3' of chain

 **3140405-848**
(5) Medium Base 100w max.

 **3140405BLE-848**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5.25" H: 11.75"
6.5' of black field adjustable cord

6140401-848
(1) Medium Base 100w max.

6140401BLE-848
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH



W: 5.25" H: 11.75" E: 6.75"
Height from center of outlet box
up: 8.75"

4140401-848
(1) Medium Base 100w max.

4140401BLE-848
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT CEILING
FLUSH MOUNT**



with twist-lock satin etched glass

D: 11.5" H: 4"

75434-848
(1) Medium Base 60w max.

79434BLE-848
(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT CEILING
FLUSH MOUNT**



with twist-lock satin etched glass

D: 14" H: 4.5"

75435-848
(2) Medium Base 60w max.

79435BLE-848
(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT CEILING
FLUSH MOUNT**



with twist-lock satin etched glass

D: 16.75" H: 5.5"

75436-848
(3) Medium Base 60w max.

79436BLE-848
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

DRISCOLL BATH, p.298

Brushed Nickel / Satin Bronze / Chrome

Flawless optic crystal
orbs create drama and
sophistication

INDOOR COLLECTIONS

Product Shown: Englehorn One Light Mini-Pendants in Chrome with Optic Crystal Accents



NINE LIGHT CHANDELIER

D: 32.25" H: 25.5"
 10' of wire pre-laced through 3' of chain

3113409-05
 (9) Medium Base 100w max.


E 3113409BLE-05
 (9) GU24 Base Self Ballasted CFL
 13w lamps included




SEMI-FLUSH
H: 14.5"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 16" H: 16.75"
10' of wire pre-laced through 3' of chain


 **7713402-05**
(2) Medium Base 100w max.


 **7713402BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 4" H: 9.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **6113401-05**
(1) Medium Base 100w max.


 **6113401BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT CHANDELIER

D: 20" H: 18.75"
10' of wire pre-laced through 3' of chain


 **3113403-05**
(3) Medium Base 100w max.


 **3113403BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 26.5" H: 21.75"
10' of wire pre-laced through 3' of chain

 **3113405-05**
(5) Medium Base 100w max.

 **3113405BLE-05**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 20" H: 24"
10' of wire pre-laced through 3' of chain

6613403-05
(3) Medium Base 100w max.

6613403BLE-05
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 16" H: 11"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

6513401-05
(1) Medium Base 100w max.

6513401BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5" H: 13" E: 7"
Height from center of outlet box up: 10.5" down: 2.5"

4113401-05
(1) Medium Base 100w max.

4113401BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-05
(1) Medium Base 100w max.

79163BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-05
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-05
(2) Medium Base 60w max.

79364BLE-05
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-05
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-05
(3) Medium Base 60w max.

79565BLE-05
(3) GU24 Base Self Ballasted CFL
13w lamps included

INDOOR COLLECTIONS

RELATED PRODUCT

ENGLEHORN BATH, p.301
Chrome

RELATED PRODUCT

COORDINATED CEILING FAN
15030-05, p.445

Cylindrical linen shade
is elegantly chic

Product Shown: (2) Stirling One Light Mini-Pendants in Brushed Nickel
Photo courtesy of David Weekley Homes



31952-710
burnt sienna with
beige linen shades



31952-965
brushed nickel with
white linen shades

NINE LIGHT CHANDELIER

D: 30" H: 32.5"
12' of wire pre-laced through 10' of chain

31952-710 (shown at left)
(9) Candelabra Base 60w max.

31952-962 (shown above)
(9) Candelabra Base 60w max.



66953-962
brushed nickel with
white linen shades



66953-710
burnt sienna with
beige linen shades

SIX LIGHT ISLAND PENDANT

L: 35" W: 17.5" H: 13.25"
10' of wire, (2) 12" stems, (1) 6" stem

66953-962 (shown at left)
(6) Candelabra Base 60w max.

66953-710 (shown above)
(6) Candelabra Base 60w max.



THREE LIGHT CHANDELIER


D: 19" H: 18.75"
12' of wire pre-laced through 10' of chain


31932-962
(3) Candelabra Base 60w max.



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
with satin etched glass diffuser

D: 14" H: 14.75"
12' of wire pre-laced through 10' of chain

 **77952-962**
(2) Medium Base 60w max.

 **77952BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12.75"



ONE LIGHT MINI-PENDANT

D: 6.5" H: 8.5"
10' of wire, (3) 12" stems, (1) 6" stem

 **61952-962**
(1) Medium Base 60w max.



FIVE LIGHT CHANDELIER


D: 22.5" H: 20.75"
12' of wire pre-laced through 10' of chain

31942-962
(5) Candelabra Base 60w max.



FOUR LIGHT ISLAND PENDANT

L: 37" W: 6.5" H: 12.75"
10' of wire, (2) 12" stems, (1) 6" stem

 **66952-962**
(4) Medium Base 60w max.



THREE LIGHT PENDANT

with satin etched glass diffuser

D: 19" H: 26.25"
12' of wire pre-laced through 10' of chain

65953-962
(3) Medium Base 100w max.

E 65953BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

with satin etched glass diffuser

D: 16" H: 10.25"
10' of wire, (3) 12" stems, (1) 6" stem

65952-962
(1) Medium Base 100w max.



ONE LIGHT WALL SCONCE

W: 5.5" H: 14.5" E: 7.25"
Height from center of outlet box: 9.5"

41260-962
(1) Candelabra Base 60w max.



ONE LIGHT WALL / BATH

with cased opal etched glass shade

W: 5.5" H: 11.25" E: 6.75"
Height from center of outlet box
up: 6.25" down: 5"

44952-962
(1) Medium Base 100w max.



Mounts up
or down



**TWO LIGHT CEILING
FLUSH MOUNT**

with satin etched glass diffuser

D: 14" H: 7.25"

75952-962
(2) Medium Base 60w max.

E 75952BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

STIRLING BATH, p.309

Brushed Nickel / Burnt Sienna / Chrome

RELATED PRODUCT

**COORDINATED
CEILING FAN**

15040BLE-962, p.448



THREE LIGHT CHANDELIER


D: 19" H: 18.75"
12' of wire pre-laced through 10' of chain

31932-710
(3) Candelabra Base 60w max.



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
with satin etched glass diffuser

D: 14" H: 14.75"
12' of wire pre-laced through 10' of chain

 **77952-710**
(2) Medium Base 60w max.

 **77952BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12.75"



ONE LIGHT MINI-PENDANT

D: 6.5" H: 8.5"
10' of wire, (3) 12" stems, (1) 6" stem

 **61952-710**
(1) Medium Base 60w max.

INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER


D: 22.5" H: 20.75"
12' of wire pre-laced through 10' of chain

31942-710
(5) Candelabra Base 60w max.



FOUR LIGHT ISLAND PENDANT

L: 37" W: 6.5" H: 12.75"
10' of wire, (2) 12" stems, (1) 6" stem

 **66952-710**
(4) Medium Base 60w max.



THREE LIGHT PENDANT

with satin etched glass diffuser

D: 19" H: 26.25"
12' of wire pre-laced through 10' of chain

65953-710
(3) Medium Base 100w max.

E 65953BLE-710
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

with satin etched glass diffuser

D: 16" H: 10.25"
10' of wire, (3) 12" stems, (1) 6" stem

65952-710
(1) Medium Base 100w max.



ONE LIGHT WALL SCONCE

W: 5.5" H: 14.5" E: 7.25"
Height from center of outlet box: 9.5"

41260-710
(1) Candelabra Base 60w max.



ONE LIGHT WALL / BATH

with cased opal etched glass shade

W: 5.5" H: 11.25" E: 6.75"
Height from center of outlet box
up: 6.25" down: 5"

44952-710
(1) Medium Base 100w max.



Mounts up
or down



**TWO LIGHT CEILING
FLUSH MOUNT**

with satin etched glass diffuser

D: 14" H: 7.25"

75952-710
(2) Medium Base 60w max.

E 75952BLE-710
(2) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

STIRLING BATH, p.309

Brushed Nickel / Burnt Sienna / Chrome

RELATED PRODUCT

**COORDINATED
CEILING FAN**

15161B-191, p.443

Cased Opal Etched
Glass completes a
sleek and modern look

INDOOR COLLECTIONS

Product Shown: Oslo Nine Light Chandelier in Blacksmith



FIVE LIGHT CHANDELIER

with chrome finish

D: 24" H: 20"

12' of wire pre-laced through 10' of chain

31161-05
(5) Medium Base 100w max.

31161BLE-05
(5) GU24 Base Self Ballasted CFL
13w lamps included



DOWNLIGHT
H: 27"



FIVE LIGHT CHANDELIER

with blacksmith finish

D: 24" H: 20"

12' of wire pre-laced through 10' of chain

31161-839
(5) Medium Base 100w max.

31161BLE-839
(5) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 27"



THREE LIGHT CHANDELIER

D: 15" H: 16.5"
12' of wire pre-laced through 10' of chain

 **31160-05**
(3) Medium Base 100w max.

 **31160BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included




DOWNLIGHT
H: 22"




SEMI-FLUSH
H: 10"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT
with etched glass, white inside

D: 13.5" H: 11.25"
12' of wire pre-laced through 10' of chain


 **77160-05**
(2) Medium Base 100w max.


 **77160BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 26" H: 26.75"
12' of wire pre-laced through 10' of chain


 **31162-05**
(9) Medium Base 100w max.


 **31162BLE-05**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT ISLAND PENDANT

L: 25.25" W: 4" H: 9.5"
12' of wire, (6) 12" stems, (2) 6" stems

 **66160-05**
(3) Medium Base 100w max.

 **66160BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"
10' of wire, (3) 12" stems, (1) 6" stem

61160-05
(1) Medium Base 100w max.

61160BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

with etched glass, white inside

D: 15.75" H: 8.75"
12' of wire pre-laced through 10' of chain

65160-05
(1) Medium Base 150w max.

65160BLE-05
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"

41160-05
(1) Medium Base 100w max.

41160BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-05
(1) Medium Base 100w max.

79163BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-05
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-05
(2) Medium Base 60w max.

79364BLE-05
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-05
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-05
(3) Medium Base 60w max.

79565BLE-05
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

OSLO BATH, p.302

Chrome / Blacksmith

RELATED PRODUCT


COORDINATED CEILING FAN


15030-05, p.445



THREE LIGHT CHANDELIER

D: 15" H: 16.5"
12' of wire pre-laced through 10' of chain

 **31160-839**
(3) Medium Base 100w max.

 **31160BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included




DOWNLIGHT
H: 22"




TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

with etched glass, white inside

D: 13.5" H: 11.25"
12' of wire pre-laced through 10' of chain

 **77160-839**
(2) Medium Base 100w max.

 **77160BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 10"



NINE LIGHT CHANDELIER

D: 26" H: 26.75"
12' of wire pre-laced through 10' of chain


 **31162-839**
(9) Medium Base 100w max.


 **31162BLE-839**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT ISLAND PENDANT

L: 25.125" W: 4" H: 9.5"
12' of wire, (6) 12" stems, (2) 6" stems

 **66160-839**
(3) Medium Base 100w max.

 **66160BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"
10' of wire, (3) 12" stems, (1) 6" stem

61160-839
(1) Medium Base 100w max.

61160BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

with etched glass, white inside

D: 15.75" H: 8.75"
12' of wire pre-laced through 10' of chain

65160-839
(1) Medium Base 150w max.

65160BLE-839
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"

41160-839
(1) Medium Base 100w max.

41160BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-839
(1) Medium Base 100w max.

79163BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-839
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-839
(2) Medium Base 60w max.

79364BLE-839
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-839
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-839
(3) Medium Base 60w max.

79565BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

OSLO BATH, p.302

Chrome / Blacksmith

RELATED PRODUCT

COORDINATED CEILING FAN


15030-839, p.445




FIVE LIGHT CHANDELIER

with weathered pewter finish

D: 27" H: 23.5"
12' of wire pre-laced through 10' of chain

 **3131405-57**
(5) Medium Base 100w max.


 **3131405BLE-57**
(5) GU24 Base Self Ballasted CFL
13w lamps included




FIVE LIGHT CHANDELIER

with autumn bronze finish

D: 27" H: 23.5"
12' of wire pre-laced through 10' of chain

 **3131405-715**
(5) Medium Base 100w max.

 **3131405BLE-715**
(5) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

with weathered pewter finish

D: 32.75" H: 29.25"
12' of wire pre-laced through 10' of chain

3131409-57
(9) Medium Base 100w max.

3131409BLE-57
(9) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

with autumn bronze finish

D: 32.75" H: 29.25"
12' of wire pre-laced through 10' of chain

3131409-715
(9) Medium Base 100w max.


3131409BLE-715
(9) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 13.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 16" H: 13.5"
6' of wire pre-laced through 3' of chain


 **7731402-57**
(2) Medium Base 100w max.


 **7731402BLE-57**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7" H: 6.75"
(3) 12" stems, (1) 6" stem and
sloped ceiling mounting hardware

 **6131401-57**
(1) Medium Base 100w max.


 **6131401BLE-57**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



THREE LIGHT CHANDELIER

D: 25.75" H: 19.5"
12' of wire pre-laced through 10' of chain


 **3131403-57**
(3) Medium Base 100w max.


 **3131403BLE-57**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 25" H: 26.5"
12' of wire pre-laced through 10' of chain

 **6631403-57**
(3) Medium Base 100w max.

 **6631403BLE-57**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 15.75" H: 7"
 (3) 12" stems, (1) 6" stem and
 sloped ceiling mounting hardware

Q 6531401-57
 (1) Medium Base 100w max.

E 6531401BLE-57
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



ONE LIGHT WALL / BATH

W: 7" H: 15" E: 11.25"
 Height from center of outlet box
 up: 8.5" down: 6.5"

Q 4131401-57
 (1) Medium Base 100w max.

E 4131401BLE-57
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
 or down



**ONE LIGHT CEILING
 FLUSH MOUNT**

with antique brushed nickel finish

D: 10.5" H: 5.5"

77063-965
 (1) Medium Base 100w max.

E 79163BLE-965
 (1) GU24 Base Self Ballasted CFL
 13w lamp included

E 77063S-965
 LED: 3000K, 10 watts, 800 lumens



**TWO LIGHT CEILING
 FLUSH MOUNT**

with antique brushed nickel finish

D: 12.5" H: 5.5"

Q 77064-965
 (2) Medium Base 60w max.

E 79364BLE-965
 (2) GU24 Base Self Ballasted CFL
 13w lamps included

E 77064S-965
 LED: 3000K, 10 watts, 800 lumens



**THREE LIGHT CEILING
 FLUSH MOUNT**

with antique brushed nickel finish

D: 14.5" H: 6.5"

Q 77065-965
 (3) Medium Base 60w max.

E 79565BLE-965
 (3) GU24 Base Self Ballasted CFL
 13w lamps included

RELATED PRODUCT

VITELLI BATH, p.306

Weathered Pewter / Autumn Bronze

RELATED PRODUCT

COORDINATED
 CEILING FAN


15040BLE-962, p.448




SEMI-FLUSH
H: 13.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 16" H: 13.5"
6' of wire pre-laced through 3' of chain


 **7731402-715**
(2) Medium Base 100w max.


 **7731402BLE-715**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7" H: 6.75"
(3) 12" stems, (1) 6" stem and
sloped ceiling mounting hardware

 **6131401-715**
(1) Medium Base 100w max.


 **6131401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



THREE LIGHT CHANDELIER

D: 25.75" H: 19.5"
12' of wire pre-laced through 10' of chain


 **3131403-715**
(3) Medium Base 100w max.


 **3131403BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 25" H: 26.5"
12' of wire pre-laced through 10' of chain

 **6631403-715**
(3) Medium Base 100w max.

 **6631403BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 15.75" H: 7"
(3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

Q **6531401-715**
(1) Medium Base 100w max.

E **6531401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 7" H: 15" E: 11.25"
Height from center of outlet box
up: 8.5" down: 6.5"

Q **4131401-715**
(1) Medium Base 100w max.

E **4131401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



ONE LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish

D: 10.5" H: 5.5"

Q **77063-782**
(1) Medium Base 100w max.

E **79163BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included

E **77063S-782**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish

D: 12.5" H: 5.5"

Q **77064-782**
(2) Medium Base 60w max.

E **79364BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included

E **77064S-782**
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish

D: 14.5" H: 6.5"

Q **77065-782**
(3) Medium Base 60w max.

E **79565BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



RELATED PRODUCT

VITELLI BATH, p.306

Weathered Pewter / Autumn Bronze

RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448



Soft spherical details deliver a casual, modern style


INDOOR COLLECTIONS


Product Shown: Metropolis Five Light Chandelier in Brushed Nickel



FIVE LIGHT CHANDELIER

D: 25.5" H: 14.75"
12' of wire pre-laced through 10' of chain

 **31036-962**
(5) Medium Base 100w max.

 **39036BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 14.75"



THREE LIGHT CHANDELIER

D: 21.5" H: 14.75"
12' of wire pre-laced through 10' of chain

 **31035-962**
(3) Medium Base 100w max.

 **39035BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included




DOWNLIGHT
H: 14.75"




SEMI-FLUSH
H: 12.25"

ONE LIGHT HALL / FOYER

D: 8.5" H: 14"
12' of wire pre-laced through 10' of chain


 **51035-962**
(1) Medium Base 100w max.


 **59035BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 18" H: 25.75"
12' of wire pre-laced through 10' of chain

 **65035-962**
(1) Medium Base 150w max.

 **69135BLE-962**
(1) GU24 Base Self Ballasted CFL
26w lamp included





ONE LIGHT WALL SCONCE

with heirloom bronze & brushed nickel end caps included



W: 8" H: 8.25" E: 4"
Height from center of outlet box up: 3.25"


 **41036-999**
(1) Medium Base 100w max.


 **49036BLE-999**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT MINI-PENDANT

D: 6.5" H: 8"
10' of wire, (3) 12" stems, 12" chain


 **61035-962**
(1) Medium Base 100w max.


 **69034BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.25" H: 8" E: 7.5"
Height from center of outlet box
up: 3.25" down: 4.75"

 **41035-962**
(1) Medium Base 100w max.

 **49035BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down




ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-962
(1) Medium Base 100w max.

 **79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-962**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

 **77064-962**
(2) Medium Base 60w max.

 **79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-962**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass


D: 14.5" H: 6.5"


 **77065-962**
(3) Medium Base 60w max.

 **79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included


 RELATED PRODUCT

METROPOLIS BATH, p.312
Brushed Nickel



 RELATED PRODUCT

COORDINATED CEILING FAN
15040BLE-962, p.448



Large, decorative link
and wrought iron inspired
Blacksmith finish

INDOOR COLLECTIONS



Product Shown: Winnetka Five Light Chandelier in Blacksmith



31662-962
brushed nickel



31662-839
blacksmith

NINE LIGHT CHANDELIER

D: 32" H: 31.75"
12' of wire pre-laced through 10' of chain

- Q** **31662-962** (shown at left)
(9) Medium Base 100w max.
- E** **31662BLE-962** (shown at left)
(9) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31662-839** (shown above)
(9) Medium Base 100w max.
- E** **31662BLE-839** (shown above)
(9) GU24 Base Self Ballasted CFL
13w lamps included

INDOOR COLLECTIONS



31663-839
blacksmith



31663-962
brushed nickel

FIFTEEN LIGHT CHANDELIER

D: 46.5" H: 42.75"
12' of wire pre-laced through 10' of chain


- Q** **31663-839** (shown at left)
(15) Medium Base 60w max.
- E** **31663BLE-839** (shown at left)
(15) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31663-962** (shown above)
(15) Medium Base 60w max.
- E** **31663BLE-962** (shown above)
(15) GU24 Base Self Ballasted CFL
13w lamps included


50



THREE LIGHT CHANDELIER

D: 21" H: 20.25"
12' of wire pre-laced through 10' of chain


 **31660-962**
(3) Medium Base 100w max.


 **31660BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 14.25" H: 14"
12' of wire pre-laced through 10' of chain

 **77660-962**
(2) Medium Base 60w max.

 **77660BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 12"



ONE LIGHT MINI-PENDANT

D: 6.25" H: 14.75"
10' of wire, (3) 12" stems, 12" chain

 **61660-962**
(1) Medium Base 100w max.

 **61660BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 25" H: 21.25"
12' of wire pre-laced through 10' of chain


 **31661-962**
(5) Medium Base 100w max.


 **31661BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT PENDANT

D: 28.25" H: 26"
12' of wire pre-laced through 10' of chain

 **65662-962**
(4) Medium Base 100w max.

 **65662BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 18" H: 22.25"
12' of wire pre-laced through 10' of chain

65661-962
(3) Medium Base 100w max.

65661BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 16.75" H: 15.25"
12' of wire pre-laced through 10' of chain

65660-962
(1) Medium Base 150w max.

65660BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 6" H: 9.25" E: 7.5"
Height from center of outlet box
up: 5.25" down: 4"

44660-962
(1) Medium Base 100w max.

44660BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



**TWO LIGHT CEILING
FLUSH MOUNT**



D: 14" H: 5.25"

75661-962
(2) Medium Base 60w max.

75661BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT CEILING
FLUSH MOUNT**



D: 17.75" H: 6"

75662-962
(3) Medium Base 60w max.

75662BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

WINNETKA BATH, p.314
Brushed Nickel / Blacksmith

RELATED PRODUCT

**COORDINATED
CEILING FAN**
15040BLE-962, p.448


RELATED PRODUCT


**WINNETKA
OUTDOOR**, p.492
Forged Iron / Misted Bronze



THREE LIGHT CHANDELIER

D: 21" H: 20.25"
12' of wire pre-laced through 10' of chain


 **31660-839**
(3) Medium Base 100w max.


 **31660BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 14.25" H: 14"
12' of wire pre-laced through 10' of chain

 **77660-839**
(2) Medium Base 60w max.

 **77660BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 12"



ONE LIGHT MINI-PENDANT

D: 6.25" H: 14.75"
10' of wire, (3) 12" stems, 12" chain

 **61660-839**
(1) Medium Base 100w max.


 **61660BLE-839**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 25" H: 21.25"
12' of wire pre-laced through 10' of chain


 **31661-839**
(5) Medium Base 100w max.


 **31661BLE-839**
(5) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT PENDANT

D: 28.25" H: 26"
12' of wire pre-laced through 10' of chain

 **65662-839**
(4) Medium Base 100w max.

 **65662BLE-839**
(4) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 18" H: 22.25"
12' of wire pre-laced through 10' of chain

65661-839
(3) Medium Base 100w max.

65661BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 16.75" H: 15.25"
12' of wire pre-laced through 10' of chain

65660-839
(1) Medium Base 150w max.

65660BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 6" H: 9.25" E: 7.5"
Height from center of outlet box
up: 5.25" down: 4"

44660-839
(1) Medium Base 100w max.

44660BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



**TWO LIGHT CEILING
FLUSH MOUNT**



D: 14" H: 5.25"

75661-839
(2) Medium Base 60w max.

75661BLE-839
(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT CEILING
FLUSH MOUNT**



D: 17.75" H: 6"

75662-839
(3) Medium Base 60w max.

75662BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

WINNETKA BATH, p.314
Brushed Nickel / Blacksmith

RELATED PRODUCT

**COORDINATED
CEILING FAN**
15030-839, p.445


RELATED PRODUCT


**WINNETKA
OUTDOOR**, p.492
Forged Iron / Misted Bronze



THREE LIGHT CHANDELIER

D: 21" H: 19.25"
12' of wire pre-laced through 10' of chain

 **31951-841**
(3) Medium Base 100w max.

 **31951BLE-841**
(3) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 28.5"



FIVE LIGHT CHANDELIER

D: 27" H: 21.5"
12' of wire pre-laced through 10' of chain

 **31961-841**
(5) Medium Base 100w max.

 **31961BLE-841**
(5) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 31.5"



NINE LIGHT CHANDELIER

D: 31" H: 32.5"
12' of wire pre-laced through 10' of chain

 **31971-841**
(9) Medium Base 100w max.

 **31971BLE-841**
(9) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 42.75"



TWO LIGHT ISLAND PENDANT

L: 35.75" W: 12.75" H: 20"
10' of wire, (3) 12" stems, (1) 6" stem

 **66971-841**
(2) Medium Base 100w max.

 **66971BLE-841**
(2) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 11.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 14" H: 13.75"
12' of wire pre-laced through 10' of chain

- 77971-841**
(2) Medium Base 100w max.
- 79771BLE-841**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 19" H: 24"
12' of wire pre-laced through 10' of chain

- 65972-841**
(3) Medium Base 100w max.
- 65972BLE-841**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 12.75" H: 9.25"
10' of wire, (3) 12" stems, (1) 6" stem


- 65971-841**
(1) Medium Base 100w max.
- 65971BLE-841**
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 6.25" H: 9.75" E: 9.25"
Height from center of outlet box
up: 5.25" down: 4.5"

- 44971-841**
(1) Medium Base 100w max.
- 44971BLE-841**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT MINI-PENDANT

D: 6.25" H: 8"
10' of wire, (3) 12" stems, (1) 6" stem

- 61791-841**
(1) Medium Base 100w max.
- 61791BLE-841**
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT CEILING FLUSH MOUNT

with etched glass, white inside

- D: 14" H: 6.25"
- 75971-841**
(2) Medium Base 100w max.
- 79571BLE-841**
(2) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

SOLANA BATH, p.319
Polished Nickel

RELATED PRODUCT

COORDINATED CEILING FAN
15030-05, p.445

INDOOR COLLECTIONS

Chamfered edge detail is inspired by wood moldings

Product Shown: Centra Three Light Semi-Flush Convertible Pendant in Brushed Stainless



THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 21.25" H: 18"
12' of wire pre-laced through 3' of chain

66133-98
(3) Medium Base 100w max.

69133BLE-98
(3) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 16.25"



TWO LIGHT WALL / BATH

W: 6" H: 16" E: 4"
Height from center of outlet box
Vertical: 8" up/down
Horizontal: 3" up/down

47142-98
(2) Medium Base 75w max.

49180BLE-98
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts horizontal or vertical



TWO LIGHT CEILING FLUSH MOUNT



D: 15.25" H: 4.25"

77087-98
(2) Medium Base 60w max

D: 21.25" H: 4.75"

79034BLE-98
(1) G10Q Base Circline 40w lamp & (1)
G10Q Base Circline 32w lamp included



THREE LIGHT CEILING FLUSH MOUNT



D: 21.25" H: 4.75"

77033-98
(3) Medium Base 60w max.

D: 15.25" H: 4.25"

79097BLE-98
(3) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT CEILING FLUSH MOUNT



D: 18" H: 4.5"

79130BLE-98
(4) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-962, p.448

Soft, sweeping lines
contrast the bold
Blacksmith finish


INDOOR COLLECTIONS


Product Shown: Uptown Nine Light Chandelier in Blacksmith



NINE LIGHT CHANDELIER

D: 30" H: 31.25"
12' of wire pre-laced through 10' of chain


 **31272-839**
(9) Medium Base 75w max.


 **31272BLE-839**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 21" H: 23.75"
12' of wire pre-laced through 10' of chain

 **31270-839**
(3) Medium Base 75w max.


 **31270BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 14.5"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15" H: 16"
12' of wire pre-laced through 10' of chain

 **77270-839**
(2) Medium Base 75w max.


 **77270BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 22" H: 24.5"
12' of wire pre-laced through 10' of chain

 **31271-839**
(5) Medium Base 75w max.


 **31271BLE-839**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 21.75" H: 26.5"
12' of wire pre-laced through 10' of chain

 **66271-839**
(3) Medium Base 75w max.

 **66271BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5.5" H: 6"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

61270-839
(1) Medium Base 75w max.

61270BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 16" H: 14.25"
12' of wire pre-laced through 10' of chain

66270-839
(1) Medium Base 100w max.

66270BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 7.75"
Height from center of outlet box
up: 4.5" down: 4"

44470-839
(1) Medium Base 75w max.

44470BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT CEILING FLUSH MOUNT



D: 14" H: 5.25"

75661-839
(2) Medium Base 60w max.

75661BLE-839
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CEILING FLUSH MOUNT



D: 17.75" H: 6"

75662-839
(3) Medium Base 60w max.

75662BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

UPTOWN BATH, p.320
Blacksmith

RELATED PRODUCT

COORDINATED CEILING FAN
15030-839, p.445

Rustic with modern inspiration
and extraordinary Mercury glass



INDOOR COLLECTIONS


Product Shown: Sfera Six Light Chandelier in Autumn Bronze with Mercury Glass




SIX LIGHT CHANDELIER

with mercury glass

D: 24.5" H: 32.25"
 14' of wire pre-laced through 12' of chain

 **3110406-715**
 (6) Medium Base 100w max.


 **3110406BLE-715**
 (6) GU24 Base Self Ballasted CFL
 13w lamps included




SIX LIGHT CHANDELIER

with cafe tint glass

D: 24.5" H: 32.25"
 14' of wire pre-laced through 12' of chain


 **3190406-715**
 (6) Medium Base 100w max.


 **3190406BLE-715**
 (6) GU24 Base Self Ballasted CFL
 13w lamps included



FOUR LIGHT CHANDELIER

D: 18.5" H: 24.5"
14' of wire pre-laced through 12' of chain

 **3110404-715**
(4) Medium Base 100w max.


 **3110404BLE-715**
(4) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 16.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.5" H: 18.25"
14' of wire pre-laced through 12' of chain


 **7710402-715**
(2) Medium Base 100w max.


 **7710402BLE-715**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 4" H: 7.25"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

 **6110401-715**
(1) Medium Base 100w max.


 **6110401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



THREE LIGHT PENDANT

D: 18.5" H: 24.5"
14' of wire pre-laced through 12' of chain


 **6610403-715**
(3) Medium Base 100w max.


 **6610403BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH

W: 5" H: 11" E: 6"
Height from center of outlet box
up: 8.5" down: 2.5"

 **4110401-715**
(1) Medium Base 100w max.

 **4110401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down




THREE LIGHT CEILING FLUSH MOUNT

D: 14.25" H: 10.5"


 **7510403-715**
(3) Medium Base 60w max.


 **7510403BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

SFERA BATH, p.322


with Mercury Glass / with Smoky Amber Glass



 RELATED PRODUCT

COORDINATED CEILING FAN

15040-782, p.446





FOUR LIGHT CHANDELIER

D: 18.5" H: 24.5"
14' of wire pre-laced through 12' of chain

3190404-715
(4) Medium Base 100w max.

3190404BLE-715
(4) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.5" H: 18.25"
14' of wire pre-laced through 12' of chain

7790402-715
(2) Medium Base 100w max.

7790402BLE-715
(2) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 16.25"



ONE LIGHT MINI-PENDANT

D: 4" H: 7.25"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

6190401-715
(1) Medium Base 100w max.

6190401BLE-715
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT PENDANT

D: 18.5" H: 24.5"
14' of wire pre-laced through 12' of chain

6690403-715
(3) Medium Base 100w max.

6690403BLE-715
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH
with smoky amber glass

W: 5" H: 11" E: 6"
Height from center of outlet box
up: 8.5" down: 2.5"

4191401-715
(1) Medium Base 100w max.

4191401BLE-715
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



THREE LIGHT CEILING FLUSH MOUNT

D: 14.25" H: 10.5"

7590403-715
(3) Medium Base 60w max.

7590403BLE-715
(3) GU24 Base Self Ballasted CFL
13w lamps included



RELATED PRODUCT

SFERA BATH, p.322

with Mercury Glass / with Smoky Amber Glass

RELATED PRODUCT

COORDINATED CEILING FAN

15161B-191, p.443



Look of pillar candles
complements a sleek
silhouette

INDOOR COLLECTIONS

Product Shown: Ellington Twelve Light Chandelier in Burnt Sienna



EIGHTEEN LIGHT CHANDELIER

D: 30" H: 33"
12' of wire pre-laced through 10' of chain

31585-710
(18) Medium Base 60w max.

31585BLE-710
(18) GU24 Base Self Ballasted CFL
13w lamps included





Shown with
lights off



SIX LIGHT CHANDELIER

D: 21" H: 20"
12' of wire pre-laced through 10' of chain

 **31586-710**
(6) Medium Base 60w max.

 **31586BLE-710**
(6) GU24 Base Self Ballasted CFL
13w lamps included




Shown with
lights off



NINE LIGHT CHANDELIER

D: 27" H: 26"
12' of wire pre-laced through 10' of chain

 **31587-710**
(9) Medium Base 60w max.

 **31587BLE-710**
(9) GU24 Base Self Ballasted CFL
13w lamps included



Shown with
lights off



ONE LIGHT WALL / BATH

W: 5" H: 8" E: 5"
Height from center of outlet box: 4.5"

41585-710
(1) Medium Base 60w max.

41585BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



Shown with lights off



ONE LIGHT WALL / BATH

with brushed nickel finish and satin etched glass

W: 5" H: 8" E: 5"
Height from center of outlet box: 4.5"

41585-962
(1) Medium Base 60w max.

41585BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Shown with lights off



TWELVE LIGHT CHANDELIER

L: 30" W: 15" H: 25"
(3) 12" stems, (1) 6" stem

31588-710
(12) Medium Base 60w max.

31588BLE-710
(12) GU24 Base Self Ballasted CFL
13w lamps included



Shown with lights off

INDOOR COLLECTIONS

Inspired by the Craftsman style and has die-cast zinc construction



INDOOR COLLECTIONS

Product Shown: Denhelm Twelve Light Chandelier in Burnt Sienna



3250410-710
burnt sienna



3250410-962
brushed nickel

TEN LIGHT CHANDELIER

L: 27.75" W: 27.75" H: 31.5"
10' of wire pre-laced through 3' of chain

- Q** **3250410-710** (*shown at left*)
(10) Medium Base 100w max.
- E** **3250410BLE-710** (*shown at left*)
(10) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **3250410-962** (*shown above*)
(10) Medium Base 100w max.
- E** **3250410BLE-962** (*shown above*)
(10) GU24 Base Self Ballasted CFL
13w lamps included



3150412-962
brushed nickel



3150412-710
burnt sienna

TWELVE LIGHT CHANDELIER


L: 31.75" W: 31.75" H: 32.25"
10' of wire pre-laced through 3' of chain


- Q** **3150412-962** (*shown at left*)
(12) Medium Base 100w max.
- E** **3150412BLE-962** (*shown at left*)
(12) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **3150412-710** (*shown above*)
(12) Medium Base 100w max.
- E** **3150412BLE-710** (*shown above*)
(12) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT CHANDELIER

L: 23.5" W: 23.5" H: 22.75"
10' of wire pre-laced through 3' of chain

 **3150404-962**
(4) Medium Base 100w max.


 **3150404BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 15.5"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

L: 13.5" W: 13.5" H: 18.25"
10' of wire pre-laced through 3' of chain

 **7750402-962**
(2) Medium Base 100w max.


 **7750402BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



SIX LIGHT ISLAND PENDANT

L: 31.5" W: 16.5" H: 26.75"
10' of wire pre-laced through 3' of chain

 **6750406-962**
(6) Medium Base 100w max.


 **6750406BLE-962**
(6) GU24 Base Self Ballasted CFL
13w lamps included



EIGHT LIGHT CHANDELIER

L: 27.75" W: 27.75" H: 26.5"
10' of wire pre-laced through 3' of chain


 **3150408-962**
(8) Medium Base 100w max.


 **3150408BLE-962**
(8) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

L: 5.75" W: 5.75" H: 7.75"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **6150401-962**
(1) Medium Base 100w max.


 **6150401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

L: 12.5" W: 12.5" H: 8"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **6550401-962**
(1) Medium Base 100w max.


 **6550401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.75" H: 10" E: 7"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4150401-962**
(1) Medium Base 100w max.

 **4150401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down





**TWO LIGHT CEILING
FLUSH MOUNT**



L: 13.5" W: 13.5" H: 9.25"


 **7550402-962**
(2) Medium Base 60w max.


 **7550402BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

DENHELM BATH, p.324


Brushed Nickel / Burnt Sienna / Chrome



 RELATED PRODUCT

**COORDINATED
CEILING FAN**


15040BLE-962, p.448






FOUR LIGHT CHANDELIER

L: 23.5" W: 23.5" H: 22.75"
10' of wire pre-laced through 3' of chain

 **3150404-710**
(4) Medium Base 100w max.


 **3150404BLE-710**
(4) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 15.5"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

L: 13.5" W: 13.5" H: 18.25"
10' of wire pre-laced through 3' of chain

 **7750402-710**
(2) Medium Base 100w max.


 **7750402BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



SIX LIGHT ISLAND PENDANT

L: 31.5" W: 16.5" H: 26.75"
10' of wire pre-laced through 3' of chain


 **6750406-710**
(6) Medium Base 100w max.


 **6750406BLE-710**
(6) GU24 Base Self Ballasted CFL
13w lamps included



EIGHT LIGHT CHANDELIER

L: 27.75" W: 27.75" H: 26.5"
10' of wire pre-laced through 3' of chain

 **3150408-710**
(8) Medium Base 100w max.

 **3150408BLE-710**
(8) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

L: 5.75" W: 5.75" H: 7.75"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

6150401-710
(1) Medium Base 100w max.

6150401BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

L: 12.5" W: 12.5" H: 8"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

6550401-710
(1) Medium Base 100w max.

6550401BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.75" H: 10" E: 7"
Height from center of outlet box up: 7.5" down: 2.5"

4150401-710
(1) Medium Base 100w max.

4150401BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down



TWO LIGHT CEILING FLUSH MOUNT



L: 13.5" W: 13.5" H: 9.25"

7550402-710
(2) Medium Base 60w max.

7550402BLE-710
(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT CEILING FLUSH MOUNT



with chrome finish

L: 13.5" W: 13.5" H: 9.25"

7550402-05
(2) Medium Base 60w max.

7550402BLE-05
(2) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

DENHELM BATH, p.324

Brushed Nickel / Burnt Sienna / Chrome

RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448

Tapered glass
creates up light

Soft curve
and right
angle converge

INDOOR COLLECTIONS

Product Shown: Somerton Two Light Semi-Flush Convertible Pendant & One Light Wall/Bath in Blacksmith



31376-965
*antique brushed nickel
with satin etched glass*



31376-839
*blacksmith with
cafe tint glass*

FIVE LIGHT CHANDELIER

D: 24.75" H: 22"
12' of wire pre-laced through 10' of chain

- Q** **31376-965** *(shown at left)*
(5) Medium Base 100w max.
- E** **31376BLE-965** *(shown at left)*
(5) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31376-839** *(shown above)*
(5) Medium Base 100w max.
- E** **31376BLE-839** *(shown above)*
(5) GU24 Base Self Ballasted CFL
13w lamps included



31377-839
*blacksmith with
cafe tint glass*



31377-965
*antique brushed nickel
with satin etched glass*

NINE LIGHT CHANDELIER


D: 29.5" H: 30"
12' of wire pre-laced through 10' of chain


- Q** **31377-839** *(shown at left)*
(9) Medium Base 60w max.
- E** **31377BLE-839** *(shown at left)*
(9) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31377-965** *(shown above)*
(9) Medium Base 60w max.
- E** **31377BLE-965** *(shown above)*
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 20" H: 19"
12' of wire pre-laced through 10' of chain

 **31375-965**
(3) Medium Base 100w max.


 **31375BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 13.25" H: 14.5"
12' of wire pre-laced through 10' of chain

 **77375-965**
(2) Medium Base 100w max.


 **77375BLE-965**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 9" H: 7.75"
10' of wire, (3) 12" stems, 12" chain

 **61375-965**
(1) Medium Base 100w max.

 **61375BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



THREE LIGHT HALL / FOYER

D: 16" H: 28"
12' of wire pre-laced through 10' of chain

 **51375-965**
(3) Medium Base 100w max.


 **51375BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



SIX LIGHT HALL / FOYER

D: 19" H: 42"
12' of wire pre-laced through 10' of chain


 **51376-965**
(6) Medium Base 100w max.


 **51376BLE-965**
(6) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 20.5" H: 23"
12' of wire pre-laced through 10' of chain


 **65376-965**
(3) Medium Base 100w max.


 **65376BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 16" H: 18.5"
12' of wire pre-laced through 10' of chain

 **65375-965**
(1) Medium Base 150w max.


 **65375BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

 **41375-965**
(1) Medium Base 100w max.

 **41375BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down 



TWO LIGHT CEILING FLUSH MOUNT 


D: 15" H: 8"

 **75375-965**
(2) Medium Base 60w max.

 **75375BLE-965**
(2) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

SOMERTON BATH, p.328
Antique Brushed Nickel / Blacksmith



 RELATED PRODUCT


COORDINATED CEILING FAN
15170B-965, p.441






THREE LIGHT CHANDELIER

D: 20" H: 19"
12' of wire pre-laced through 10' of chain

 **31375-839**
(3) Medium Base 100w max.


 **31375BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 13.25" H: 14.5"
12' of wire pre-laced through 10' of chain


 **77375-839**
(2) Medium Base 100w max.


 **77375BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 9" H: 7.75"
10' of wire, (3) 12" stems, 12" chain

 **61375-839**
(1) Medium Base 100w max.


 **61375BLE-839**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



THREE LIGHT HALL / FOYER

D: 16" H: 28"
12' of wire pre-laced through 10' of chain


 **51375-839**
(3) Medium Base 100w max.


 **51375BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included



SIX LIGHT HALL / FOYER


D: 19" H: 42"
12' of wire pre-laced through 10' of chain


 **51376-839**
(6) Medium Base 100w max.

 **51376BLE-839**
(6) GU24 Base Self Ballasted CFL
13w lamps included


THREE LIGHT PENDANT


D: 20.5" H: 23"
12' of wire pre-laced through 10' of chain


 **65376-839**
(3) Medium Base 100w max.

 **65376BLE-839**
(3) GU24 Base Self Ballasted CFL
13w lamps included


ONE LIGHT PENDANT

D: 16" H: 18.5"
12' of wire pre-laced through 10' of chain


 **65375-839**
(1) Medium Base 150w max.

 **65375BLE-839**
(1) GU24 Base Self Ballasted CFL
13w lamp included


ONE LIGHT WALL / BATH

W: 5.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

 **41375-839**
(1) Medium Base 100w max.


 **41375BLE-839**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down


**TWO LIGHT CEILING
FLUSH MOUNT**



D: 15" H: 8"


 **75375-839**
(2) Medium Base 60w max.

 **75375BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 RELATED PRODUCT

**SOMERTON
BATH**, p.328
Antique Brushed Nickel / Blacksmith



 RELATED PRODUCT

**COORDINATED
CEILING FAN**
15170B-839, p.441





Romantic metalwork sets the ambiance


Crepe parchment glass creates a warm glow


Product Shown: Roslyn Five Light Chandelier & One Light Mini-Pendant in Flemish Bronze



NINE LIGHT CHANDELIER

D: 31.25" H: 34.5"
12' of wire pre-laced through 10' of chain

 **31522-845**
(9) Medium Base 100w max.


 **31522BLE-845**
(9) GU24 Base Self Ballasted CFL
13w lamps included




TWELVE LIGHT CHANDELIER



D: 45" H: 43"
12' of wire pre-laced through 10' of chain


 **31523-845**
(12) Medium Base 60w max.


 **31523BLE-845**
(12) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 18" H: 20.25"
12' of wire pre-laced through 10' of chain


 **31520-845**
(3) Medium Base 100w max.

 **31520BLE-845**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.75" H: 15.25"
12' of wire pre-laced through 10' of chain


 **77520-845**
(3) Medium Base 100w max.


SEMI-FLUSH
H: 12.75"



ONE LIGHT MINI-PENDANT

D: 7" H: 12.5"
10' of wire, (3) 12" stems, 12" chain

 **61520-845**
(1) Medium Base 100w max.

 **61520BLE-845**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 23" H: 25"
12' of wire pre-laced through 10' of chain


 **31521-845**
(5) Medium Base 100w max.


 **31521BLE-845**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT HALL / FOYER

D: 15.75" H: 31.75"
12' of wire pre-laced through 10' of chain

 **51521-845**
(3) Medium Base 100w max.

 **51521BLE-845**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 20.5" H: 26.5"
12' of wire pre-laced through 10' of chain

65521-845
(3) Medium Base 100w max.

65521BLE-845
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 18.5" H: 15"
12' of wire pre-laced through 10' of chain

65520-845
(1) Medium Base 150w max.

65520BLE-845
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 10.75" H: 20.25"
12' of wire pre-laced through 10' of chain

51520-845
(1) Medium Base 150w max.

51520BLE-845
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 5.5" H: 10.75" E: 8"
Height from center of outlet box
up: 5" down: 5.75"

44520-845
(1) Medium Base 100w max.

44520BLE-845
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT CEILING FLUSH MOUNT



D: 13.25" H: 6.25"

75520-845
(2) Medium Base 60w max.

RELATED PRODUCT

ROSLYN BATH, p.330
Flemish Bronze

RELATED PRODUCT

COORDINATED CEILING FAN
15161B-191, p.443



Inspired by
a retro café

INDOOR COLLECTIONS

Product Shown: Sussex One Light Mini-Pendants in Heirloom Bronze



31061-962
brushed nickel with
satin white glass



DOWNLIGHT
H: 20"



31061-782
heirloom bronze with
satin etched glass



DOWNLIGHT
H: 20"

FIVE LIGHT CHANDELIER

D: 24" H: 15.5"
12' of wire pre-laced through 10' of chain

- Q** **31061-962** (shown at left)
(5) Medium Base 100w max.
- E** **39062BLE-962** (shown at left)
(5) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31061-782** (shown above)
(5) Medium Base 100w max.
- E** **39062BLE-782** (shown above)
(5) GU24 Base Self Ballasted CFL
13w lamps included



66061-782
heirloom bronze with
satin etched glass



66061-962
brushed nickel with
satin white glass

THREE LIGHT ISLAND PENDANT


L: 26" W: 7.5" H: 18.25"
(2) 12' strips of wire
pre-laced through 10' of chain


- Q** **66061-782** (shown at left)
(3) Medium Base 100w max.
- E** **69460BLE-782** (shown at left)
(3) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **66061-962** (shown above)
(3) Medium Base 100w max.
- E** **69460BLE-962** (shown above)
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 22" H: 15.5"
12' of wire pre-laced through 10' of chain

 **31060-962**
(3) Medium Base 100w max.

 **39061BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 20"



**THREE LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 15.25" H: 16.75"
12' of wire pre-laced through 10' of chain

 **66062-962**
(3) Medium Base 100w max.

 **69562BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 15"



ONE LIGHT MINI-PENDANT

D: 7.5" H: 7.5"
10' of wire, (3) 12" stems, 12" chain

 **61060-962**
(1) Medium Base 100w max.

 **69459BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS




THREE LIGHT HALL / FOYER

with satin etched glass

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-962**
(3) Medium Base 100w max.


 **51410BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 30" H: 24"
12' of wire pre-laced through 10' of chain

 **31062-962**
(9) Medium Base 100w max.

 **39063BLE-962**
(9) GU24 Base Self Ballasted CFL
13w lamps included



DOWNLIGHT
H: 28.75"



THREE LIGHT CEILING SEMI-FLUSH MOUNT

D: 15.75" H: 12.5"

75061-962
(3) Medium Base 100w max.

79661BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 15.75" H: 20"
12' of wire pre-laced through 10' of chain

66060-962
(1) Medium Base 150w max.

THREE LIGHT PENDANT

D: 15.75" H: 20"
12' of wire pre-laced through 10' of chain

69561BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44060-962
(1) Medium Base 100w max.

49063BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-962
(1) Medium Base 100w max.

79163BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-962
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-962
(2) Medium Base 60w max.

79364BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-962
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-962
(3) Medium Base 60w max.

79565BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

SUSSEX BATH, p.332

Brushed Nickel / Heirloom Bronze / Chrome

RELATED PRODUCT


COORDINATED CEILING FAN


15040BLE-962, p.448



THREE LIGHT CHANDELIER

D: 22" H: 15.5"
12' of wire pre-laced through 10' of chain

 **31060-782**
(3) Medium Base 100w max.

 **39061BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 20"



THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16.75"
12' of wire pre-laced through 10' of chain

 **66062-782**
(3) Medium Base 100w max.

 **69562BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 15"



ONE LIGHT MINI-PENDANT

D: 7.5" H: 7.5"
10' of wire, (3) 12" stems, 12" chain


 **61060-782**
(1) Medium Base 100w max.


 **69459BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT HALL / FOYER

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-782**
(3) Medium Base 100w max.


 **51410BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 30" H: 24"
12' of wire pre-laced through 10' of chain

 **31062-782**
(9) Medium Base 100w max.

 **39063BLE-782**
(9) GU24 Base Self Ballasted CFL
13w lamps included



DOWNLIGHT
H: 28.75"



THREE LIGHT CEILING SEMI-FLUSH MOUNT

D: 15.75" H: 12.5"

75061-782
(3) Medium Base 100w max.

79661BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 15.75" H: 20"
12' of wire pre-laced through 10' of chain

66060-782
(1) Medium Base 150w max.

THREE LIGHT PENDANT

D: 15.75" H: 20"
12' of wire pre-laced through 10' of chain

69561BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44060-782
(1) Medium Base 100w max.

49063BLE-782
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down



ONE LIGHT CEILING FLUSH MOUNT



D: 10.5" H: 5.5"

77063-782
(1) Medium Base 100w max.

79163BLE-782
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-782
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT



D: 12.5" H: 5.5"

77064-782
(2) Medium Base 60w max.

79364BLE-782
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-782
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT



D: 14.5" H: 6.5"

77065-782
(3) Medium Base 60w max.

79565BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

SUSSEX BATH, p.332

Brushed Nickel / Heirloom Bronze / Chrome

RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448

Classic torch
styling frames
artwork beautifully

Base ring
design is casual
yet tailored


INDOOR COLLECTIONS

Product Shown: Warwick Six Light Chandelier & One Light Wall/Bath in Autumn Bronze



SIX LIGHT CHANDELIER


D: 26" H: 20.5"
12' of wire pre-laced through 10' of chain

 **31331-715**
(6) Medium Base 100w max.



NINE LIGHT CHANDELIER


D: 33" H: 26.75"
12' of wire pre-laced through 10' of chain

 **31332-715**
(9) Medium Base 100w max.



THREE LIGHT CHANDELIER

D: 21" H: 15.75"
12' of wire pre-laced through 10' of chain


 **31330-715**
(3) Medium Base 100w max.



SEMI-FLUSH
H: 12"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT


D: 14" H: 13.75"
12' of wire pre-laced through 10' of chain

 **77330-715**
(2) Medium Base 60w max.



ONE LIGHT MINI-PENDANT

D: 7" H: 8.75"
10' of wire, (3) 12" stems, 12" chain

 **61330-715**
(1) Medium Base 100w max.

INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER


D: 23.5" H: 19.75"
12' of wire pre-laced through 10' of chain

 **31333-715**
(5) Medium Base 100w max.



THREE LIGHT ISLAND PENDANT


L: 34.5" W: 9.5" H: 20.5"
(2) 10' pieces of chain, (1) pre-laced with 12' of wire

 **66330-715**
(3) Medium Base 100w max.



THREE LIGHT PENDANT


D: 18.75" H: 22.5"
12' of wire pre-laced through 10' of chain

 **65331-715**
(3) Medium Base 100w max.



ONE LIGHT PENDANT

D: 16.5" H: 18"
12' of wire pre-laced through 10' of chain


 **65330-715**
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH



W: 5" H: 17.25" E: 6.25"
Height from center of outlet box: 10.5"


 **41330-715**
(1) Medium Base 100w max.



TWO LIGHT CEILING FLUSH MOUNT



D: 11.25" H: 6"


 **75330-715**
(2) Medium Base 60w max.




THREE LIGHT CEILING FLUSH MOUNT




D: 14" H: 7.5"


 **75332-715**
(3) Medium Base 60w max.

 RELATED PRODUCT

WARWICK BATH, p.336


Autumn Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN

15161B-191, p.443






Popular bowl-shaped silhouette


Product Shown: Corbeille Five Light Chandelier in Stardust with Cersed Oak Accents



FIVE LIGHT CHANDELIER

D: 22.75" H: 29"
10' of wire pre-laced through 3' of chain


 **3180405-846**
(5) Medium Base 100w max.


 **3180405BLE-846**
(5) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 28.25" H: 35"
10' of wire pre-laced through 3' of chain

 **3180409-846**
(9) Medium Base 100w max.

 **3180409BLE-846**
(9) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 21.5" H: 29"
10' of wire pre-laced through 3' of chain

3280405-846
(5) Candelabra Base 60w max.



NINE LIGHT CHANDELIER

D: 27" H: 35"
10' of wire pre-laced through 3' of chain

3280409-846
(9) Candelabra Base 60w max.



SEMI-FLUSH
H: 14"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16"
10' of wire pre-laced through 3' of chain

7780402-846
(2) Medium Base 100w max.

7780402BLE-846
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 19" H: 27"
10' of wire pre-laced through 3' of chain

6680403-846
(3) Medium Base 100w max.

6680403BLE-846
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT CEILING FLUSH MOUNT



D: 15.25" H: 8"

7580402-846
(2) Medium Base 60w max.

7580402BLE-846
(2) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

CORBEILLE BATH, p.339
Stardust with Cerused Oak

RELATED PRODUCT

COORDINATED CEILING FAN
15040-782, p.446



INDOOR COLLECTIONS

Classic up-light
frames the vanity

Install as up-light
or down-light


Product Shown: Holman Five Light Chandelier & One Light Wall/Bath in Bell Metal Bronze




FIVE LIGHT CHANDELIER

with brushed nickel finish

D: 20" H: 12.5"
10' of wire pre-laced through 3' of chain

 **31808-962**
(5) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.118




DOWNLIGHT
H: 14.75"



FIVE LIGHT CHANDELIER

with bell metal bronze finish

D: 20" H: 12.5"
10' of wire pre-laced through 3' of chain

 **31808-827**
(5) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.119





DOWNLIGHT
H: 14.75"



THREE LIGHT CHANDELIER

D: 18" H: 10.25"
10' of wire pre-laced through 3' of chain

 **31806-962**
(3) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.118




DOWNLIGHT
H: 13.75"




SEMI-FLUSH
H: 12"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.25" H: 13.75"
10' of wire pre-laced through 3' of chain

 **77806-962**
(2) Medium Base 75w max.

 **79806BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 16" H: 14.75"
10' of wire pre-laced through 3' of chain

31807-962
(3) Candelabra Base 60w max.



FIVE LIGHT CHANDELIER


D: 18" H: 16"
10' of wire pre-laced through 3' of chain

31809-962
(5) Candelabra Base 60w max.



ONE LIGHT MINI-PENDANT

D: 5.25" H: 6.5"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware


 **61806-962**
(1) Medium Base 60w max.


 Fluorescent version with larger glass silhouette on p.118



ONE LIGHT PENDANT

D: 15" H: 12.25"
10' of wire pre-laced through 3' of chain


 **65806-962**
(1) Medium Base 100w max.

 **69807BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.25" H: 10.25" E: 7.25"
Height from center of outlet box
up: 6.5" down: 3.75"

 **41806-962**
(1) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.118



Mounts up
or down




ONE LIGHT CEILING FLUSH MOUNT



D: 10.5" H: 5.5"

77063-962
(1) Medium Base 100w max.

 **79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-962**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT



D: 12.5" H: 5.5"

 **77064-962**
(2) Medium Base 60w max.

 **79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-962**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT



D: 14.5" H: 6.5"


 **77065-962**
(3) Medium Base 60w max.


 **79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

HOLMAN BATH, p.340


Brushed Nickel / Bell Metal Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN


15040BLE-962, p.448






THREE LIGHT CHANDELIER

D: 18" H: 10.25"
10' of wire pre-laced through 3' of chain

 **31806-827**
(3) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.119




DOWNLIGHT
H: 13.75"




SEMI-FLUSH
H: 12"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.25" H: 13.75"
10' of wire pre-laced through 3' of chain

 **77806-827**
(2) Medium Base 75w max.

 **79806BLE-827**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 16" H: 14.75"
10' of wire pre-laced through 3' of chain

31807-827
(3) Candelabra Base 60w max.



FIVE LIGHT CHANDELIER


D: 18" H: 16"
10' of wire pre-laced through 3' of chain

31809-827
(5) Candelabra Base 60w max.



ONE LIGHT MINI-PENDANT

D: 5.25" H: 6.5"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware


 **61806-827**
(1) Medium Base 60w max.


 Fluorescent version with larger glass silhouette on p.119



ONE LIGHT PENDANT

D: 15" H: 12.25"
10' of wire pre-laced through 3' of chain


 **65806-827**
(1) Medium Base 100w max.

 **69807BLE-827**
(1) GU24 Base Self Ballasted CFL
13w lamp included




ONE LIGHT WALL / BATH

W: 5.25" H: 10.25" E: 7.25"
Height from center of outlet box up: 6.5" down: 3.75"

 **41806-827**
(1) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.119




ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-827
(1) Medium Base 100w max.

 **79163BLE-827**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-827**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

 **77064-827**
(2) Medium Base 60w max.

 **79364BLE-827**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-827**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"


 **77065-827**
(3) Medium Base 60w max.


 **79565BLE-827**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

HOLMAN BATH, p.340


Brushed Nickel / Bell Metal Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN


15040BLE-782, p.448






THREE LIGHT CHANDELIER

D: 17.75" H: 10.25"
10' of wire pre-laced through 3' of chain

 Incandescent version with smaller glass silhouette on p.114

 **39806BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 14.75"



ONE LIGHT MINI-PENDANT

D: 5" H: 7.5"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

 Incandescent version with smaller glass silhouette on p.115


 **69806BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 19.75" H: 12.5"
10' of wire pre-laced through 3' of chain

 Incandescent version with smaller glass silhouette on p.113

 **39808BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included





DOWNLIGHT
H: 15.75"



ONE LIGHT WALL / BATH

W: 5" H: 11" E: 7.25"
Height from center of outlet box
up: 7.25" down: 3.75"

 Incandescent version with smaller glass silhouette on p.115

 **49806BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down

 RELATED PRODUCT

HOLMAN BATH, p.344

Brushed Nickel / Bell Metal Bronze





THREE LIGHT CHANDELIER

D: 17.75" H: 10.25"
10' of wire pre-laced through 3' of chain

Q Incandescent version with smaller glass silhouette on p.116

E **39806BLE-827**
(3) GU24 Base Self Ballasted CFL
13w lamps included



DOWNLIGHT
H: 14.75"



ONE LIGHT MINI-PENDANT

D: 5" H: 7.5"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

Q Incandescent version with smaller glass silhouette on p.117

E **69806BLE-827**
(1) GU24 Base Self Ballasted CFL
13w lamp included



FIVE LIGHT CHANDELIER

D: 19.75" H: 12.5"
10' of wire pre-laced through 3' of chain

Q Incandescent version with smaller glass silhouette on p.113

E **39808BLE-827**
(5) GU24 Base Self Ballasted CFL
13w lamps included



DOWNLIGHT
H: 15.75"



ONE LIGHT WALL / BATH

W: 5" H: 11" E: 7.25"
Height from center of outlet box
up: 7.25" down: 3.75"

Q Incandescent version with smaller glass silhouette on p.117

E **49806BLE-827**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up or down

RELATED PRODUCT

HOLMAN BATH, p.344

Brushed Nickel / Bell Metal Bronze

Aviation inspired
arms flare out
dramatically

INDOOR COLLECTIONS




Product Shown: Brockton Five Light Chandelier in Burnt Sienna




FIVE LIGHT CHANDELIER

*with brushed nickel and
white alabaster glass*

D: 24.75" H: 22.75"
10' of wire pre-laced through 3' of chain

 **31174-962**
(5) Medium Base 100w max.


 **31174BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included




FIVE LIGHT CHANDELIER

*with burnt sienna finish
and amber scavo glass*

D: 24.75" H: 22.75"
10' of wire pre-laced through 3' of chain


 **31174-710**
(5) Medium Base 100w max.


 **31174BLE-710**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 23.25" H: 20.75"
10' of wire pre-laced through 3' of chain

 **31173-962**
(3) Medium Base 100w max.


 **31173BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 13.75"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 14.5" H: 15.75"
10' of wire pre-laced through 3' of chain


 **77174-962**
(2) Medium Base 100w max.


 **77174BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 33" H: 29"
10' of wire pre-laced through 3' of chain



 **31175-962**
(9) Medium Base 100w max.

 **31175BLE-962**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT



D: 20" H: 22.25"
10' of wire pre-laced through 3' of chain


-  **65175-962**
(3) Medium Base 100w max.
-  **65175BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT



D: 16" H: 8"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

-  **65174-962**
(1) Medium Base 100w max.
-  **65174BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT MINI-PENDANT

D: 7.25" H: 7.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware



-  **61174-962**
(1) Medium Base 100w max.
-  **61174BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"




-  **77063-962**
(1) Medium Base 100w max.
-  **79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included
-  **77063S-962**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"



-  **77064-962**
(2) Medium Base 60w max.
-  **79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included
-  **77064S-962**
LED: 3000K, 10 watts, 800 lumens




THREE LIGHT CEILING FLUSH MOUNT


with satin etched glass


D: 14.5" H: 6.5"

-  **77065-962**
(3) Medium Base 60w max.
-  **79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included


 RELATED PRODUCT

BROCKTON BATH, p.346
Brushed Nickel / Burnt Sienna



 RELATED PRODUCT


COORDINATED CEILING FAN
15040BLE-962, p.448






THREE LIGHT CHANDELIER

D: 23.25" H: 20.75"
10' of wire pre-laced through 3' of chain

 **31173-710**
(3) Medium Base 100w max.


 **31173BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 13.75"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 14.5" H: 15.75"
10' of wire pre-laced through 3' of chain


 **77174-710**
(2) Medium Base 100w max.


 **77174BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 33" H: 29"
10' of wire pre-laced through 3' of chain



 **31175-710**
(9) Medium Base 100w max.

 **31175BLE-710**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT



D: 20" H: 22.25"
10' of wire pre-laced through 3' of chain

-  **65175-710**
(3) Medium Base 100w max.
-  **65175BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT



D: 16" H: 8"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

-  **65174-710**
(1) Medium Base 100w max.
-  **65174BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT MINI-PENDANT

D: 7.25" H: 7.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


-  **61174-710**
(1) Medium Base 100w max.
-  **61174BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT CEILING FLUSH MOUNT



D: 10.5" H: 5.5"




- 77063-710**
(1) Medium Base 100w max.
-  **79163BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included
-  **77063S-710**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT



D: 12.5" H: 5.5"



-  **77064-710**
(2) Medium Base 60w max.
-  **79364BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included
-  **77064S-710**
LED: 3000K, 10 watts, 800 lumens




THREE LIGHT CEILING FLUSH MOUNT





D: 14.5" H: 6.5"

-  **77065-710**
(3) Medium Base 60w max.
-  **79565BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included


 RELATED PRODUCT

BROCKTON BATH, p.346
Brushed Nickel / Burnt Sienna



 RELATED PRODUCT

COORDINATED CEILING FAN
15161B-191, p.443





Century-old, iconic schoolhouse design

Back plate features retro detail.

INDOOR COLLECTIONS

Product Shown: (2) Academy Large One Light Pendants & (2) One Light Wall/Bath in Brushed Nickel


EXTRA LARGE ONE LIGHT PENDANT
with brushed nickel finish

 D: 17" H: 29"
 10' of wire, (3) 12" stems, 12" chain
 and sloped ceiling mounting hardware

 65439-962
 (1) Medium Base 100w max.

 65439BLE-962
 (1) GU24 Base Self Ballasted CFL
 26w lamp included

EXTRA LARGE ONE LIGHT PENDANT
with heirloom bronze finish

 D: 17" H: 29"
 10' of wire, (3) 12" stems, 12" chain
 and sloped ceiling mounting hardware

 65439-782
 (1) Medium Base 100w max.

 65439BLE-782
 (1) GU24 Base Self Ballasted CFL
 26w lamp included

ONE LIGHT CEILING SEMI-FLUSH MOUNT
with chrome finish

D: 11.5" H: 11.75"

77436-05
 (1) Medium Base 75w max.

 77436BLE-05
 (1) GU24 Base Self Ballasted CFL
 18w lamp included

LARGE ONE LIGHT CEILING SEMI-FLUSH MOUNT
with chrome finish

D: 13" H: 12.5"

77437-05
 (1) Medium Base 100w max.

 77437BLE-05
 (1) GU24 Base Self Ballasted CFL
 18w lamp included

RELATED PRODUCT
ACADEMY BATH, p.350

Brushed Nickel / Heirloom Bronze / Chrome





SMALL ONE LIGHT PENDANT

D: 6.75" H: 7.5"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

65436-962
(1) Medium Base 60w max.

65436BLE-962
(1) GU24 Base Self Ballasted CFL 13w lamp included



MEDIUM ONE LIGHT PENDANT

D: 11.5" H: 9.75"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

65437-962
(1) Medium Base 75w max.

65437BLE-962
(1) GU24 Base Self Ballasted CFL 18w lamp included



LARGE ONE LIGHT PENDANT

D: 13" H: 10.75"
10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

65438-962
(1) Medium Base 75w max.

65438BLE-962
(1) GU24 Base Self Ballasted CFL 18w lamp included

INDOOR COLLECTIONS



ONE LIGHT CEILING SEMI-FLUSH MOUNT

D: 11.5" H: 11.75"

77436-962
(1) Medium Base 75w max.

77436BLE-962
(1) GU24 Base Self Ballasted CFL 18w lamp included



LARGE ONE LIGHT CEILING SEMI-FLUSH MOUNT

D: 13" H: 12.5"

77437-962
(1) Medium Base 100w max.

77437BLE-962
(1) GU24 Base Self Ballasted CFL 18w lamp included



ONE LIGHT WALL / BATH

W: 6.75" H: 10" E: 10"
Height from center of outlet box: 3"

44436-962
(1) Medium Base 60w max.

44436BLE-962
(1) GU24 Base Self Ballasted CFL 13w lamp included

RELATED PRODUCT

ACADEMY BATH, p.350

Brushed Nickel / Heirloom Bronze / Chrome

RELATED PRODUCT

COORDINATED CEILING FAN


15040-962, p.446




SMALL ONE LIGHT PENDANT



D: 6.75" H: 7.5"
 10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

 **65436-782**
 (1) Medium Base 60w max.


 **65436BLE-782**
 (1) GU24 Base Self Ballasted CFL 13w lamp included




MEDIUM ONE LIGHT PENDANT



D: 11.5" H: 9.75"
 10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

 **65437-782**
 (1) Medium Base 75w max.


 **65437BLE-782**
 (1) GU24 Base Self Ballasted CFL 18w lamp included



LARGE ONE LIGHT PENDANT



D: 13" H: 10.75"
 10' of wire, (3) 12" stems, 12" chain and sloped ceiling mounting hardware

 **65438-782**
 (1) Medium Base 75w max.


 **65438BLE-782**
 (1) GU24 Base Self Ballasted CFL 18w lamp included




ONE LIGHT CEILING SEMI-FLUSH MOUNT



D: 11.5" H: 11.75"

 **77436-782**
 (1) Medium Base 75w max.


 **77436BLE-782**
 (1) GU24 Base Self Ballasted CFL 18w lamp included




LARGE ONE LIGHT CEILING SEMI-FLUSH MOUNT



D: 13" H: 12.5"

 **77437-782**
 (1) Medium Base 100w max.


 **77437BLE-782**
 (1) GU24 Base Self Ballasted CFL 18w lamp included





ONE LIGHT WALL / BATH



W: 6.75" H: 10" E: 10"
 Height from center of outlet box: 3"


 **44436-782**
 (1) Medium Base 60w max.


 **44436BLE-782**
 (1) GU24 Base Self Ballasted CFL 13w lamp included

 RELATED PRODUCT

ACADEMY BATH, p.350


Brushed Nickel / Heirloom Bronze / Chrome



 RELATED PRODUCT

COORDINATED CEILING FAN

15040-782, p.446





Bell-shaped glass
inspired by comfortable
cottage décor

INDOOR COLLECTIONS

Product Shown: Gladstone Five Light Chandelier in Heirloom Bronze



NINE LIGHT CHANDELIER

*with antique brushed nickel finish
and satin etched glass*

D: 30.25" H: 31.25"
12' of wire pre-laced through 10' of chain

31852-965
(9) Medium Base 100w max.

31852BLE-965
(9) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

*with heirloom bronze finish
and smoky amber glass*

D: 30.25" H: 31.25"
12' of wire pre-laced through 10' of chain


31852-782
(9) Medium Base 100w max.


31852BLE-782
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 23.25" H: 16"
12' of wire pre-laced through 10' of chain


 **31850-965**
(3) Medium Base 100w max.

 **31850BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 14.25" H: 12.75"
12' of wire pre-laced through 10' of chain

 **77850-965**
(3) Medium Base 100w max.




SEMI-FLUSH
H: 11"



FIVE LIGHT CHANDELIER

D: 23.25" H: 16"
12' of wire pre-laced through 10' of chain

 **31851-965**
(5) Medium Base 100w max.


 **31851BLE-965**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT


D: 8" H: 8"
10' of wire, (3) 12" stems, 12" chain


 **61850-965**
(1) Medium Base 100w max.

 **61850BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included


ONE LIGHT PENDANT


D: 18" H: 25"
12' of wire pre-laced through 10' of chain


 **65850-965**
(1) Medium Base 150w max.

 **65850BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included


THREE LIGHT PENDANT


D: 19" H: 19"
12' of wire pre-laced through 10' of chain


 **65851-965**
(3) Medium Base 100w max.

 **65851BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included


ONE LIGHT WALL / BATH

W: 6.5" H: 9" E: 8.5"
Height from center of outlet box
up: 4.5" down: 4.5"

 **44850-965**
(1) Medium Base 100w max.


 **49850BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down


**TWO LIGHT CEILING
FLUSH MOUNT**



D: 14.25" H: 6.5"


 **75850-965**
(2) Medium Base 60w max.

 RELATED PRODUCT

GLADSTONE BATH, p.354


Antique Brushed Nickel /
Heirloom Bronze / Chrome



 RELATED PRODUCT

**COORDINATED
CEILING FAN**


15030BLE-965, p.448






THREE LIGHT CHANDELIER

D: 23.25" H: 16"
12' of wire pre-laced through 10' of chain


 **31850-782**
(3) Medium Base 100w max.

 **31850BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 14.25" H: 12.75"
12' of wire pre-laced through 10' of chain

 **77850-782**
(3) Medium Base 100w max.





SEMI-FLUSH
H: 11"



FIVE LIGHT CHANDELIER

D: 23.25" H: 16"
12' of wire pre-laced through 10' of chain


 **31851-782**
(5) Medium Base 100w max.


 **31851BLE-782**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 8" H: 8"
10' of wire, (3) 12" stems, 12" chain


 **61850-782**
(1) Medium Base 100w max.


 **61850BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 18" H: 25"
12' of wire pre-laced through 10' of chain


 **65850-782**
(1) Medium Base 150w max.


 **65850BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT PENDANT

D: 19" H: 19"
12' of wire pre-laced through 10' of chain


 **65851-782**
(3) Medium Base 100w max.


 **65851BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH

W: 6.5" H: 9" E: 8.5"
Height from center of outlet box
up: 4.5" down: 4.5"

 **44850-782**
(1) Medium Base 100w max.

 **49850BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down





**TWO LIGHT CEILING
FLUSH MOUNT**





D: 14.25" H: 6.5"

 **75850-782**
(2) Medium Base 60w max.

 RELATED PRODUCT
GLADSTONE BATH, p.354
Antique Brushed Nickel /
Heirloom Bronze / Chrome



 RELATED PRODUCT
**COORDINATED
CEILING FAN**
15161B-191, p.443



INDOOR COLLECTIONS



INDOOR COLLECTIONS


Thin ribbon detail adds formality


Product Shown: Park West Nine Light Chandelier in Burnt Sienna



NINE LIGHT CHANDELIER

D: 32.5" H: 31.5"
12' of wire pre-laced through 10' of chain


 **31498-710**
(9) Medium Base 60w max.

 **31498BLE-710**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 21.25" H: 23.25"
12' of wire pre-laced through 10' of chain

 **31496-710**
(3) Medium Base 60w max.


 **31496BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 15.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.75" H: 17.25"
12' of wire pre-laced through 10' of chain

 **77497-710**
(2) Medium Base 60w max.


 **77497BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 27.25" H: 26.25"
12' of wire pre-laced through 10' of chain

 **31497-710**
(5) Medium Base 60w max.

 **31497BLE-710**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 6.5" H: 7.5"
10' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware

61497-710
(1) Medium Base 60w max.

61497BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT PENDANT

D: 18" H: 27"
12' of wire pre-laced through 10' of chain

65497-710
(3) Medium Base 60w max.



ONE LIGHT PENDANT

D: 15.75" H: 10.25"
12' of wire pre-laced through 10' of chain

65496-710
(1) Medium Base 60w max.

65496BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT CEILING FLUSH MOUNT

with amber scavo glass

D: 10.5" H: 5.5"

77063-710
(1) Medium Base 100w max.

79163BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-710
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with amber scavo glass

D: 12.5" H: 5.5"

77064-710
(2) Medium Base 60w max.

79364BLE-710
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-710
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with amber scavo glass


D: 14.5" H: 6.5"

77065-710
(3) Medium Base 60w max.

79565BLE-710
(3) GU24 Base Self Ballasted CFL
13w lamps included


RELATED PRODUCT

PARK WEST BATH, p.362
Burnt Sienna



RELATED PRODUCT

COORDINATED CEILING FAN
15161B-191, p.443





Concentric ring detail
on cone-shaped base



Product Shown: Albany Three Light Chandelier & One Light Wall/Bath in Heirloom Bronze



NINE LIGHT CHANDELIER

with brushed nickel finish

D: 29" H: 26.5"

12' of wire pre-laced through 10' of chain

31577-962
(9) Medium Base 100w max.



NINE LIGHT CHANDELIER

with heirloom bronze finish

D: 29" H: 26.5"


12' of wire pre-laced through 10' of chain

31577-782
(9) Medium Base 100w max.



THREE LIGHT CHANDELIER

D: 22.25" H: 16.25"
12' of wire pre-laced through 10' of chain


 **31575-962**
(3) Medium Base 100w max.



SEMI-FLUSH
H: 12.75"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT


D: 12.5" H: 14.5"
12' of wire pre-laced through 10' of chain


 **77575-962**
(2) Medium Base 100w max.



THREE LIGHT HALL / FOYER

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-962**
(3) Medium Base 100w max.

 **51410BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER


D: 24" H: 16.25"
12' of wire pre-laced through 10' of chain

 **31576-962**
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT


D: 8" H: 7.5"
10' of wire, (3) 12" stems, 12" chain

 **61575-962**
(1) Medium Base 100w max.



ONE LIGHT PENDANT


D: 15.25" H: 11.25"
12' of wire pre-laced through 10' of chain

 **65575-962**
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44575-962**
(1) Medium Base 100w max.




Mounts up
or down




ONE LIGHT CEILING FLUSH MOUNT



D: 10.5" H: 5.5"

 **77063-962**
(1) Medium Base 100w max.

 **79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-962**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT



D: 12.5" H: 5.5"

 **77064-962**
(2) Medium Base 60w max.

 **79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-962**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT



D: 14.5" H: 6.5"


 **77065-962**
(3) Medium Base 60w max.


 **79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

ALBANY BATH, p.364


Brushed Nickel / Heirloom Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN


15040BLE-962, p.448





THREE LIGHT CHANDELIER

D: 22.25" H: 16.25"
12' of wire pre-laced through 10' of chain


 **31575-782**
(3) Medium Base 100w max.



SEMI-FLUSH
H: 12.75"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**


D: 12.5" H: 14.5"
12' of wire pre-laced through 10' of chain


 **77575-782**
(2) Medium Base 100w max.



THREE LIGHT HALL / FOYER

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-782**
(3) Medium Base 100w max.

 **51410BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER


D: 24" H: 16.25"
12' of wire pre-laced through 10' of chain

 **31576-782**
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT


D: 8" H: 7.5"
10' of wire, (3) 12" stems, 12" chain

 **61575-782**
(1) Medium Base 100w max.



ONE LIGHT PENDANT


D: 15.25" H: 11.25"
12' of wire pre-laced through 10' of chain

 **65575-782**
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44575-782**
(1) Medium Base 100w max.




ONE LIGHT CEILING FLUSH MOUNT



D: 10.5" H: 5.5"

77063-782
(1) Medium Base 100w max.

 **79163BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-782**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT



D: 12.5" H: 5.5"

 **77064-782**
(2) Medium Base 60w max.

 **79364BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-782**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT



D: 14.5" H: 6.5"


 **77065-782**
(3) Medium Base 60w max.


 **79565BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

ALBANY BATH, p.364


Brushed Nickel / Heirloom Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448



Delicate glass bobeche recreates a Colonial look

INDOOR COLLECTIONS

Product Shown: Lemont Six Light Chandelier in Antique Brushed Nickel



31318-710
burnt sienna



31318-965
antique brushed nickel

SIX LIGHT CHANDELIER
with clear glass bobeches

D: 27" H: 27"
12' of wire pre-laced through 10' of chain

31318-710 (shown at left)
(6) Candelabra Base 60w max.

31318-965 (shown above)
(6) Candelabra Base 60w max.



31319-965
antique brushed nickel



31319-710
burnt sienna

NINE LIGHT CHANDELIER
with clear glass bobeches

D: 34" H: 37.5"
12' of wire pre-laced through 10' of chain


31319-965 (shown at left)
(9) Candelabra Base 60w max.


31319-710 (shown above)
(9) Candelabra Base 60w max.



THREE LIGHT CHANDELIER

D: 20" H: 23.25"
12' of wire pre-laced through 10' of chain


 **31316-965**
(3) Medium Base 100w max.


 **31316BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 23" H: 24.25"
12' of wire pre-laced through 10' of chain


 **31317-965**
(5) Medium Base 100w max.


 **31317BLE-965**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5" H: 8.5"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **61316-965**
(1) Medium Base 100w max.

 **61316BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included

INDOOR COLLECTIONS



FOUR LIGHT HALL / FOYER

with clear glass bobeches

D: 16" H: 28"
12' of wire pre-laced through 10' of chain

51316-965
(4) Candelabra Base 60w max.



EIGHT LIGHT HALL / FOYER

with clear glass bobeches

D: 20" H: 38"
12' of wire pre-laced through 10' of chain

51317-965
(8) Candelabra Base 60w max.



SEMI-FLUSH
H: 13.75"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 16.5" H: 17.25"
12' of wire pre-laced through 10' of chain

77316-965
(3) Medium Base 75w max.

77316BLE-965
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT

D: 15.75" H: 12"
12' of wire pre-laced through 10' of chain

65316-965
(1) Medium Base 150w max.

65316BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.25" H: 10" E: 7"
Height from center of outlet box
up: 5" down: 5"

44316-965
(1) Medium Base 100w max.

44316BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-965
(1) Medium Base 100w max.

79163BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included

77063S-965
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-965
(2) Medium Base 60w max.

79364BLE-965
(2) GU24 Base Self Ballasted CFL
13w lamps included

77064S-965
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-965
(3) Medium Base 60w max.

79565BLE-965
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

LEMONT BATH, p.366

Antique Brushed Nickel / Burnt Sienna

RELATED PRODUCT


COORDINATED CEILING FAN


15160B-255, p.442



THREE LIGHT CHANDELIER

D: 20" H: 23.25"
12' of wire pre-laced through 10' of chain


 **31316-710**
(3) Medium Base 100w max.


 **31316BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 23" H: 24.25"
12' of wire pre-laced through 10' of chain


 **31317-710**
(5) Medium Base 100w max.


 **31317BLE-710**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5" H: 8.5"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **61316-710**
(1) Medium Base 100w max.

 **61316BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included

INDOOR COLLECTIONS



FOUR LIGHT HALL / FOYER

with clear glass bobeches

D: 16" H: 28"
12' of wire pre-laced through 10' of chain

51316-710
(4) Candelabra Base 60w max.



EIGHT LIGHT HALL / FOYER

with clear glass bobeches

D: 20" H: 38"
12' of wire pre-laced through 10' of chain



51317-710
(8) Candelabra Base 60w max.



SEMI-FLUSH
H: 13.75"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT



D: 16.5" H: 17.25"
12' of wire pre-laced through 10' of chain

-  **77316-710**
(3) Medium Base 75w max.
-  **77316BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT



D: 15.75" H: 12"
12' of wire pre-laced through 10' of chain


-  **65316-710**
(1) Medium Base 150w max.
-  **65316BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 5.25" H: 10" E: 7"
Height from center of outlet box
up: 5" down: 5"

-  **44316-710**
(1) Medium Base 100w max.
-  **44316BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up or down



ONE LIGHT CEILING FLUSH MOUNT

with amber scavo glass

D: 10.5" H: 5.5"




- 77063-710**
(1) Medium Base 100w max.
-  **79163BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included
-  **77063S-710**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with amber scavo glass

D: 12.5" H: 5.5"



-  **77064-710**
(2) Medium Base 60w max.
-  **79364BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included
-  **77064S-710**
LED: 3000K, 10 watts, 800 lumens




THREE LIGHT CEILING FLUSH MOUNT

with amber scavo glass


D: 14.5" H: 6.5"


-  **77065-710**
(3) Medium Base 60w max.
-  **79565BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

LEMONT BATH, p.366


Antique Brushed Nickel / Burnt Sienna



 RELATED PRODUCT

COORDINATED CEILING FAN

15161B-191, p.443





INDOOR COLLECTIONS

Delicate finial creates a traditional silhouette

Product Shown: Montreal Nine Light Chandelier in Burnt Sienna



NINE LIGHT CHANDELIER

with antique brushed nickel finish and etched glass, white inside

D: 30.25" H: 30"
12' of wire pre-laced through 10' of chain

31182-965
(9) Medium Base 100w max.

31182BLE-965
(9) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

with burnt sienna finish and cafe tint glass

D: 30.25" H: 30"
12' of wire pre-laced through 10' of chain


31182-710
(9) Medium Base 100w max.


31182BLE-710
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 18.5" H: 22.25"
12' of wire pre-laced through 10' of chain

 **31180-965**
(3) Medium Base 100w max.


 **31180BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12.75"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15" H: 14.5"
12' of wire pre-laced through 10' of chain

 **77180-965**
(3) Medium Base 100w max.


 **77180BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 25.75" H: 25.75"
12' of wire pre-laced through 10' of chain


 **31181-965**
(5) Medium Base 100w max.


 **31181BLE-965**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT


D: 20" H: 23.75"
12' of wire pre-laced through 10' of chain


 **65181-965**
(3) Medium Base 100w max.

 **65181BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included


ONE LIGHT MINI-PENDANT


D: 7.75" H: 7"
10' of wire, (3) 12" stems, 12" chain


 **61180-965**
(1) Medium Base 100w max.

 **61180BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included


ONE LIGHT PENDANT


D: 14" H: 10.25"
12' of wire pre-laced through 10' of chain


 **65180-965**
(1) Medium Base 150w max.

 **65180BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included


ONE LIGHT WALL / BATH

W: 7.75" H: 8.5" E: 9.75"
Height from center of outlet box
up: 4" down: 4.5"

 **41180-965**
(1) Medium Base 100w max.


 **41180BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down


**THREE LIGHT CEILING
FLUSH MOUNT**


D: 15" H: 8.5"

 **75180-965**
(3) Medium Base 60w max.

 RELATED PRODUCT

**MONTREAL
BATH**, p.370
Antique Brushed Nickel / Burnt Sienna



 RELATED PRODUCT


**COORDINATED
CEILING FAN**
15030BLE-965, p.448






THREE LIGHT CHANDELIER

D: 18.5" H: 22.25"
12' of wire pre-laced through 10' of chain

 **31180-710**
(3) Medium Base 100w max.


 **31180BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 12.75"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15" H: 14.5"
12' of wire pre-laced through 10' of chain

 **77180-710**
(3) Medium Base 100w max.


 **77180BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 25.75" H: 25.75"
12' of wire pre-laced through 10' of chain

 **31181-710**
(5) Medium Base 100w max.


 **31181BLE-710**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 20" H: 23.75"
12' of wire pre-laced through 10' of chain

 **65181-710**
(3) Medium Base 100w max.

 **65181BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.75" H: 7"
10' of wire, (3) 12" stems, 12" chain

61180-710
(1) Medium Base 100w max.

61180BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 14" H: 10.25"
12' of wire pre-laced through 10' of chain

65180-710
(1) Medium Base 150w max.

65180BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 7.75" H: 8.5" E: 9.75"
Height from center of outlet box
up: 4" down: 4.5"

41180-710
(1) Medium Base 100w max.

41180BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



THREE LIGHT CEILING FLUSH MOUNT

D: 15" H: 8.5"

75180-710
(3) Medium Base 60w max.



RELATED PRODUCT

MONTREAL BATH, p.370
Antique Brushed Nickel / Burnt Sienna

RELATED PRODUCT

COORDINATED CEILING FAN
15161B-191, p.443



Inspired by a turned spindle

INDOOR COLLECTIONS


Product Shown: Northbrook One Light Pendant in Roman Bronze




NINE LIGHT CHANDELIER

with brushed nickel finish

D: 29.25" H: 26.25"
6' of wire pre-laced through 3' of chain

 **3112409-962**
(9) Medium Base 100w max.


 **3112409BLE-962**
(9) GU24 Base Self Ballasted CFL
13w lamps included




NINE LIGHT CHANDELIER

with roman bronze finish

D: 29.25" H: 26.25"
6' of wire pre-laced through 3' of chain


 **3112409-191**
(9) Medium Base 100w max.


 **3112409BLE-191**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT DOWNLIGHT CHANDELIER

D: 20.25" H: 18.75"
6' of wire pre-laced through 3' of chain

 **3112403-962**
(3) Medium Base 100w max.


 **3112403BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 14.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16"
6' of wire pre-laced through 3' of chain

 **7712402-962**
(2) Medium Base 100w max.


 **7712402BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



FIVE LIGHT UPLIGHT CHANDELIER

D: 25" H: 18.25"
6' of wire pre-laced through 3' of chain


 **3112405-962**
(5) Medium Base 100w max.


 **3112405BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT DOWNLIGHT CHANDELIER

D: 25" H: 21"
6' of wire pre-laced through 3' of chain


 **3512405-962**
(5) Medium Base 100w max.


 **3512405BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5.5" H: 6.75"
8' of wire, (3) 12" stems, (1) 6" stem
Includes sloped ceiling hardware


 **6112401-962**
(1) Medium Base 100w max.

 **6112401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT


D: 16" H: 14.75"
6' of wire pre-laced through 3' of chain


 **6512401-962**
(1) Medium Base 100w max.



ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

 **4112401-962**
(1) Medium Base 100w max.

 **4112401BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down




**ONE LIGHT CEILING
FLUSH MOUNT**



D: 10.5" H: 5.5"

77063-962
(1) Medium Base 100w max.

 **79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-962**
LED: 3000K, 10 watts, 800 lumens




**TWO LIGHT CEILING
FLUSH MOUNT**



D: 12.5" H: 5.5"

 **77064-962**
(2) Medium Base 60w max.

 **79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-962**
LED: 3000K, 10 watts, 800 lumens





**THREE LIGHT CEILING
FLUSH MOUNT**



D: 14.5" H: 6.5"


 **77065-962**
(3) Medium Base 60w max.


 **79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

**NORTHBROOK
BATH**, p.376


Brushed Nickel / Roman Bronze / Chrome



 RELATED PRODUCT

**COORDINATED
CEILING FAN**

15040BLE-962, p.448





THREE LIGHT DOWNLIGHT CHANDELIER

D: 20.25" H: 18.75"
6' of wire pre-laced through 3' of chain

- **3112403-191**
(3) Medium Base 100w max.
- E **3112403BLE-191**
(3) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 14.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16"
6' of wire pre-laced through 3' of chain

- **7712402-191**
(2) Medium Base 100w max.
- E **7712402BLE-191**
(2) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT UPLIGHT CHANDELIER

D: 25" H: 18.25"
6' of wire pre-laced through 3' of chain

- **3112405-191**
(5) Medium Base 100w max.
- E **3112405BLE-191**
(5) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT DOWNLIGHT CHANDELIER


D: 25" H: 21"
6' of wire pre-laced through 3' of chain

- **3512405-191**
(5) Medium Base 100w max.
- E **3512405BLE-191**
(5) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 5.5" H: 6.75"
8' of wire, (3) 12" stems, (1) 6" stem and sloped ceiling mounting hardware


 **6112401-191**
(1) Medium Base 100w max.

 **6112401BLE-191**
(1) GU24 Base Self Ballasted CFL 13w lamp included



ONE LIGHT PENDANT


D: 16" H: 14.75"
6' of wire pre-laced through 3' of chain


 **6512401-191**
(1) Medium Base 100w max.




ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 8.5"
Height from center of outlet box up: 4.25" down: 4.25"

 **4112401-191**
(1) Medium Base 100w max.

 **4112401BLE-191**
(1) GU24 Base Self Ballasted CFL 13w lamp included




ONE LIGHT CEILING FLUSH MOUNT 

with heirloom bronze finish

D: 10.5" H: 5.5"

77063-782
(1) Medium Base 100w max.

 **79163BLE-782**
(1) GU24 Base Self Ballasted CFL 13w lamp included


 **77063S-782**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT 

with heirloom bronze finish

D: 12.5" H: 5.5"

 **77064-782**
(2) Medium Base 60w max.

 **79364BLE-782**
(2) GU24 Base Self Ballasted CFL 13w lamps included


 **77064S-782**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT 

with heirloom bronze finish


D: 14.5" H: 6.5"


 **77065-782**
(3) Medium Base 60w max.

 **79565BLE-782**
(3) GU24 Base Self Ballasted CFL 13w lamps included


 RELATED PRODUCT

NORTHBROOK BATH, p.376
Brushed Nickel / Roman Bronze / Chrome



 RELATED PRODUCT

COORDINATED CEILING FAN
15030BLE-782, p.448



INDOOR COLLECTIONS

Warm, dramatic sparkle
from Mercury Glass




Product Shown: Blayne Nine Light Chandelier in Platinum Oak



NINE LIGHT CHANDELIER

D: 31" H: 28.25"
12' of wire pre-laced through 10' of chain


 **3170409-736**
(9) Medium Base 60w max.


 **3170409BLE-736**
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 20.25" H: 22.5"
12' of wire pre-laced through 10' of chain

 **3170403-736**
(3) Medium Base 60w max.


 **3170403BLE-736**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 13.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 16.25" H: 14.5"
12' of wire pre-laced through 10' of chain

 **7770402-736**
(2) Medium Base 60w max.


 **7770402BLE-736**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 26" H: 25.25"
12' of wire pre-laced through 10' of chain


 **3170405-736**
(5) Medium Base 60w max.


 **3170405BLE-736**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 18.75" H: 24.5"
12' of wire pre-laced through 10' of chain

 **6670403-736**
(3) Medium Base 60w max.


 **6670403BLE-736**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 6" H: 11"
12' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **6170401-736**
(1) Medium Base 60w max.


 **6170401BLE-736**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 15.75" H: 14.25"
12' of wire pre-laced through 10' of chain


 **6570401-736**
(1) Medium Base 100w max.


 **6570401BLE-736**
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 6" H: 10.25" E: 8.75"
Height from center of outlet box
up: 6.75" down: 3.5"

 **4170401-736**
(1) Medium Base 60w max.

 **4170401BLE-736**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down





TWO LIGHT CEILING FLUSH MOUNT




D: 16.25" H: 7.25"


 **7570402-736**
(2) Medium Base 60w max.

 **7570402BLE-736**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 RELATED PRODUCT

BLAYNE BATH, p.379
Platinum Oak



 RELATED PRODUCT

COORDINATED CEILING FAN
15040-782, p.446





Eye-catching,
uppermost flourish

Curved base adds flair

INDOOR COLLECTIONS

Product Shown: Rialto Nine Light Chandelier & One Light Wall/Bath in Antique Brushed Nickel



31362-829
russet bronze
with ginger glass



31362-965
antique brushed nickel with
etched white alabaster glass

NINE LIGHT CHANDELIER

D: 32.5" H: 30"
12' of wire pre-laced through 10' of chain

- 31362-829** (shown at left)
(9) Medium Base 100w max.
- 31362-965** (shown above)
(9) Medium Base 100w max.



31363-965
antique brushed nickel with
etched white alabaster glass



31363-829
russet bronze
with ginger glass

FIFTEEN LIGHT CHANDELIER




D: 44.75" H: 39.75"
12' of wire pre-laced through 10' of chain

- 31363-965** (shown at left)
(15) Medium Base 60w max.
- 31363-829** (shown above)
(15) Medium Base 60w max.



THREE LIGHT CHANDELIER


D: 21.5" H: 19.5"
12' of wire pre-laced through 10' of chain

 **31360-965**
(3) Medium Base 100w max.



**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 16" H: 14"
12' of wire pre-laced through 10' of chain

 **75360-965**
(2) Medium Base 100w max.

SEMI-FLUSH
H: 13.25"



FIVE LIGHT CHANDELIER

D: 25.5" H: 21"
12' of wire pre-laced through 10' of chain

 **31361-965**
(5) Medium Base 100w max.



THREE LIGHT PENDANT

D: 22" H: 22.25"
12' of wire pre-laced through 10' of chain

 **65361-965**
(3) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 7" H: 13.75"
10' of wire, (3) 12" stems, 12" chain

61360-965
(1) Medium Base 100w max.



ONE LIGHT PENDANT

D: 18" H: 14"
12' of wire pre-laced through 10' of chain


65360-965
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 9.75" E: 7"
Height from center of outlet box
up: 5.25" down: 4.5"

41360-965
(1) Medium Base 100w max.



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-965
(1) Medium Base 100w max.

E 79163BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-965
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-965
(2) Medium Base 60w max.

E 79364BLE-965
(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-965
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-965
(3) Medium Base 60w max.

E 79565BLE-965
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

RIALTO BATH, p.380
Antique Brushed Nickel / Russet Bronze


RELATED PRODUCT

COORDINATED CEILING FAN
15030BLE-965, p.448



THREE LIGHT CHANDELIER


D: 21.5" H: 19.5"
12' of wire pre-laced through 10' of chain

 **31360-829**
(3) Medium Base 100w max.



**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 16" H: 14"
12' of wire pre-laced through 10' of chain


 **75360-829**
(2) Medium Base 100w max.

SEMI-FLUSH
H: 13.25"



FIVE LIGHT CHANDELIER


D: 25.5" H: 21"
12' of wire pre-laced through 10' of chain

 **31361-829**
(5) Medium Base 100w max.



THREE LIGHT PENDANT

D: 22" H: 22.25"
12' of wire pre-laced through 10' of chain

 **65361-829**
(3) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 7" H: 13.75"
 10' of wire, (3) 12" stems, 12" chain

61360-829
 (1) Medium Base 100w max.



ONE LIGHT PENDANT

D: 18" H: 14"
 12' of wire pre-laced through 10' of chain


65360-829
 (1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 9.75" E: 7"
 Height from center of outlet box
 up: 5.25" down: 4.5"

41360-829
 (1) Medium Base 100w max.



ONE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 10.5" H: 5.5"

77063-829
 (1) Medium Base 100w max.

E 79163BLE-829
 (1) GU24 Base Self Ballasted CFL
 13w lamp included

E 77063S-829
 LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 12.5" H: 5.5"

77064-829
 (2) Medium Base 60w max.

E 79364BLE-829
 (2) GU24 Base Self Ballasted CFL
 13w lamps included

E 77064S-829
 LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with satin etched glass

D: 14.5" H: 6.5"

77065-829
 (3) Medium Base 60w max.

E 79565BLE-829
 (3) GU24 Base Self Ballasted CFL
 13w lamps included

RELATED PRODUCT

RIALTO BATH, p.380

Antique Brushed Nickel / Russet Bronze

RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448



*Classic silhouette
and Alabaster Glass*

INDOOR COLLECTIONS


Product Shown: Windgate Two Light Pendant in Heirloom Bronze




**FIVE LIGHT
UPLIGHT CHANDELIER**

with brushed nickel finish

D: 20.5" H: 16.75"
6' of wire pre-laced through 3' of chain

 **35940-962**
 (5) Medium Base 100w max.


 **35940BLE-962**
 (5) GU24 Base Self Ballasted CFL
 13w lamps included




**FIVE LIGHT
UPLIGHT CHANDELIER**

with heirloom bronze finish

D: 20.5" H: 16.75"
6' of wire pre-laced through 3' of chain


 **35940-782**
 (5) Medium Base 100w max.


 **35940BLE-782**
 (5) GU24 Base Self Ballasted CFL
 13w lamps included



**THREE LIGHT
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"
6' of wire pre-laced through 3' of chain


 **35939-962**
(3) Medium Base 100w max.


 **35939BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
DOWNLIGHT CHANDELIER**

D: 20" H: 14"
6' of wire pre-laced through 3' of chain

 **35949-962**
(3) Medium Base 100w max.


 **35949BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 9.5"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 13" H: 9.5"
8' of wire pre-laced through 3' of chain

 **77950-962**
(2) Medium Base 100w max.


 **77950BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



**FIVE LIGHT
DOWNLIGHT CHANDELIER**

D: 20" H: 14"
6' of wire pre-laced through 3' of chain

 **35950-962**
(5) Medium Base 100w max.


 **35950BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included




THREE LIGHT HALL / FOYER

with satin etched glass

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-962**
(3) Medium Base 100w max.


 **51410BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included




TWO LIGHT PENDANT

D: 15.75" H: 20.75"
8' of wire pre-laced through 4' of chain

 **65941-962**
(2) Medium Base 100w max.

 **65941BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.5" H: 6.5"
8' of wire, (3) 12" stems, (1) 6" stem

61940-962
(1) Medium Base 100w max.

61940BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 13.25" H: 9"
6' of wire pre-laced through 3' of chain

65940-962
(1) Medium Base 150w max.

LARGE ONE LIGHT PENDANT

D: 15.75" H: 9.5"
8' of wire pre-laced through 4' of chain

65942-962
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"
Height from center of outlet box
up: 4" down: 5"

41939-962
(1) Medium Base 60w max.

41939BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



**ONE LIGHT CEILING
FLUSH MOUNT**

D: 11.5" H: 4.5"

75940-962
(1) Medium Base 100w max.

75940BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT CEILING
FLUSH MOUNT**

D: 13" H: 5.25"

75942-962
(2) Medium Base 60w max.

75942BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT CEILING
FLUSH MOUNT**

D: 15" H: 5.5"


75943-962
(3) Medium Base 60w max.

75943BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

WINDGATE BATH, p.384


Brushed Nickel / Heirloom Bronze / Chrome



RELATED PRODUCT

**COORDINATED
CEILING FAN**


15040BLE-962, p.448






**THREE LIGHT
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"
6' of wire pre-laced through 3' of chain


 **35939-782**
(3) Medium Base 100w max.


 **35939BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
DOWNLIGHT CHANDELIER**

D: 20" H: 14"
6' of wire pre-laced through 3' of chain

 **35949-782**
(3) Medium Base 100w max.


 **35949BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included




SEMI-FLUSH
H: 9.5"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 13" H: 9.5"
8' of wire pre-laced through 3' of chain


 **77950-782**
(2) Medium Base 100w max.


 **77950BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included



**FIVE LIGHT
DOWNLIGHT CHANDELIER**

D: 20" H: 14"
6' of wire pre-laced through 3' of chain

 **35950-782**
(5) Medium Base 100w max.


 **35950BLE-782**
(5) GU24 Base Self Ballasted CFL
13w lamps included




THREE LIGHT HALL / FOYER

with satin etched glass

D: 15.25" H: 25.5"
6' of wire pre-laced through 3' of chain


 **51410-782**
(3) Medium Base 100w max.


 **51410BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT PENDANT

D: 15.75" H: 20.75"
8' of wire pre-laced through 4' of chain


 **65941-782**
(2) Medium Base 100w max.


 **65941BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.5" H: 6.5"
8' of wire, (3) 12" stems, (1) 6" stem


 **61940-782**
(1) Medium Base 100w max.

 **61940BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included




ONE LIGHT PENDANT

D: 13.25" H: 9"
6' of wire pre-laced through 3' of chain

 **65940-782**
(1) Medium Base 150w max.

LARGE ONE LIGHT PENDANT


D: 15.75" H: 9.5"
8' of wire pre-laced through 4' of chain


 **65942-782**
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"
Height from center of outlet box
up: 4" down: 5"

 **41939-782**
(1) Medium Base 60w max.

 **41939BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



ONE LIGHT CEILING FLUSH MOUNT 

D: 11.5" H: 4.5"


 **75940-782**
(1) Medium Base 100w max.


 **75940BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT CEILING FLUSH MOUNT 

D: 13" H: 5.25"


 **75942-782**
(2) Medium Base 60w max.


 **75942BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included




THREE LIGHT CEILING FLUSH MOUNT 

D: 15" H: 5.5"


 **75943-782**
(3) Medium Base 60w max.


 **75943BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

WINDGATE BATH, p.384


Brushed Nickel / Heirloom Bronze / Chrome



 RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448





Metal trim detail
with glass shades

INDOOR COLLECTIONS

Product Shown: (2) Laurel Leaf One Light Mini-Pendants in Estate Bronze
Photo courtesy of David Weekley Homes





31351-965
antique brushed nickel



31351-708
estate bronze

NINE LIGHT CHANDELIER

D: 29.5" H: 30"
12' of wire pre-laced through 10' of chain

-  **31351-965** (*shown at left*)
(9) Medium Base 60w max.
-  **31351-708** (*shown above*)
(9) Medium Base 60w max.





31352-708
estate bronze



31352-965
antique brushed nickel

FIFTEEN LIGHT CHANDELIER

D: 41.75" H: 39"
12' of wire pre-laced through 10' of chain

-  **31352-708** (*shown at left*)
(15) Medium Base 60w max.
-  **31352-965** (*shown above*)
(15) Medium Base 60w max.


LAUREL LEAF

Antique Brushed Nickel Finish / Etched Ripple Glass



THREE LIGHT CHANDELIER


D: 17.5" H: 21.25"
12' of wire pre-laced through 10' of chain

 **31349-965**
(3) Medium Base 100w max.



FIVE LIGHT CHANDELIER

D: 24.5" H: 24"
12' of wire pre-laced through 10' of chain

 **31350-965**
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 7.25" H: 8.75"
10' of wire, (3) 12" stems, 12" chain

 **61350-965**
(1) Medium Base 100w max.

INDOOR COLLECTIONS



TWO LIGHT ISLAND PENDANT

L: 32" W: 12" H: 24"
(2) 10' pieces of chain, (1) pre-laced with 12' of wire

 **66350-965**
(2) Medium Base 100w max.



FOUR LIGHT HALL / FOYER

D: 19" H: 33.25"
12' of wire pre-laced through 10' of chain

51350-965
(4) Candelabra Base 60w max.



SEMI-FLUSH
H: 15"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.5" H: 17"
12' of wire pre-laced through 10' of chain

77350-965
(2) Medium Base 100w max.



THREE LIGHT PENDANT

D: 19.5" H: 26.25"
12' of wire pre-laced through 10' of chain

65351-965
(3) Medium Base 100w max.



ONE LIGHT PENDANT

D: 17" H: 12.25"
12' of wire pre-laced through 10' of chain

65350-965
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 9.75" E: 7.5"
Height from center of outlet box
up: 4.5" down: 5.25"

41350-965
(1) Medium Base 100w max.



Mounts up
or down



TWO LIGHT CEILING FLUSH MOUNT

D: 16" H: 9"

75350-965
(2) Medium Base 60w max.



RELATED PRODUCT

LAUREL LEAF BATH, p.388
Antique Brushed Nickel / Estate Bronze


RELATED PRODUCT

COORDINATED CEILING FAN
15040BLE-962, p.448



THREE LIGHT CHANDELIER


D: 17.5" H: 21.25"
12' of wire pre-laced through 10' of chain

 **31349-708**
(3) Medium Base 100w max.



FIVE LIGHT CHANDELIER


D: 24.5" H: 24"
12' of wire pre-laced through 10' of chain

 **31350-708**
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT


D: 7.25" H: 8.75"
10' of wire, (3) 12" stems, 12" chain

 **61350-708**
(1) Medium Base 100w max.



TWO LIGHT ISLAND PENDANT

L: 32" W: 12" H: 24"
(2) 10' pieces of chain, (1) pre-laced with 12' of wire

 **66350-708**
(2) Medium Base 100w max.



FOUR LIGHT HALL / FOYER

D: 19" H: 33.25"
12' of wire pre-laced through 10' of chain

51350-708
(4) Candelabra Base 60w max.



SEMI-FLUSH
H: 15"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 15.5" H: 17"
12' of wire pre-laced through 10' of chain

77350-708
(2) Medium Base 100w max.



THREE LIGHT PENDANT

D: 19.5" H: 26.25"
12' of wire pre-laced through 10' of chain

65351-708
(3) Medium Base 100w max.



ONE LIGHT PENDANT

D: 17" H: 12.25"
12' of wire pre-laced through 10' of chain

65350-708
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

W: 6" H: 9.75" E: 7.5"
Height from center of outlet box
up: 4.5" down: 5.25"

41350-708
(1) Medium Base 100w max.



Mounts up
or down



**TWO LIGHT CEILING
FLUSH MOUNT**

D: 16" H: 9"

75350-708
(2) Medium Base 60w max.



RELATED PRODUCT

**LAUREL LEAF
BATH**, p.388
Antique Brushed Nickel / Estate Bronze

RELATED PRODUCT

**COORDINATED
CEILING FAN**
15040BLE-782, p.448



European inspired with romantic rustic design

INDOOR COLLECTIONS

Product Shown: Del Prato Four Light Pendant in Chestnut Bronze



EIGHT LIGHT HALL / FOYER

shown with included faux wax candle covers

D: 21.25" H: 43.25"
12' of wire pre-laced through 10' of chain

51121-820
(8) Candelabra Base 60w max.




*shown without
candle covers*



FIVE LIGHT CHANDELIER

D: 26.5" H: 26"
12' of wire pre-laced through 10' of chain


 **31122-820**
(5) Medium Base 100w max.



SEMI-FLUSH
H: 13.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**


D: 16" H: 15.5"
12' of wire pre-laced through 10' of chain

 **51120-820**
(2) Medium Base 100w max.



NINE LIGHT CHANDELIER


D: 33.75" H: 32"
12' of wire pre-laced through 10' of chain

 **31123-820**
(9) Medium Base 100w max.



FOUR LIGHT PENDANT


D: 26" H: 25.75"
12' of wire pre-laced through 10' of chain

 **65120-820**
(4) Medium Base 100w max.



ONE LIGHT MINI-PENDANT


D: 8" H: 13.75"
10' of wire, (3) 12" stems, 12" chain

 **61120-820**
(1) Medium Base 100w max.



ONE LIGHT PENDANT


D: 18" H: 16.5"
12' of wire pre-laced through 10' of chain

 **65121-820**
(1) Medium Base 150w max.



ONE LIGHT WALL / BATH

D: 7" H: 10.25"
Height from center of outlet box
up: 5.25" down: 5"

 **41120-820**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT CEILING FLUSH MOUNT


D: 12.5" H: 5.5"

 **77164-820**
(2) Medium Base 60w max.




THREE LIGHT CEILING FLUSH MOUNT


D: 14.5" H: 6.5"


 **77165-820**
(3) Medium Base 60w max.




 RELATED PRODUCT

DEL PRATO BATH, p.392
Chestnut Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN
15161B-191, p.443





Softly curved,
contemporary arms

Product Shown: Wheaton Five Light Chandelier
in Brushed Nickel



NINE LIGHT CHANDELIER

with brushed nickel finish

D: 31" H: 30.25"
12' of wire pre-laced through 10' of chain

31627-962
(9) Medium Base 100w max.

31627BLE-962
(9) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

with heirloom bronze finish

D: 31" H: 30.25"
12' of wire pre-laced through 10' of chain


31627-782
(9) Medium Base 100w max.


31627BLE-782
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 22" H: 18"
12' of wire pre-laced through 10' of chain

 **31625-962**
(3) Medium Base 100w max.


 **31625BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 12.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 12.5" H: 15.75"
12' of wire pre-laced through 10' of chain


 **77625-962**
(2) Medium Base 100w max.



FIVE LIGHT CHANDELIER

D: 24" H: 18"
12' of wire pre-laced through 10' of chain


 **31626-962**
(5) Medium Base 100w max.

 **31626BLE-962**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 16.75" H: 21.5"
12' of wire pre-laced through 10' of chain

 **65626-962**
(3) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 7" H: 11.75"
10' of wire, (3) 12" stems, 12" chain

- 61625-962**
(1) Medium Base 100w max.
- 61625BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 15.25" H: 12.5"
12' of wire pre-laced through 10' of chain


- 65625-962**
(1) Medium Base 150w max.
- 65625BLE-962**
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 6.5" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"

- 44625-962**
(1) Medium Base 100w max.
- 44625BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT CEILING FLUSH MOUNT

D: 10.5" H: 5.5"

- 77063-962**
(1) Medium Base 100w max.
- 79163BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included
- 77063S-962**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

D: 12.5" H: 5.5"

- 77064-962**
(2) Medium Base 60w max.
- 79364BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included
- 77064S-962**
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

D: 14.5" H: 6.5"

- 77065-962**
(3) Medium Base 60w max.
- 79565BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included

INDOOR COLLECTIONS

RELATED PRODUCT

WHEATON BATH, p.396
Brushed Nickel / Heirloom Bronze


RELATED PRODUCT


COORDINATED CEILING FAN
15040BLE-962, p.448



THREE LIGHT CHANDELIER

D: 22" H: 18"
12' of wire pre-laced through 10' of chain

 **31625-782**
(3) Medium Base 100w max.


 **31625BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 12.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 12.5" H: 15.75"
12' of wire pre-laced through 10' of chain


 **77625-782**
(2) Medium Base 100w max.


INDOOR COLLECTIONS



FIVE LIGHT CHANDELIER

D: 24" H: 18"
12' of wire pre-laced through 10' of chain


 **31626-782**
(5) Medium Base 100w max.

 **31626BLE-782**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT



D: 16.75" H: 21.5"
12' of wire pre-laced through 10' of chain

 **65626-782**
(3) Medium Base 100w max.



ONE LIGHT MINI-PENDANT



D: 7" H: 11.75"
10' of wire, (3) 12" stems, 12" chain

-  **61625-782**
(1) Medium Base 100w max.
-  **61625BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT



D: 15.25" H: 12.5"
12' of wire pre-laced through 10' of chain

-  **65625-782**
(1) Medium Base 150w max.
-  **65625BLE-782**
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT WALL / BATH

W: 6.5" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"



-  **44625-782**
(1) Medium Base 100w max.
-  **44625BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT CEILING FLUSH MOUNT




D: 10.5" H: 5.5"
77063-782
(1) Medium Base 100w max.



-  **79163BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included
-  **77063S-782**
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT




D: 12.5" H: 5.5"
 **77064-782**
(2) Medium Base 60w max.


-  **79364BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included
-  **77064S-782**
LED: 3000K, 10 watts, 800 lumens




THREE LIGHT CEILING FLUSH MOUNT




D: 14.5" H: 6.5"
 **77065-782**
(3) Medium Base 60w max.


-  **79565BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

WHEATON BATH, p.396


Brushed Nickel / Heirloom Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN

15040BLE-782, p.448



MANOR HOUSE

Weathered Iron Finish

Clear Seeded Glass
with hand-made,
artisan look

INDOOR COLLECTIONS



Product Shown: (3) Manor House One Light Mini-Pendants in Weathered Iron
Kitchen By Divine Kitchens: www.divinekitchens.com



FIFTEEN LIGHT CHANDELIER



D: 47.75" H: 48"
12' of wire pre-laced through 70" of chain

3405-07
(15) Candelabra Base 60w max.

MANOR HOUSE

Weathered Iron Finish / Clear Seeded Glass



SEMI-FLUSH
H: 17.75"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 12" H: 20"
12' of wire pre-laced through 3' of chain

5101-07
(3) Candelabra Base 40w max.



SIX LIGHT PENDANT

D: 21.75" H: 24.75"
12' of wire pre-laced through 3' of chain

6501-07
(6) Candelabra Base 60w max.



FIVE LIGHT CHANDELIER

D: 26" H: 30"
12' of wire pre-laced through 3' of chain

3401-07
(5) Candelabra Base 60w max.



SIX LIGHT HALL / FOYER

D: 22" H: 33.5"
12' of wire pre-laced through 3' of chain

5104-07
(6) Candelabra Base 60w max.



ONE LIGHT MINI-PENDANT

D: 9" H: 8"
10' of wire, (3) 12" stems, 12" chain

 **6145-07**
(1) Medium Base 100w max.



**SIX LIGHT CEILING
SEMI-FLUSH MOUNT**

D: 21.75" H: 16.5"

7700-07
(6) Candelabra Base 60w max.



**THREE LIGHT CEILING
FLUSH MOUNT**

D: 11.5" H: 7.5"

5102-07
(3) Candelabra Base G16½ 25w max.




THREE LIGHT WALL / BATH

D: 7" H: 14"
Height from center of outlet box: 7"


4000-07
(3) Candelabra Base 60w max.

INDOOR COLLECTIONS

 RELATED PRODUCT

**COORDINATED
CEILING FAN**

15030-07, p.445



Dramatic curves make
a bold statement

INDOOR COLLECTIONS



Product Shown: Acadia Three Light Island Pendant in Misted Bronze



FIFTEEN LIGHT CHANDELIER



D: 48.5" H: 53.75"
12' of wire pre-laced through 3' of chain


31347-814
(15) Medium Base 60w max.


31347BLE-814
(15) GU24 Base Self Ballasted CFL
13w lamps included



SIX LIGHT CHANDELIER

D: 26.25" H: 26.25"
12' of wire pre-laced through 3' of chain


 **31146-814**
(6) Medium Base 100w max.


 **31146BLE-814**
(6) GU24 Base Self Ballasted CFL
13w lamps included



NINE LIGHT CHANDELIER

D: 32.25" H: 37.25"
12' of wire pre-laced through 3' of chain


 **31147-814**
(9) Medium Base 100w max.


 **31147BLE-814**
(9) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT HALL / FOYER

D: 18" H: 45"
12' of wire pre-laced through 3' of chain



51146-814
 (4) Medium Base 100w max.



51146BLE-814
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



THREE LIGHT CHANDELIER

D: 23.25" H: 26.25"
12' of wire pre-laced through 3' of chain


 **31145-814**
(3) Medium Base 100w max.


 **31145BLE-814**
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT CEILING SEMI-FLUSH MOUNT

D: 17.75" H: 13.25"

 **77145-814**
(2) Medium Base 100w max.


 **77145BLE-814**
(2) GU24 Base Self Ballasted CFL
13w lamps included


INDOOR COLLECTIONS



THREE LIGHT ISLAND PENDANT

L: 28.75" W: 7.75" H: 23.5"
(2) 3' pieces of chain,
(1) pre-laced with 12' of wire


 **66145-814**
(3) Medium Base 100w max.


 **66145BLE-814**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 21.75" H: 24.5"
12' of wire pre-laced through 3' of chain


 **65146-814**
(3) Medium Base 100w max.


 **65146BLE-814**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.75" H: 13.25"
10' of wire, (3) 12" stems, 12" chain


 **61145-814**
(1) Medium Base 100w max.


 **61145BLE-814**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 17.75" H: 16.25"
12' of wire pre-laced through 3' of chain


 **65145-814**
(1) Medium Base 150w max.


 **65145BLE-814**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 7" H: 11.25" E: 8.25"
Height from center of outlet box
up: 5.5" down: 5.75"

 **41145-814**
(1) Medium Base 100w max.


 **41145BLE-814**
(1) GU24 Base Self Ballasted CFL
13w lamp included




ONE LIGHT CEILING FLUSH MOUNT

*with burnt sienna finish
and amber scavo glass*

D: 10.5" H: 5.5"

 **77063-710**
(1) Medium Base 100w max.

 **79163BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included


 **77063S-710**
LED: 3000K, 10 watts, 800 lumens




TWO LIGHT CEILING FLUSH MOUNT

*with burnt sienna finish
and amber scavo glass*

D: 12.5" H: 5.5"

 **77064-710**
(2) Medium Base 60w max.

 **79364BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included


 **77064S-710**
LED: 3000K, 10 watts, 800 lumens





THREE LIGHT CEILING FLUSH MOUNT

*with burnt sienna finish
and amber scavo glass*

D: 14.5" H: 6.5"


 **77065-710**
(3) Medium Base 60w max.


 **79565BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

ACADIA BATH, p.400


Misted Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN

15161B-191, p.443



Colonial-inspired design



Braided rope detail adds interest



Product Shown: Plymouth Five Light Chandelier & One Light Wall/Bath in Blacksmith



31295-57
weathered pewter



31318-839
blacksmith

NINE LIGHT CHANDELIER

D: 34" H: 33.75"
10' of wire pre-laced through 3' of chain

31295-57 (*shown at left*)
(9) Candelabra Base 60w max.

31295-839 (*shown above*)
(9) Candelabra Base 60w max.



31293-839
blacksmith



31318-57
weathered pewter

NINE LIGHT CHANDELIER

D: 36" H: 33.75"
10' of wire pre-laced through 3' of chain

31293-839 (*shown at left*)
(9) Medium Base 100w max.

31293BLE-839 (*shown at left*)
(9) GU24 Base Self Ballasted CFL
13w lamps included


31293-57 (*shown above*)
(9) Medium Base 100w max.


31293BLE-57 (*shown above*)
(9) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 22" H: 25.5"
10' of wire pre-laced through 3' of chain


 **31291-57**
(3) Medium Base 100w max.

 **31291BLE-57**
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER


D: 19.75" H: 25.5"
10' of wire pre-laced through 3' of chain


 **31290-57**
(3) Candelabra Base 60w max.



FIVE LIGHT CHANDELIER

D: 26" H: 25.5"
10' of wire pre-laced through 3' of chain

 **31292-57**
(5) Medium Base 100w max.

 **31292BLE-57**
(5) GU24 Base Self Ballasted CFL
13w lamps included



SIX LIGHT CHANDELIER


D: 23.75" H: 25.5"
10' of wire pre-laced through 3' of chain


31294-57
(6) Candelabra Base 60w max.



ONE LIGHT WALL / BATH

W: 5" H: 9.5" E: 9.5"
Height from center of outlet box
up: 4.25" down: 5.25"

 **44891-57**
(1) Medium Base 100w max.

 **44891BLE-57**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down

 RELATED PRODUCT

PLYMOUTH BATH, p.402
Weathered Pewter / Blacksmith



 RELATED PRODUCT

**COORDINATED
CEILING FAN**
15160B-255, p.442





THREE LIGHT CHANDELIER

D: 22" H: 25.5"
10' of wire pre-laced through 3' of chain

31291-839
(3) Medium Base 100w max.

31291BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT CHANDELIER

D: 19.75" H: 25.5"
10' of wire pre-laced through 3' of chain

31290-839
(3) Candelabra Base 60w max.



FIVE LIGHT CHANDELIER

D: 26" H: 25.5"
10' of wire pre-laced through 3' of chain

31292-839
(5) Medium Base 100w max.

31292BLE-839
(5) GU24 Base Self Ballasted CFL
13w lamps included



SIX LIGHT CHANDELIER

D: 23.75" H: 25.5"
10' of wire pre-laced through 3' of chain

31294-839
(6) Candelabra Base 60w max.



ONE LIGHT WALL / BATH

W: 5" H: 9.5" E: 9.5"
Height from center of outlet box
up: 4.25" down: 5.25"

44891-839
(1) Medium Base 100w max.

44891BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down

RELATED PRODUCT

PLYMOUTH BATH, p.402
Weathered Pewter / Blacksmith

RELATED PRODUCT

COORDINATED CEILING FAN
15030-839, p.445



Intricate, repeating pattern makes a bold decorative statement

INDOOR COLLECTIONS

Product Shown: Highlands Five Light Chandelier in Palladium with Dusted Ivory Glass



31251-824
palladium with silver
silk shantung shades



31251-758
regal bronze with
fawn fabric shades

FIVE LIGHT CHANDELIER

D: 27.75" H: 24.5"
12' of wire pre-laced through 3' of chain

31251-824 (shown at left)
(5) Candelabra Base 60w max.

31251-758 (shown above)
(5) Candelabra Base 60w max.



31252-758
regal bronze with
fawn fabric shades



31252-824
palladium with silver
silk shantung shades

NINE LIGHT CHANDELIER

D: 36.5" H: 35.5"
12' of wire pre-laced through 3' of chain

31252-758 (shown at left)
(9) Candelabra Base 60w max.

31252-824 (shown above)
(9) Candelabra Base 60w max.



FIFTEEN LIGHT CHANDELIER

with silver silk shantung shades



D: 53.5" H: 48.5"
12' of wire pre-laced through 3' of chain

31253-824
(15) Candelabra Base 60w max.



FIVE LIGHT MINI-CHANDELIER

with silver silk shantung shades

D: 16.25" H: 17.25"
12' of wire pre-laced through 4' of chain

30251-824
(5) Candelabra Base 40w max.



FIVE LIGHT CHANDELIER

D: 26.75" H: 27.5"
12' of wire pre-laced through 3' of chain

31751-824
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 9" H: 10"
10' of wire, (3) 12" stems, 12" chain

61251-824
(1) Medium Base 100w max.



SIX LIGHT HALL / FOYER

D: 21.75" H: 36.5"
12' of wire pre-laced through 3' of chain

51251-824
(6) Candelabra Base 60w max.



NINE LIGHT HALL / FOYER


D: 27.5" H: 49"
12' of wire pre-laced through 3' of chain

51257-824
(9) Candelabra Base 60w max.



THREE LIGHT CEILING SEMI-FLUSH MOUNT


D: 21.75" H: 13"

 **75251-824**
(3) Medium Base 100w max.



THREE LIGHT PENDANT


D: 30.25" H: 25"
12' of wire pre-laced through 3' of chain

 **65252-824**
(3) Medium Base 100w max.



ONE LIGHT PENDANT

D: 17" H: 14.75"
12' of wire pre-laced through 3' of chain

 **65251-824**
(1) Medium Base 150w max.



TWO LIGHT WALL SCONCE

with silver silk shantung shades


W: 12.25" H: 15.25" E: 8.5"
Height from center of outlet box: 8"


42251-824
(2) Candelabra Base 60w max.



TWO LIGHT CEILING FLUSH MOUNT

D: 15.75" H: 8"

 **75250-824**
(2) Medium Base 60w max.

 RELATED PRODUCT

HIGHLANDS BATH, p.406
Palladium / Regal Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN
15358B-824, p.439





FIFTEEN LIGHT CHANDELIER

with fawn fabric shades



D: 53.5" H: 48.5"
12' of wire pre-laced through 3' of chain

31253-758

(15) Candelabra Base 60w max.



FIVE LIGHT MINI-CHANDELIER

with fawn fabric shades


D: 16.25" H: 17.25"
12' of wire pre-laced through 4' of chain

30251-758
(5) Candelabra Base 40w max.



FIVE LIGHT CHANDELIER


D: 26.75" H: 27.5"
12' of wire pre-laced through 3' of chain

 **31751-758**
(5) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

D: 9" H: 10"
10' of wire, (3) 12" stems, 12" chain

 **61251-758**
(1) Medium Base 100w max.



SIX LIGHT HALL / FOYER

D: 21.75" H: 36.5"
12' of wire pre-laced through 3' of chain

51251-758
(6) Candelabra Base 60w max.



NINE LIGHT HALL / FOYER

D: 27.5" H: 49"
12' of wire pre-laced through 3' of chain

51257-758
(9) Candelabra Base 60w max.



THREE LIGHT CEILING SEMI-FLUSH MOUNT

D: 21.75" H: 13"

75251-758
(3) Medium Base 100w max.



THREE LIGHT PENDANT

D: 30.25" H: 25"
12' of wire pre-laced through 3' of chain

65252-758
(3) Medium Base 100w max.



ONE LIGHT PENDANT

D: 17" H: 14.75"
12' of wire pre-laced through 3' of chain

65251-758
(1) Medium Base 150w max.



TWO LIGHT WALL SCONCE

with fawn fabric shades

W: 12.25" H: 15.25" E: 8.5"
Height from center of outlet box: 8"

42251-758
(2) Candelabra Base 60w max.



TWO LIGHT CEILING FLUSH MOUNT



D: 15.75" H: 8"

75250-758
(2) Medium Base 60w max.

RELATED PRODUCT

HIGHLANDS BATH, p.406
Palladium / Regal Bronze

RELATED PRODUCT

COORDINATED CEILING FAN
15358B-758, p.439



Ginger glass gives old world charm

Soft curves add flow

Soft up-light gives perfect glow

INDOOR COLLECTIONS

Product Shown: Parkview Five Light Chandelier, Three Light Hall/Foyer & One Light Wall/Bath in Russet Bronze



31381-965
antique brushed nickel
with satin etched glass



31381-829
russet bronze
with ginger glass

NINE LIGHT CHANDELIER

D: 30.75" H: 30"
12' of wire pre-laced through 10' of chain

- Q** **31381-965** (shown at left)
(9) Medium Base 60w max.
- E** **39381BLE-965** (shown at left)
(9) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31381-829** (shown above)
(9) Medium Base 60w max.
- E** **39381BLE-829** (shown above)
(9) GU24 Base Self Ballasted CFL
13w lamps included



31382-829
russet bronze
with ginger glass



31382-965
antique brushed nickel
with satin etched glass

FIFTEEN LIGHT CHANDELIER

D: 43.25" H: 41.5"
12' of wire pre-laced through 10' of chain

- Q** **31382-829** (shown at left)
(15) Medium Base 60w max.
- E** **39382BLE-829** (shown at left)
(15) GU24 Base Self Ballasted CFL
13w lamps included
- Q** **31382-965** (shown above)
(15) Medium Base 60w max.
- E** **39382BLE-965** (shown above)
(15) GU24 Base Self Ballasted CFL
13w lamps included






SEMI-FLUSH
H: 13.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT


D: 15" H: 15.5"
12' of wire pre-laced through 10' of chain


 **77380-965**
(2) Medium Base 100w max.



THREE LIGHT PENDANT

D: 20" H: 24.75"
12' of wire pre-laced through 10' of chain

 **65381-965**
(3) Medium Base 100w max.


 **69381BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 24" H: 22"
12' of wire pre-laced through 10' of chain

 **31380-965**
(5) Medium Base 100w max.


 **39380BLE-965**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT HALL / FOYER

D: 17.5" H: 34.25"
12' of wire pre-laced through 10' of chain


 **51380-965**
(3) Medium Base 60w max.


 **59380BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.5" H: 8.5"
10' of wire, (3) 12" stems, 12" chain


 **61380-965**
(1) Medium Base 100w max.


 **69380BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT PENDANT

D: 19" H: 18.25"
12' of wire pre-laced through 10' of chain

 **65380-965**
(1) Medium Base 150w max.


 **65380BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 8.25"
Height from center of outlet box
up: 7.25" down: 3.25"

 **41380-965**
(1) Medium Base 100w max.

 **49380BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT CEILING FLUSH MOUNT 


D: 15" H: 8.25"


 **75381-965**
(2) Medium Base 60w max.

 RELATED PRODUCT

PARKVIEW BATH, p.410


Antique Brushed Nickel / Russet Bronze



 RELATED PRODUCT

COORDINATED CEILING FAN

15030BLE-965, p.448






SEMI-FLUSH
H: 13.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT


D: 15" H: 15.5"
12' of wire pre-laced through 10' of chain


 **77380-829**
(2) Medium Base 100w max.



THREE LIGHT PENDANT

D: 20" H: 24.75"
12' of wire pre-laced through 10' of chain


 **65381-829**
(3) Medium Base 100w max.


 **69381BLE-829**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FIVE LIGHT CHANDELIER

D: 24" H: 22"
12' of wire pre-laced through 10' of chain


 **31380-829**
(5) Medium Base 100w max.


 **39380BLE-829**
(5) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT HALL / FOYER

D: 17.5" H: 34.25"
12' of wire pre-laced through 10' of chain

 **51380-829**
(3) Medium Base 60w max.

 **59380BLE-829**
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT MINI-PENDANT

D: 7.5" H: 8.5"
 10' of wire, (3) 12" stems, 12" chain

61380-829
 (1) Medium Base 100w max.

69380BLE-829
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



ONE LIGHT PENDANT

D: 19" H: 18.25"
 12' of wire pre-laced through 10' of chain

65380-829
 (1) Medium Base 150w max.

65380BLE-829
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 8.25"
 Height from center of outlet box
 up: 7.25" down: 3.25"

41380-829
 (1) Medium Base 100w max.

49380BLE-829
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
 or down



**TWO LIGHT CEILING
 FLUSH MOUNT**

D: 15" H: 8.25"

75381-829
 (2) Medium Base 60w max.



RELATED PRODUCT

PARKVIEW BATH, p.410
 Antique Brushed Nickel / Russet Bronze

RELATED PRODUCT

**COORDINATED
 CEILING FAN**
15161B-191, p.443

TRADITIONAL

Brushed Nickel & Polished Brass Finishes

INDOOR COLLECTIONS



Large sphere & ring finial anchors classic design

Product Shown: Traditional Six Light Chandelier in Brushed Nickel



3916-782
heirloom bronze



3916-962
brushed nickel



3916-02
polished brass

SMALL FIVE LIGHT CHANDELIER

D: 18.5" H: 16.25"
12' of wire pre-laced through 10' of chain

3916-782 (shown at left)
(5) Candelabra Base 60w max.

3916-962 (shown above left)
(5) Candelabra Base 60w max.

3916-02 (shown above right)
(5) Candelabra Base 60w max.



FIFTEEN LIGHT CHANDELIER

with polished brass finish

D: 30.5" H: 25.5"
12' of wire pre-laced through 3' of chain

3414-02
(15) Candelabra Base 60w max.

TRADITIONAL

Brushed Nickel Finish



MEDIUM FIVE LIGHT CHANDELIER

D: 20.25" H: 14.75"
12' of wire pre-laced through 3' of chain

3313-962
(5) Candelabra Base 60w max.



LARGE FIVE LIGHT CHANDELIER

D: 23.5" H: 18.25"
12' of wire pre-laced through 3' of chain

3410-962
(5) Candelabra Base 60w max.

INDOOR COLLECTIONS



SIX LIGHT CHANDELIER

D: 23.5" H: 18.25"
12' of wire pre-laced through 3' of chain

3411-962
(6) Candelabra Base 60w max.



TEN LIGHT CHANDELIER

D: 23.5" H: 21.75"
12' of wire pre-laced through 3' of chain

3413-962
(10) Candelabra Base 60w max.



**MEDIUM FIVE
LIGHT CHANDELIER**

D: 20.25" H: 14.75"
12' of wire pre-laced through 3' of chain

3313-02
(5) Candelabra Base 60w max.



**LARGE FIVE
LIGHT CHANDELIER**

D: 23.5" H: 18.25"
12' of wire pre-laced through 3' of chain

3410-02
(5) Candelabra Base 60w max.



SIX LIGHT CHANDELIER

D: 23.5" H: 18.25"
12' of wire pre-laced through 3' of chain

3411-02
(6) Candelabra Base 60w max.



TEN LIGHT CHANDELIER

D: 23.5" H: 21.75"
12' of wire pre-laced through 3' of chain

3413-02
(10) Candelabra Base 60w max.

Product Shown: Lazlo Medium Four Light Pendant
in Heirloom Bronze with Mercury Glass, p.231

PENDANT COLLECTIONS





PENDANT COLLECTIONS

PENDANT COLLECTIONS

Pendants are an incredibly versatile light source that can provide both task and general lighting in many different rooms. Frequently suspended over dining tables, kitchen counters, or other work areas, they are an important feature in any room's design. Sea Gull Lighting pendants are available in many styles and lamping options to help you achieve just the right look for your space.



Unique cross-hatched chains

Twenty-four panes
of Mercury Glass

Open top
and bottom

PENDANT COLLECTIONS

Product Shown: (2) Lazlo Medium Four Light Pendants in Heirloom Bronze with Mercury Glass



**LARGE FOUR
LIGHT PENDANT**

*with heirloom bronze finish
and clear beveled glass*

L: 18.25" W: 18.25" H: 31.75"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

6534404-782

(4) Candelabra Base 60w max.



**LARGE FOUR
LIGHT PENDANT**

*with heirloom bronze finish
and mercury glass*

L: 18.25" W: 18.25" H: 31.75"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain


6535404-782

(4) Candelabra Base 60w max.



**SMALL ONE
LIGHT PENDANT**


L: 8" W: 8" H: 15.75"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

 **6534401-782**
(1) Medium Base 100w max.



**MEDIUM ONE
LIGHT PENDANT**

L: 12.25" W: 12.25" H: 22.25"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

 **6634401-782**
(1) Medium Base 100w max.



**MEDIUM FOUR
LIGHT PENDANT**

L: 12.25" W: 12.25" H: 22.25"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

6634404-782
(4) Candelabra Base 60w max.



**SMALL ONE
LIGHT PENDANT**

L: 8" W: 8" H: 15.75"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

6535401-782
(1) Medium Base 100w max.



**MEDIUM ONE
LIGHT PENDANT**

L: 12.25" W: 12.25" H: 22.25"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

6635401-782
(1) Medium Base 100w max.



**MEDIUM FOUR
LIGHT PENDANT**

L: 12.25" W: 12.25" H: 22.25"
12' of wire, (3) 12" stems,
(1) 6" stem, (4) 10' pieces of chain

6635404-782
(4) Candelabra Base 60w max.

WESTMINSTER

Autumn Bronze Finish

PENDANT COLLECTIONS

Popular design
for all rooms

Classic inverted
dome silhouette

Product Shown: (2) Westminster Large Three Light Pendants in Autumn Bronze



SEMI-FLUSH
H: 15.5"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 8.5" H: 15.75"
12' of wire pre-laced through 10' of chain

77046-715
(2) Candelabra Base 60w max.



**SMALL THREE
LIGHT PENDANT**

D: 11.75" H: 24"
12' of wire pre-laced through 10' of chain

65046-715
(3) Candelabra Base 60w max.



**LARGE THREE
LIGHT PENDANT**

D: 14" H: 28.75"
12' of wire pre-laced through 10' of chain

65047-715
(3) Candelabra Base 60w max.

TURBINIO

Blacksmith Finish

Mediterranean influence with
rustic cage-within-a-cage design

PENDANT COLLECTIONS

Product Shown: Turbinio Six Light Hall/Foyer in Blacksmith



FOUR LIGHT HALL / FOYER

D: 15" H: 21.5"
12' of wire pre-laced through 10' of chain

5116404-839
(4) Candelabra Base 60w max.



SIX LIGHT HALL / FOYER

D: 22.25" H: 31.25"
12' of wire pre-laced through 10' of chain

5116406-839
(6) Candelabra Base 60w max.



EIGHT LIGHT HALL / FOYER

D: 29.5" H: 37.75"
12' of wire pre-laced through 10' of chain

5116408-839
(8) Candelabra Base 60w max.



Carriage light inspired

Updated trapezoid glass frame

Product Shown: (2) Lockheart Four Light Hall/Foyer in Blacksmith



FOUR LIGHT HALL / FOYER
with heirloom bronze finish

L: 13.75" W: 13.75" H: 23.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

5119404-782
(4) Candelabra Base 60w max.



FOUR LIGHT HALL / FOYER
with blacksmith finish

L: 13.75" W: 13.75" H: 23.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

5119404-839
(4) Candelabra Base 60w max.



EIGHT LIGHT HALL / FOYER
with heirloom bronze finish

L: 18" W: 18" H: 32.75"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

5119408-782
(8) Candelabra Base 60w max.



EIGHT LIGHT HALL / FOYER
with blacksmith finish

L: 18" W: 18" H: 32.75"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

5119408-839
(8) Candelabra Base 60w max.

PENDANT COLLECTIONS

GILLMORE

Brushed Nickel & Heirloom Bronze Finishes

Classic lantern updated
with cylindrical silhouette

PENDANT COLLECTIONS

Product Shown: Gillmore Six Light Hall/Foyer in Brushed Nickel



FOUR LIGHT HALL / FOYER

with brushed nickel finish

D: 11" H: 22.25"
12' of wire pre-laced through 10' of chain

5118404-962

(4) Candelabra Base 60w max.



FOUR LIGHT HALL / FOYER

with heirloom bronze finish

D: 11" H: 22.25"
12' of wire pre-laced through 10' of chain

5118404-782

(4) Candelabra Base 60w max.



SIX LIGHT HALL / FOYER

with brushed nickel finish

D: 17" H: 32"
12' of wire pre-laced through 10' of chain

5118406-962

(6) Candelabra Base 60w max.



SIX LIGHT HALL / FOYER

with heirloom bronze finish

D: 17" H: 32"
12' of wire pre-laced through 10' of chain

5118406-782

(6) Candelabra Base 60w max.



Traditional
hexagon lantern

PENDANT COLLECTIONS

Product Shown: Bretton Three Light Semi-Flush Convertible Pendant in Heirloom Bronze



SEMI-FLUSH
H: 11.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 7.25" H: 12"
12' of wire and 4' of chain

5232-962
(2) Candelabra Base 40w max.



SEMI-FLUSH
H: 15.25"

**THREE LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**


D: 9.5" H: 16"
12' of wire and 4' of chain

5231-962
(3) Candelabra Base 40w max.



RELATED PRODUCT

BRETTON CEILING, p.272
Brushed Nickel /
Heirloom Bronze / Polished Brass



SIX LIGHT HALL / FOYER

D: 16.75" H: 29.75"
12' of wire and 88" of chain

5233-962
(6) Candelabra Base 60w max.

BRETTON

Polished Brass Finish / Clear Glass



SEMI-FLUSH
H: 11.25"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 7.25" H: 12"
12' of wire and 4' of chain

5232-02
(2) Candelabra Base 40w max.



SEMI-FLUSH
H: 15.25"

THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 9.5" H: 16"
12' of wire and 4' of chain

5231-02
(3) Candelabra Base 40w max.



RELATED PRODUCT

BRETTON CEILING, p.272

Brushed Nickel /
Heirloom Bronze / Polished Brass



SIX LIGHT HALL / FOYER

D: 16.75" H: 29.75"
12' of wire and 88" of chain

5233-02
(6) Candelabra Base 60w max.



SEMI-FLUSH
H: 11.25"

**TWO LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 7.25" H: 12"
12' of wire and 4' of chain

5232-782
(2) Candelabra Base 40w max.




SEMI-FLUSH
H: 15.25"

**THREE LIGHT SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 9.5" H: 16"
12' of wire and 4' of chain


5231-782
(3) Candelabra Base 40w max.



 RELATED PRODUCT

BRETTON CEILING, p.272

Brushed Nickel /
Heirloom Bronze / Polished Brass



SIX LIGHT HALL / FOYER

D: 16.75" H: 29.75"
12' of wire and 88" of chain

5233-782
(6) Candelabra Base 60w max.

Large trapezoidal shade gives fresh look; also available with classic drum shades

Smooth acrylic diffuser

PENDANT COLLECTIONS


Product Shown: Dayna Four Light Pendant in Brushed Nickel with Cream Faux Silk Shade




**LARGE FOUR
LIGHT PENDANT**

*with brushed nickel finish,
cream faux silk shade and
white acrylic diffuser*

L: 36" W: 16.5" H: 14"
10' of wire, (6) 12" stems, (2) 6" stems
and sloped ceiling mounting hardware

 **65266-962**
(4) Medium Base 100w max.


 **65266BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included




**LARGE FOUR
LIGHT PENDANT**

*with burnt sienna finish,
beige faux linen shade
and white acrylic diffuser*

L: 36" W: 16.5" H: 14"
10' of wire, (6) 12" stems, (2) 6" stems
and sloped ceiling mounting hardware


 **65266-710**
(4) Medium Base 100w max.


 **65266BLE-710**
(4) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT PENDANT

D: 14" H: 9"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **65264-962**
(2) Medium Base 100w max.


 **65264BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 19" H: 10.5"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65263-962**
(3) Medium Base 100w max.


 **65263BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included


PENDANT COLLECTIONS



FOUR LIGHT PENDANT

D: 24" H: 13"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **65262-962**
(4) Medium Base 100w max.


 **65262BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included



**TWO LIGHT FLUSH /
SEMI-FLUSH CONVERTIBLE**

D: 14" H: 8.5"

 **77262-962**
(2) Medium Base 100w max.

 **77262BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included





SEMI-FLUSH
H: 12.75"



TWO LIGHT PENDANT

D: 14" H: 9"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **65264-710**
(2) Medium Base 100w max.

 **65264BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT

D: 19" H: 10.5"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **65263-710**
(3) Medium Base 100w max.


 **65263BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT PENDANT

D: 24" H: 13"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware


 **65262-710**
(4) Medium Base 100w max.


 **65262BLE-710**
(4) GU24 Base Self Ballasted CFL
13w lamps included



**TWO LIGHT FLUSH /
SEMI-FLUSH CONVERTIBLE**

D: 14" H: 8.5"

 **77262-710**
(2) Medium Base 100w max.

 **77262BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included



SEMI-FLUSH
H: 12.75"



Translucent outer shade anchored by faux silk inner shade

Smooth acrylic diffuser

PENDANT COLLECTIONS

Product Shown: Jordyn Three Light Pendant in Brushed Nickel with Translucent Mesh Outer Shade and Cream Faux Silk Inner Shade



TWO LIGHT PENDANT *(shown off)*

D: 15" H: 8"
 10' of wire, (3) 12" stems, (1) 6" stem
 and sloped ceiling mounting hardware

- 65291-962**
 (2) Medium Base 100w max.
- 65291BLE-962**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



THREE LIGHT PENDANT *(shown on)*

D: 20" H: 11"
 10' of wire, (3) 12" stems, (1) 6" stem
 and sloped ceiling mounting hardware

- 65292-962**
 (3) Medium Base 100w max.
- 65292BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



FOUR LIGHT PENDANT *(shown off)*

D: 24" H: 12"
 10' of wire, (3) 12" stems, (1) 6" stem
 and sloped ceiling mounting hardware

- 65293-962**
 (4) Medium Base 100w max.
- 65293BLE-962**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Industrial flair with metal arms hooked to the center

Smooth acrylic diffuser

PENDANT COLLECTIONS


Product Shown: Brayden Three Light Pendant in Burnt Sienna with Beige Faux Linen Shade




PENDANT COLLECTIONS

THREE LIGHT PENDANT

D: 19" H: 20"
 10' of wire, (3) 12" stems, (1) 6" stem
 and sloped ceiling mounting hardware

 **65271-710**
 (3) Medium Base 100w max.

 **65271BLE-710**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included

Beautiful fabric
elevates design

PENDANT COLLECTIONS


Product Shown: (2) Jaymes One Light Mini-Pendants with Tan Faux Linen Shade



ONE LIGHT MINI-PENDANT

with burlap shade

D: 6" H: 10"
10' of clear field adjustable cord


 **94626-994**
(1) Medium Base 60w max.



ONE LIGHT MINI-PENDANT

with tan faux linen shade

D: 6" H: 10"
10' of clear field adjustable cord


 **94626-988**
(1) Medium Base 60w max.



ONE LIGHT MINI-PENDANT

with dark gray faux linen shade

D: 6" H: 10"
10' of clear field adjustable cord


 **94626-987**
(1) Medium Base 60w max.



ONE LIGHT MINI-PENDANT

with oyster faux silk dupioni shade

D: 6" H: 10"
10' of clear field adjustable cord


 **94626-989**
(1) Medium Base 60w max.



ONE LIGHT MINI-PENDANT

with cream faux silk dupioni shade

D: 6" H: 10"
10' of clear field adjustable cord

 **94626-992**
(1) Medium Base 60w max.

PRATT STREET metal



Brushed Nickel & Autumn Bronze Finishes



Inspired by industrial lighting

PENDANT COLLECTIONS

Product Shown: (2) Pratt Street Metal Three Light Pendants in Autumn Bronze



ONE LIGHT PENDANT
with brushed nickel finish



D: 9.5" H: 8.5"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65085-962
(1) Medium Base 75w max.

65085BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT PENDANT
with brushed nickel finish



D: 13" H: 9.75"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65086-962
(2) Medium Base 75w max.

65086BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT
with brushed nickel finish



D: 16" H: 13.25"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65087-962
(3) Medium Base 75w max.

65087BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT PENDANT
with autumn bronze finish



D: 9.5" H: 8.5"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65085-715
(1) Medium Base 75w max.

65085BLE-715
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT PENDANT
with autumn bronze finish



D: 13" H: 9.75"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65086-715
(2) Medium Base 75w max.

65086BLE-715
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT PENDANT
with autumn bronze finish



D: 16" H: 13.25"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

65087-715
(3) Medium Base 75w max.

65087BLE-715
(3) GU24 Base Self Ballasted CFL
13w lamps included



Prismatic glass adds unique detail

PENDANT COLLECTIONS

Product Shown: Pratt Street Prismatic Three Light Pendant in Autumn Bronze





ONE LIGHT PENDANT

with brushed nickel finish



D: 11" H: 7.25"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65060-962**
(1) Medium Base 75w max.

 **65060BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included





TWO LIGHT PENDANT

with brushed nickel finish



D: 12.75" H: 8.5"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65061-962**
(2) Medium Base 75w max.

 **65061BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included





THREE LIGHT PENDANT

with brushed nickel finish



D: 16.25" H: 10"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65062-962**
(3) Medium Base 75w max.

 **65062BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included





ONE LIGHT PENDANT

with autumn bronze finish



D: 11" H: 7.25"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65060-715**
(1) Medium Base 75w max.

 **65060BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included





TWO LIGHT PENDANT

with autumn bronze finish



D: 12.75" H: 8.5"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65061-715**
(2) Medium Base 75w max.

 **65061BLE-715**
(2) GU24 Base Self Ballasted CFL
13w lamps included





THREE LIGHT PENDANT

with autumn bronze finish



D: 16.25" H: 10"
6' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **65062-715**
(3) Medium Base 75w max.

 **65062BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included

Detailed chimney has
French country inspiration

PENDANT COLLECTIONS


Product Shown: Beacon Street One Light Pendant in Burnt Sienna




ONE LIGHT PENDANT

*with brushed nickel finish
and painted white inside*

D: 15.75" H: 14.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **6515401-962**
(1) Medium Base 100w max.


 **6515401BLE-962**
(1) GU24 Base Self Ballasted CFL
18w lamp included




ONE LIGHT PENDANT

*with burnt sienna finish
and painted white inside*

D: 15.75" H: 14.25"
10' of wire, (3) 12" stems, (1) 6" stem
and sloped ceiling mounting hardware

 **6515401-710**
(1) Medium Base 100w max.

 **6515401BLE-710**
(1) GU24 Base Self Ballasted CFL
18w lamp included



Both industrial and nautical design cues

Clear Seeded Glass sparkles

PENDANT COLLECTIONS

Product Shown: (2) Sebring One Light Mini-Pendants in Weathered Copper



ONE LIGHT MINI-PENDANT
with brushed stainless finish



D: 8" H: 8"
10' of wire, (3) 12" stems, 12" chain

6150-98
(1) Medium Base 100w max.



ONE LIGHT MINI-PENDANT
with weathered copper finish



D: 8" H: 9"
10' of wire, (3) 12" stems, 12" chain

6150-44
(1) Medium Base 100w max.



ONE LIGHT PENDANT
with brushed stainless finish



D: 16.75" H: 14"
10' of wire, (3) 12" stems, 12" chain

6658-98
(1) Medium Base 100w max.



ONE LIGHT PENDANT
with weathered copper finish




D: 16.75" H: 15"
10' of wire, (3) 12" stems, 12" chain

6658-44
(1) Medium Base 100w max.

RELATED PRODUCT

SEBRING
OUTDOOR, p.471
Brushed Stainless / Weathered Copper / Black



PENDANT COLLECTIONS

PENDANTS


Various Finishes



ONE LIGHT PENDANT

with white finish and white inside

D: 15.75" H: 8.25"
4.5' of white field adjustable cord


 **6519-15**
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with red finish and white inside

D: 15.75" H: 8.25"
4.5' of white field adjustable cord


 **6519-21**
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with painted brushed stainless finish and white inside

D: 15.75" H: 8.25"
4.5' of black field adjustable cord


 **6519-98**
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with emerald green finish and white inside

D: 15.75" H: 8.25"
4.5' of white field adjustable cord

 **6519-95**
(1) Medium Base 150w max.


PENDANT COLLECTIONS



SMALL ONE LIGHT PENDANT

with white finish and opal glass

D: 8" H: 8.5"
4.5' of field adjustable cord


 **6018-15**
(1) Medium Base 100w max.



MEDIUM ONE LIGHT PENDANT

with white finish and opal glass

D: 10" H: 10.75"
4.5' of field adjustable cord


 **6020-15**
(1) Medium Base 150w max.



LARGE ONE LIGHT PENDANT

with white finish and opal glass

D: 12" H: 12.5"
4.5' of field adjustable cord


 **6022-15**
(1) Medium Base 150w max.



EXTRA LARGE ONE LIGHT PENDANT

with white finish and opal glass

D: 14" H: 14.75"
4.5' of field adjustable cord

 **6024-15**
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with painted antique brushed copper finish and white inside

D: 15.75" H: 8.25"
4.5' of black field adjustable cord

6519-63
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with orange finish and white inside

D: 15.75" H: 8.25"
4.5' of white field adjustable cord

6519-66
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with blue finish and white inside

D: 15.75" H: 8.25"
4.5' of white field adjustable cord

6519-65
(1) Medium Base 150w max.



ONE LIGHT PENDANT

with brushed nickel finish and clear acrylic diffuser

D: 16.25" H: 11.25"
12' of wire and 4' of chain

6641-962
(1) Medium Base 100w max.



ONE LIGHT PENDANT

with polished brass finish and clear acrylic diffuser

D: 16.25" H: 11.25"
12' of wire and 4' of chain

6641-02
(1) Medium Base 100w max.



ONE LIGHT MINI-PENDANT

with antique brushed nickel finish and clear highlighted satin etched glass

D: 7.25" H: 10.5"
10' of wire, (3) 12" stems, 12" of chain

61283-965
(1) Medium Base 100w max.

E 61283BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included

Looking for additional pendants?

This section is only a sampling of the pendants and mini-pendants we offer. You will find the balance listed in the Indoor Collections section of this catalog.

Below is a listing of collections which contain pendants or mini-pendants. If you are not sure which collection will match your desired style, you can also refer to the Visual Index starting on p.8 for a quick look at the styles and types of fixtures offered in each collection.



Roslyn
One Light Pendant

Winnetka
Three Light Pendant

Montreal
One Light Mini-Pendant

Academy
Large One Light Pendant

Collection based pendants

Academy	p.126	Montreal	p.152
Acadia	p.200	Northbrook	p.158
Albany	p.140	Oslo	p.44
Blayne	p.164	Park West	p.136
Brockton	p.120	Parkview	p.218
Centra	p.68	Rialto	p.168
Corbeille	p.108	Roslyn	p.94
Del Prato	p.186	Sfera	p.74
Denhelm	p.82	Solana	p.66
Driscoll	p.28	Somerton	p.88
Englehorn	p.34	Stirling	p.38
Gladstone	p.130	Sussex	p.98
Highlands	p.210	Uptown	p.70
Holman	p.112	Vitelli	p.50
Laurel Leaf	p.180	Warwick	p.104
Lemont	p.146	Wheaton	p.190
Manor House	p.196	Windgate	p.174
Metropolis	p.56	Winnetka	p.60



Product Shown: Del Prato Four Light Pendant in Chestnut Bronze, p.188

Product Shown: Drop Lens Fluorescent Four Light
Ceiling Flush Mount in Burnt Oak, p.288



CEILING COLLECTIONS

Product Shown: Grandover Four Light Ceiling
Flush Mount in Brushed Nickel, p.271



CEILING COLLECTIONS

CEILING COLLECTIONS

Ceiling fixtures are the perfect finishing touch to a well-decorated room. They provide decorative, functional illumination that is ideal for use in foyers, hallways, bedrooms, utility work areas, stairways and many other locations.



Classic octagon
profile

CEILING COLLECTIONS

Product Shown: Grandover Four Light Ceiling Flush Mount in Brushed Nickel



THREE LIGHT
CEILING FLUSH MOUNT
*with polished brass finish
and clear beveled glass*



D: 9" H: 6"

7661-02

(3) Candelabra Base G16½ 25w max.



THREE LIGHT
CEILING FLUSH MOUNT
*with brushed nickel finish
and clear beveled glass*



D: 9" H: 6"

7661-962

(3) Candelabra Base G16½ 25w max.



FOUR LIGHT
CEILING FLUSH MOUNT
*with polished brass finish
and clear beveled glass*



D: 11" H: 6.5"

7662-02

(4) Candelabra Base G16½ 25w max.



FOUR LIGHT
CEILING FLUSH MOUNT
*with brushed nickel finish
and clear beveled glass*



D: 11" H: 6.5"

7662-962

(4) Candelabra Base G16½ 25w max.



**TWO LIGHT
CEILING FLUSH MOUNT**

*with polished brass finish
and clear beveled glass*

L: 7" W: 8" H: 6"

7647-02

(2) Candelabra Base 40w max.



**TWO LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish
and clear beveled glass*

L: 7" W: 8" H: 6"

7647-962

(2) Candelabra Base 40w max.



**TWO LIGHT
CEILING FLUSH MOUNT**

*with heirloom bronze finish
and clear beveled glass*

L: 7" W: 8" H: 6"

7647-782


(2) Candelabra Base 40w max.



 RELATED PRODUCT

BRETTON PENDANTS, p.242

Brushed Nickel /
Heirloom Bronze / Polished Brass



**THREE LIGHT
CEILING FLUSH MOUNT**

*with polished brass finish
and clear beveled glass*

L: 8.75" W: 10" H: 6"

7648-02

(3) Candelabra Base 40w max.



**THREE LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish
and clear beveled glass*

L: 8.75" W: 10" H: 6"

7648-962

(3) Candelabra Base 40w max.



**THREE LIGHT
CEILING FLUSH MOUNT**

*with heirloom bronze finish
and clear beveled glass*


L: 8.75" W: 10" H: 6"


7648-782

(3) Candelabra Base 40w max.



NEXUS

 RELATED PRODUCT
WALL SCONCE, p.426
49151BLE-962
49150BLE-962




TWO LIGHT
CEILING FLUSH MOUNT

*with brushed nickel finish
and white acrylic diffuser*

D: 14.75" H: 3.75"

E 59250BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT
CEILING FLUSH MOUNT

*with brushed nickel finish
and white acrylic diffuser*

D: 20" H: 4.25"

E 59251BLE-962
(4) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT
CEILING FLUSH MOUNT


*with brushed nickel finish
and white acrylic diffuser*


D: 25.75" H: 5"


G 59152BLE-962
(1) G10Q Base Circline 40w &
(1) G10Q Base Circline 32w lamp included




ETERNITY

 RELATED PRODUCT
ETERNITY
OUTDOOR, p.474
Brushed Nickel



 RELATED PRODUCT
WALL SCONCE, p.425
41115-962




TWO LIGHT
CEILING FLUSH MOUNT

*with brushed nickel finish and
clear highlighted satin etched glass*

D: 14" H: 5"

Q 75114-962
(2) Medium Base 60w max.



THREE LIGHT
CEILING FLUSH MOUNT

*with brushed nickel finish and
clear highlighted satin etched glass*

D: 18" H: 5.75"

Q 75115-962
(3) Medium Base 60w max.





ONE LIGHT WALL /
CEILING FLUSH MOUNT

*with polished brass finish
and smooth white glass*

D: 7.5" H: 4.75" E: 4.75"

5326-02

(1) Medium Base 60w max.



ONE LIGHT WALL /
CEILING FLUSH MOUNT

*with white finish and
smooth white glass*

D: 7.5" H: 4.75" E: 4.75"

5326-15

(1) Medium Base 60w max.



ONE LIGHT WALL /
CEILING FLUSH MOUNT

*with heirloom bronze and
smooth white glass*

D: 7.5" H: 4.75" E: 4.75"

5326-782

(1) Medium Base 60w max.



ONE LIGHT WALL /
CEILING FLUSH MOUNT

*with brushed nickel finish and
smooth white glass*

D: 7.5" H: 4.75" E: 4.75"

5326-962

(1) Medium Base 60w max.






**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with polished brass finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"


 **5328-02**
(2) Medium Base 60w max.



**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with white finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"


 **5328-15**
(2) Medium Base 60w max.



**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with heirloom bronze finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"


 **5328-782**
(2) Medium Base 60w max.



**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with misted bronze finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"


 **5328-814**
(2) Medium Base 60w max.



**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with russet bronze finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"

 **5328-829**
(2) Medium Base 60w max.



**TWO LIGHT WALL /
CEILING FLUSH MOUNT**

*with brushed nickel finish
and smooth white glass*

D: 9.5" H: 5.25" E: 5.25"

 **5328-962**
(2) Medium Base 60w max.





**ONE LIGHT
CEILING FLUSH MOUNT**

*with chrome finish and
twist-lock satin etched glass*

D: 11.5" H: 4"

75434-05

(1) Medium Base 60w max.

E 79434BLE-05

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with chrome finish and
twist-lock satin etched glass*

D: 14" H: 4.5"

75435-05

(2) Medium Base 60w max.

E 79435BLE-05

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
CEILING FLUSH MOUNT**

*with chrome finish and
twist-lock satin etched glass*

D: 16.75" H: 5.5"

75436-05

(3) Medium Base 60w max.

E 79436BLE-05

(3) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish and
twist-lock satin etched glass*

D: 11.5" H: 4"

75434-962

(1) Medium Base 60w max.

E 79434BLE-962

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish and
twist-lock satin etched glass*

D: 14" H: 4.5"

75435-962

(2) Medium Base 60w max.

E 79435BLE-962

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish and
twist-lock satin etched glass*

D: 16.75" H: 5.5"

75436-962

(3) Medium Base 60w max.

E 79436BLE-962

(3) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
CEILING FLUSH MOUNT**

*with satin bronze finish and
twist-lock satin etched glass*

D: 11.5" H: 4"

75434-848

(1) Medium Base 60w max.

E 79434BLE-848

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with satin bronze finish and
twist-lock satin etched glass*

D: 14" H: 4.5"

75435-848

(2) Medium Base 60w max.

E 79435BLE-848

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
CEILING FLUSH MOUNT**

*with satin bronze finish and
twist-lock satin etched glass*

D: 16.75" H: 5.5"

75436-848

(3) Medium Base 60w max.

E 79436BLE-848

(3) GU24 Base Self Ballasted CFL
13w lamps included





**ONE LIGHT
CEILING FLUSH MOUNT**

*with white finish and
twist-lock satin etched glass*

D: 11.5" H: 4"

75434-15

(1) Medium Base 60w max.

E 79434BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with white finish and
twist-lock satin etched glass*

D: 14" H: 4.5"

75435-15

(2) Medium Base 60w max.

E 79435BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
CEILING FLUSH MOUNT**

*with white finish and
twist-lock satin etched glass*

D: 16.75" H: 5.5"

75436-15

(3) Medium Base 60w max.

E 79436BLE-15

(3) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
CEILING FLUSH MOUNT**

*with heirloom bronze finish and
twist-lock satin etched glass*

D: 11.5" H: 4"

75434-782

(1) Medium Base 60w max.

E 79434BLE-782

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with heirloom bronze finish and
twist-lock satin etched glass*

D: 14" H: 4.5"

75435-782

(2) Medium Base 60w max.

E 79435BLE-782

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT
CEILING FLUSH MOUNT**

*with heirloom bronze finish and
twist-lock satin etched glass*

D: 16.75" H: 5.5"

75436-782

(3) Medium Base 60w max.

E 79436BLE-782

(3) GU24 Base Self Ballasted CFL
13w lamps included



CEILING

Various Finishes



ONE LIGHT CEILING FLUSH MOUNT

with chrome finish and satin etched glass

D: 10.5" H: 5.5"

77063-05

(1) Medium Base 100w max.

E 79163BLE-05

(1) GU24 Base Self Ballasted CFL 13w lamp included

E 77063S-05

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with chrome finish and satin etched glass

D: 12.5" H: 5.5"

77064-05

(2) Medium Base 60w max.

E 79364BLE-05

(2) GU24 Base Self Ballasted CFL 13w lamps included

E 77064S-05

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with chrome finish and satin etched glass

D: 14.5" H: 6.5"

77065-05

(3) Medium Base 60w max.

E 79565BLE-05

(3) GU24 Base Self Ballasted CFL 13w lamps included

E 77065S-05



ONE LIGHT CEILING FLUSH MOUNT

with polished brass finish and satin etched glass

D: 10.5" H: 5.5"

77063-02

(1) Medium Base 100w max.

E 79163BLE-02

(1) GU24 Base Self Ballasted CFL 13w lamp included



TWO LIGHT CEILING FLUSH MOUNT

with polished brass finish and satin etched glass

D: 12.5" H: 5.5"

77064-02

(2) Medium Base 60w max.

E 79364BLE-02

(2) GU24 Base Self Ballasted CFL 13w lamps included



THREE LIGHT CEILING FLUSH MOUNT

with polished brass finish and satin etched glass

D: 14.5" H: 6.5"

77065-02

(3) Medium Base 60w max.

E 79565BLE-02

(3) GU24 Base Self Ballasted CFL 13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with brushed nickel finish and satin etched glass

D: 10.5" H: 5.5"

77063-962

(1) Medium Base 100w max.

E 79163BLE-962

(1) GU24 Base Self Ballasted CFL 13w lamp included



TWO LIGHT CEILING FLUSH MOUNT

with brushed nickel finish and satin etched glass

D: 12.5" H: 5.5"

77064-962

(2) Medium Base 60w max.

E 79364BLE-962

(2) GU24 Base Self Ballasted CFL 13w lamps included



THREE LIGHT CEILING FLUSH MOUNT

with brushed nickel finish and satin etched glass

D: 14.5" H: 6.5"

77065-962

(3) Medium Base 60w max.

E 79565BLE-962

(3) GU24 Base Self Ballasted CFL 13w lamps included





ONE LIGHT CEILING FLUSH MOUNT

with antique brushed nickel finish and satin etched glass

D: 10.5" H: 5.5"

77063-965

(1) Medium Base 100w max.

E 79163BLE-965

(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-965

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with antique brushed nickel finish and satin etched glass

D: 12.5" H: 5.5"

77064-965

(2) Medium Base 60w max.

E 79364BLE-965

(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-965

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with antique brushed nickel finish and satin etched glass

D: 14.5" H: 6.5"

77065-965

(3) Medium Base 60w max.

E 79565BLE-965

(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with white finish and satin etched glass

D: 10.5" H: 5.5"

77063-15

(1) Medium Base 100w max.

E 79163BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-15

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with white finish and satin etched glass

D: 12.5" H: 5.5"

77064-15

(2) Medium Base 60w max.

E 79364BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-15

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with white finish and satin etched glass

D: 14.5" H: 6.5"

77065-15

(3) Medium Base 60w max.

E 79565BLE-15

(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with russet bronze finish and satin etched glass

D: 10.5" H: 5.5"

77063-829

(1) Medium Base 100w max.

E 79163BLE-829

(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-829

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with russet bronze finish and satin etched glass

D: 12.5" H: 5.5"

77064-829

(2) Medium Base 60w max.

E 79364BLE-829

(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-829

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with russet bronze finish and satin etched glass

D: 14.5" H: 6.5"

77065-829

(3) Medium Base 60w max.

E 79565BLE-829

(3) GU24 Base Self Ballasted CFL
13w lamps included



CEILING

Various Finishes



ONE LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish and satin etched glass

D: 10.5" H: 5.5"

77063-782

(1) Medium Base 100w max.

E 79163BLE-782
(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-782
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish and satin etched glass

D: 12.5" H: 5.5"

77064-782

(2) Medium Base 60w max.

E 79364BLE-782
(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-782
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with heirloom bronze finish and satin etched glass

D: 14.5" H: 6.5"

77065-782

(3) Medium Base 60w max.

E 79565BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with misted bronze finish and satin etched glass

D: 10.5" H: 5.5"

77063-814

(1) Medium Base 100w max.

E 79163BLE-814
(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-814
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with misted bronze finish and satin etched glass

D: 12.5" H: 5.5"

77064-814

(2) Medium Base 60w max.

E 79364BLE-814
(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-814
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with misted bronze finish and satin etched glass

D: 14.5" H: 6.5"

77065-814

(3) Medium Base 60w max.

E 79565BLE-814
(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with bell metal bronze finish and satin etched glass

D: 10.5" H: 5.5"

77063-827

(1) Medium Base 100w max.

E 79163BLE-827
(1) GU24 Base Self Ballasted CFL
13w lamp included

E 77063S-827
LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with bell metal bronze finish and satin etched glass

D: 12.5" H: 5.5"

77064-827

(2) Medium Base 60w max.

E 79364BLE-827
(2) GU24 Base Self Ballasted CFL
13w lamps included

E 77064S-827
LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with bell metal bronze finish and satin etched glass

D: 14.5" H: 6.5"

77065-827

(3) Medium Base 60w max.

E 79565BLE-827
(3) GU24 Base Self Ballasted CFL
13w lamps included





ONE LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and amber scavo glass

D: 10.5" H: 5.5"

77063-710

(1) Medium Base 100w max.

E 79163BLE-710

(1) GU24 Base Self Ballasted CFL 13w lamp included

E 77063S-710

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and amber scavo glass

D: 12.5" H: 5.5"

77064-710

(2) Medium Base 60w max.

E 79364BLE-710

(2) GU24 Base Self Ballasted CFL 13w lamps included

E 77064S-710

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and amber scavo glass

D: 14.5" H: 6.5"

77065-710

(3) Medium Base 60w max.

E 79565BLE-710

(3) GU24 Base Self Ballasted CFL 13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with blacksmith finish and satin etched glass

D: 10.5" H: 5.5"

77063-839

(1) Medium Base 100w max.

E 79163BLE-839

(1) GU24 Base Self Ballasted CFL 13w lamp included

E 77063S-839

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with blacksmith finish and satin etched glass

D: 12.5" H: 5.5"

77064-839

(2) Medium Base 60w max.

E 79364BLE-839

(2) GU24 Base Self Ballasted CFL 13w lamps included

E 77064S-839

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with blacksmith finish and satin etched glass

D: 14.5" H: 6.5"

77065-839

(3) Medium Base 60w max.

E 79565BLE-839

(3) GU24 Base Self Ballasted CFL 13w lamps included



ONE LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and satin etched glass

D: 10.5" H: 5.5"

77263-710

(1) Medium Base 100w max.

E 79263BLE-710

(1) GU24 Base Self Ballasted CFL 13w lamp included

E 77263S-710

LED: 3000K, 10 watts, 800 lumens



TWO LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and satin etched glass

D: 12.5" H: 5.5"

77264-710

(2) Medium Base 60w max.

E 79464BLE-710

(2) GU24 Base Self Ballasted CFL 13w lamps included

E 77264S-710

LED: 3000K, 10 watts, 800 lumens



THREE LIGHT CEILING FLUSH MOUNT

with burnt sienna finish and satin etched glass

D: 14.5" H: 6.5"

77265-710

(3) Medium Base 60w max.

E 79665BLE-710

(3) GU24 Base Self Ballasted CFL 13w lamps included



CEILING

Various Finishes



ONE LIGHT CEILING FLUSH MOUNT

*with white finish and
twist-lock satin white glass*

D: 7.75" H: 4"

53056-15

(1) Medium Base 60w max.



TWO LIGHT CEILING FLUSH MOUNT

*with white finish and
twist-lock satin white glass*

D: 9.5" H: 4.75"

53059-15

(2) Medium Base 60w max.



THREE LIGHT CEILING FLUSH MOUNT

*with white finish and
twist-lock satin white glass*

D: 12" H: 5.5"

53160-15

(3) Medium Base 60w max.



ONE LIGHT WALL / CEILING FLUSH MOUNT

*with white finish and
white acrylic diffuser*

D: 12" H: 3.5"

E 5901BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / CEILING FLUSH MOUNT

*with white finish and
white acrylic diffuser*

D: 12" H: 3.5"

E 5902BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT WALL / CEILING FLUSH MOUNT

*with white finish and
satin white acrylic diffuser*

D: 13.75" H: 3.5"

E 59055BLE-15

(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

D: 11" H: 3.25"

E 7925BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

D: 11" H: 3.25"

E 7926BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT WALL / CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

D: 14" H: 3.25"

E 59232BLE-15

(3) GU24 Base Self Ballasted CFL
13w lamps included





ONE LIGHT
CEILING FLUSH MOUNT

*with white finish
and alabaster glass*

D: 11" H: 5.25"

75940-15

(1) Medium Base 100w max.

E 75940BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT
CEILING FLUSH MOUNT

*with white finish
and alabaster glass*

D: 13" H: 7.75"

75942-15

(2) Medium Base 60w max.

E 75942BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT
CEILING FLUSH MOUNT

*with white finish and
alabaster glass*

D: 15" H: 7"

75943-15

(3) Medium Base 60w max.

E 75943BLE-15

(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT
CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 7.5" H: 4.75"

7638-15

(1) Medium Base 60w max.



TWO LIGHT
CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 9.5" H: 5.25"

7639-15

(2) Medium Base 60w max.



THREE LIGHT
CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 11.75" H: 6.25"

7640-15

(3) Medium Base 60w max.



ONE LIGHT
CEILING FLUSH MOUNT

*with white finish and
frosted ribbed glass*

D: 7.75" H: 4.75"

E 5921BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT
CEILING FLUSH MOUNT

*with brushed nickel finish and
frosted ribbed glass*

D: 7.75" H: 4.75"

E 5921BLE-962

(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT
CEILING FLUSH MOUNT

*with white finish and
clear ribbed glass*

D: 7.75" H: 4.5"

E 5920BLE-15

(1) GU24 Base Self Ballasted CFL
13w lamp included



CEILING

Various Finishes



ONE LIGHT CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 6.75" H: 4.25"

5321-15

(1) Medium Base 60w max.



TWO LIGHT CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 8.5" H: 5.25"

5322-15

(2) Medium Base 60w max.



TWO LIGHT CEILING FLUSH MOUNT

*with white finish
and smooth white glass*

D: 10.5" H: 6.25"

5323-15

(2) Medium Base 75w max.



ONE LIGHT CEILING FLUSH MOUNT

*with white finish
and white glass*

D: 6" H: 7.5"

5366-15

(1) Medium Base 60w max.



ONE LIGHT CEILING FLUSH MOUNT

*with white finish, white glass
and pull chain switch*

D: 6" H: 7.25"

5367PC-15

(1) Medium Base 60w max.



ONE LIGHT CEILING FLUSH MOUNT

*with heirloom bronze finish
and white glass*

D: 6" H: 7.5"

5366-782

(1) Medium Base 60w max.



ONE LIGHT CEILING FLUSH MOUNT

*with brushed nickel finish
and white glass*

D: 6" H: 7.5"

5366-962

(1) Medium Base 60w max.





**TWO LIGHT
SEMI-FLUSH MOUNT**

*with white finish
and smooth white glass*

D: 12" H: 4.75"

7353-15

(2) Medium Base 60w max.



**THREE LIGHT
SEMI-FLUSH MOUNT**

*with white finish
and smooth white glass*

D: 14.75" H: 6"

7355-15

(3) Medium Base 60w max.



**THREE LIGHT
CEILING FLUSH MOUNT**

*with white finish
and white acrylic diffuser*

W: 17" H: 3.75"

5998BLE-15

(3) G24q-1 Base Quad 4-Pin
13w lamps included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with white finish
and white glass*

W: 14.5" H: 4.5"

E 5976BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish
and satin etched glass*

D: 12.25" H: 4"

7532401-962

(1) Medium Base 60w max.

E 7532401BLE-962

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT
CEILING FLUSH MOUNT**

*with brushed nickel finish and
satin etched glass*

D: 16.25" H: 5"

7532402-962

(2) Medium Base 60w max.

E 7532402BLE-962

(2) GU24 Base Self Ballasted CFL
13w lamps included



FIXED TRACK LIGHTING


Various Finishes



TWO LIGHT TRACK LIGHTING KIT

with brushed nickel finish and satin white glass

W: 24" L: 4.75" H: 12.25"

 **2530402-962**
(2) Medium Base 60w max.




Adjustable arms & heads



TWO LIGHT TRACK LIGHTING KIT

with burnt sienna finish and satin white glass

W: 24" L: 6" H: 14"

 **2520402-710**
(2) Medium Base 60w max.




Adjustable heads



120V TWO LIGHT TRACK LIGHTING KIT

with white finish

L: 24" W: 4.75" H: 9.5"

 **2670-15**
(2) Medium Base 75w max.




Adjustable heads



FOUR LIGHT TRACK LIGHTING KIT

with brushed nickel finish and satin white glass

W: 48" L: 4.75" H: 13.25"

 **2530404-962**
(4) Medium Base 60w max.




Adjustable arms & heads



FOUR LIGHT TRACK LIGHTING KIT

with burnt sienna finish and satin white glass

W: 48" L: 6" H: 14"

 **2520404-710**
(4) Medium Base 60w max.




Adjustable heads



120V THREE LIGHT TRACK LIGHTING KIT

with white finish

L: 48.5" W: 4.75" H: 10.5"

 **2674-15**
(3) Medium Base 75w max.



Adjustable heads

DROP LENS FLUORESCENT

Various Finishes



FOUR LIGHT CEILING FLUSH MOUNT

with white finish and white acrylic diffuser



L: 27.75" W: 27.75" H: 3.5"

E **59360LE-15**
(4) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

with burnt oak finish and white acrylic diffuser



L: 27.75" W: 27.75" H: 3.5"

E **59360LE-881**
(4) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

with espresso finish and white acrylic diffuser



L: 27.75" W: 27.75" H: 3.5"

E **59360LE-831**
(4) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

with white finish and white acrylic diffuser



L: 29.5" W: 29.5" H: 3.5"

E **59362LE-15**
(4) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

with oil rubbed bronze finish and white acrylic diffuser



L: 29.5" W: 29.5" H: 3.5"

E **59362LE-790**
(4) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast

FOUR LIGHT CEILING FLUSH MOUNT

with white finish and white acrylic diffuser



L: 51.75" W: 18.5" H: 3.5"

E **59361LE-15**
(4) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

*with burnt oak finish
and white acrylic diffuser*

L: 51.75" W: 18.5" H: 3.5"

E 59361LE-881
(4) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

*with espresso finish
and white acrylic diffuser*

L: 51.75" W: 18.5" H: 3.5"

E 59361LE-831
(4) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

L: 53.5" W: 21" H: 3.5"

E 59363LE-15
(4) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

*with oil rubbed bronze finish
and white acrylic diffuser*

L: 53.5" W: 21" H: 3.5"

E 59363LE-790
(4) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



LINEAR FLUORESCENT

Various Finishes



TWO LIGHT CEILING FLUSH MOUNT



*with brushed stainless finish end caps
and white acrylic diffuser*

L: 48" W: 10" H: 3"



5962LE-98

(2) Medium Bi-Pin T8 32w max.
120V HPF Electronic Ballast



TWO LIGHT CEILING FLUSH MOUNT



*with brushed nickel finish end caps
and white acrylic diffuser*

L: 48.5" W: 11.5" H: 4.75"



59216LE-962

(2) Medium Bi-Pin T8 32w max.
120V HPF Electronic Ballast



RELATED PRODUCT

MIDLAND
WALL / BATH
p.422





FOUR LIGHT CEILING FLUSH MOUNT



*with white finish and
clear textured acrylic diffuser*

L: 48" W: 14" H: 3.25"

5986LE-15
(4) Medium Bi-Pin T8 32w max.
120V HPF Electronic Ballast



TWO LIGHT CEILING FLUSH MOUNT



*with white finish, clear textured
acrylic diffuser & hinged end cap*

L: 24" W: 6.75" H: 2.5"

59136LE-15
(2) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



TWO LIGHT CEILING FLUSH MOUNT



*with white finish, clear textured
acrylic diffuser & hinged end cap*

L: 48" W: 6.75" H: 2.5"

59132LE-15
(2) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast

LINEAR FLUORESCENT

Various Finishes



TWO LIGHT CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

L: 51.5" W: 11.25" H: 5.75"



59270LE-15

(2) Medium Bi-Pin T8 32w max.
120V HPF Electronic Ballast



FOUR LIGHT CEILING FLUSH MOUNT

*with white finish
and white acrylic diffuser*

L: 51.5" W: 16.75" H: 5.75"



59271LE-15

(4) Medium Bi-Pin T8 32w max.
120/277V HPF Electronic Ballast





TWO LIGHT WALL / CEILING FLUSH MOUNT



*with white finish
and white acrylic diffuser*

L: 24.25" W: 4.25" E: 3"



59020LE-15

(2) Medium Bi-Pin T8 17w max.
120V NPF Electronic Ballast



59021L-15

(2) Medium Bi-Pin T8 17w max.
120/277V HPF Electronic Ballast



TWO LIGHT WALL / CEILING FLUSH MOUNT



*with white finish
and white acrylic diffuser*

L: 48.25" W: 4.75" E: 3"



59022LE-15

(2) Medium Bi-Pin T8 32w max.
120V NPF Electronic Ballast



59023L-15

(2) Medium Bi-Pin T8 32w max.
120/277V HPF Electronic Ballast

Looking for additional ceiling fixtures?

This section is only a sampling of the ceiling fixtures we offer. You will find additional options located in the Indoor Collections section of this catalog.

Below is a listing of our collections which contain ceiling fixtures. If you are not sure which collection best matches your tastes, you can refer to the Visual Index starting on p.8 for a quick look at the styles and types of fixtures offered in each collection.



Somerton
Two Light Semi-Flush
Convertible Pendant



Parkview
Two Light Ceiling
Flush Mount

Additional ceiling fixtures

Academy	p.126	Laurel Leaf	p.180	Somerton	p.88
Acadia	p.200	Lemont	p.146	Stirling	p.38
Albany	p.140	Manor House	p.196	Sussex	p.98
Blayne	p.164	Metropolis	p.56	Uptown	p.70
Brockton	p.120	Montreal	p.152	Vitelli	p.50
Centra	p.68	Northbrook	p.158	Warwick	p.104
Corbeille	p.108	Oslo	p.44	Wheaton	p.190
Del Prato	p.186	Park West	p.136	Windgate	p.174
Denhelm	p.82	Parkview	p.218	Winnetka	p.60
Englehorn	p.34	Rialto	p.168	Linear	
Gladstone	p.130	Roslyn	p.94	Fluorescents	p.428
Highlands	p.210	Sfera	p.74		
Holman	p.112	Solana	p.66		



Product Shown: Somerton Two Light Semi-Flush Convertible Pendant [p.92] & One Light Wall/Bath [p.93] in Blacksmith

Product Shown: Academy Three Light Wall/Bath [p.351]
& Semi-Flush Mount [p.127] in Chrome



WALL / BATH COLLECTIONS



Product Shown: Laurel Leaf Four Light Wall/Bath
in Antique Brushed Nickel, p.390



WALL / BATH COLLECTIONS


WALL/BATH COLLECTIONS


These collections offer designs that not only coordinate well with many different bathroom styles, but also provide beautiful illumination whether you are getting ready in the morning or taking a relaxing bath after a long day.



ONE LIGHT WALL / BATH 

W: 5.25" H: 11.75" E: 6.75"
Height from center of outlet box
up: 8.75"


 **4140401-05**
(1) Medium Base 100w max.


 **4140401BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / BATH 

W: 15.5" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440402-05**
(2) Medium Base 100w max.


 **4440402BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH 

W: 24.5" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440403-05**
(3) Medium Base 100w max.

 **4440403BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH 

W: 30.75" H: 11.75" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440404-05**
(4) Medium Base 100w max.

 **4440404BLE-05**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT

DRISCOLL
INDOOR, p.28

Brushed Nickel / Satin Bronze







ONE LIGHT WALL / BATH



W: 5.25" H: 11.75" E: 6.75"
 Height from center of outlet box
 up: 8.75"


 **4140401-962**
 (1) Medium Base 100w max.


 **4140401BLE-962**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



TWO LIGHT WALL / BATH

W: 15.5" H: 12" E: 7"
 Height from center of outlet box
 up: 8.75" down: 3.25"

 **4440402-962**
 (2) Medium Base 100w max.

 **4440402BLE-962**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.5" H: 12" E: 7"
 Height from center of outlet box
 up: 8.75" down: 3.25"

 **4440403-962**
 (3) Medium Base 100w max.

 **4440403BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 30.75" H: 11.75" E: 7"
 Height from center of outlet box
 up: 8.75" down: 3.25"


 **4440404-962**
 (4) Medium Base 100w max.


 **4440404BLE-962**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down




 **RELATED PRODUCT**
DRISCOLL
INDOOR, p.28
 Brushed Nickel / Satin Bronze






ONE LIGHT WALL / BATH 

W: 5.25" H: 11.75" E: 6.75"
Height from center of outlet box
up: 8.75"


 **4140401-848**
(1) Medium Base 100w max.


 **4140401BLE-848**
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / BATH 

W: 15.5" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440402-848**
(2) Medium Base 100w max.


 **4440402BLE-848**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 24.5" H: 12" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440403-848**
(3) Medium Base 100w max.

 **4440403BLE-848**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 30.75" H: 11.75" E: 7"
Height from center of outlet box
up: 8.75" down: 3.25"

 **4440404-848**
(4) Medium Base 100w max.

 **4440404BLE-848**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT

DRISCOLL
INDOOR, p.28

Brushed Nickel / Satin Bronze





ONE LIGHT WALL / BATH

W: 5" H: 13" E: 7"
Height from center of outlet box
up: 10.5" down: 2.5"

Q **4113401-05**
(1) Medium Base 100w max.

E **4113401BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 14.5" H: 12.75" E: 6"
Height from center of outlet box
up: 10.25" down: 2.5"

Q **4413402-05**
(2) Medium Base 100w max.

E **4413402BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.5" H: 11.75" E: 6"
Height from center of outlet box
up: 9.25" down: 2.5"

Q **4413403-05**
(3) Medium Base 100w max.

E **4413403BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 34.5" H: 12.75" E: 6"
Height from center of outlet box
up: 10.25" down: 2.5"

Q **4413404-05**
(4) Medium Base 100w max.

E **4413404BLE-05**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

ENGLEHORN
INDOOR, p.34

Chrome with Optic Crystal Accents





← Cased Opal Etched Glass
completes a sleek and
modern look



WALL / BATH COLLECTIONS

Product Shown: Oslo Three Light Wall/Bath in Chrome



ONE LIGHT WALL / BATH

with chrome finish

W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"

41160-05
(1) Medium Base 100w max.

41160BLE-05
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with chrome finish

W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"

41161-05
(2) Medium Base 100w max.

41161BLE-05
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



ONE LIGHT WALL / BATH

with blacksmith finish

W: 4.75" H: 8.75" E: 5.5"
Height from center of outlet box
up: 4.75" down: 4"

41160-839
(1) Medium Base 100w max.

41160BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with blacksmith finish

W: 12.5" H: 8.5" E: 5.5"
Height from center of outlet box
up: 6.25" down: 2.25"

41161-839
(2) Medium Base 100w max.

41161BLE-839
(2) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 20" H: 8.5" E: 5.5"
 Height from center of outlet box
 up: 6.25" down: 2.25"

 **41162-05**
 (3) Medium Base 100w max.

 **41162BLE-05**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down




WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 27.5" H: 8.5" E: 5.5"
 Height from center of outlet box
 up: 6.25" down: 2.25"


 **41163-05**
 (4) Medium Base 100w max.

 **41163BLE-05**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down



 RELATED PRODUCT

OSLO INDOOR, p.44

Chrome / Blacksmith





THREE LIGHT WALL / BATH

W: 20" H: 8.5" E: 5.5"
 Height from center of outlet box
 up: 6.25" down: 2.25"

41162-839
 (3) Medium Base 100w max.

41162BLE-839
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 27.5" H: 8.5" E: 5.5"
 Height from center of outlet box
 up: 6.25" down: 2.25"

41163-839
 (4) Medium Base 100w max.

41163BLE-839
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down

RELATED PRODUCT

OSLO INDOOR, p.44

Chrome / Blacksmith

Art Deco inspired
with intersecting arcs



WALL / BATH COLLECTIONS

Product Shown: Vitelli Three Light Wall/Bath in Autumn Bronze



ONE LIGHT WALL / BATH

W: 7" H: 15" E: 11.25"
Height from center of outlet box
up: 8.5" down: 6.5"

4131401-57
(1) Medium Base 100w max.

4131401BLE-57
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 18.75" H: 12" E: 11.25"
Height from center of outlet box
up: 5.25" down: 6.75"

4431402-57
(2) Medium Base 100w max.

4431402BLE-57
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 28.5" H: 12" E: 11.25"
Height from center of outlet box
up: 5.25" down: 6.75"

4431403-57
(3) Medium Base 100w max.

4431403BLE-57
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 38.25" H: 12" E: 11.25"
Height from center of outlet box
up: 5.25" down: 6.75"

4431404-57
(4) Medium Base 100w max.

4431404BLE-57
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



RELATED PRODUCT

VITELLI INDOOR, p.50


Weathered Pewter / Autumn Bronze






ONE LIGHT WALL / BATH

W: 7" H: 15" E: 11.25"
 Height from center of outlet box
 up: 8.5" down: 6.5"

 **4131401-715**
 (1) Medium Base 100w max.

 **4131401BLE-715**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included





Mounts up
 or down



TWO LIGHT WALL / BATH

W: 18.75" H: 12" E: 11.25"
 Height from center of outlet box
 up: 5.25" down: 6.75"

 **4431402-715**
 (2) Medium Base 100w max.


 **4431402BLE-715**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down

THREE LIGHT WALL / BATH

W: 28.5" H: 12" E: 11.25"
 Height from center of outlet box
 up: 5.25" down: 6.75"

 **4431403-715**
 (3) Medium Base 100w max.

 **4431403BLE-715**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 38.25" H: 12" E: 11.25"
 Height from center of outlet box
 up: 5.25" down: 6.75"


 **4431404-715**
 (4) Medium Base 100w max.

 **4431404BLE-715**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down



 RELATED PRODUCT

VITELLI INDOOR, p.50

Weathered Pewter / Autumn Bronze





ONE LIGHT WALL / BATH

W: 5.5" H: 11.25" E: 6.75"
 Height from center of outlet box
 up: 6.25" down: 5"

44952-05
 (1) Medium Base 100w max.



Mounts up
 or down



TWO LIGHT WALL / BATH

W: 13" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"

44953-05
 (2) Medium Base 100w max.



Mounts up
 or down



THREE LIGHT WALL / BATH

W: 22" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"

44954-05
 (3) Medium Base 100w max.



Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 31" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"

44955-05
 (4) Medium Base 100w max.



Mounts up
 or down


RELATED PRODUCT

STIRLING
 INDOOR, p.38
 Brushed Nickel / Burnt Sienna



ONE LIGHT WALL / BATH

W: 5.5" H: 11.25" E: 6.75"
Height from center of outlet box
up: 6.25" down: 5"

 **44952-962**
(1) Medium Base 100w max.




Mounts up
or down 




TWO LIGHT WALL / BATH

W: 13" H: 11.25" E: 7"
Height from center of outlet box
up: 6.25" down: 5"


 **44953-962**
(2) Medium Base 100w max.




Mounts up
or down 

THREE LIGHT WALL / BATH

W: 22" H: 11.25" E: 7"
Height from center of outlet box
up: 6.25" down: 5"

 **44954-962**
(3) Medium Base 100w max.




Mounts up
or down 




FOUR LIGHT WALL / BATH

W: 31" H: 11.25" E: 7"
Height from center of outlet box
up: 6.25" down: 5"

 **44955-962**
(4) Medium Base 100w max.



Mounts up
or down 



 RELATED PRODUCT

STIRLING
INDOOR, p.38


Brushed Nickel / Burnt Sienna





ONE LIGHT WALL / BATH

W: 5.5" H: 11.25" E: 6.75"
 Height from center of outlet box
 up: 6.25" down: 5"

 **44952-710**
 (1) Medium Base 100w max.




Mounts up
 or down



TWO LIGHT WALL / BATH

W: 13" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"

 **44953-710**
 (2) Medium Base 100w max.




Mounts up
 or down



THREE LIGHT WALL / BATH

W: 22" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"

 **44954-710**
 (3) Medium Base 100w max.




Mounts up
 or down




FOUR LIGHT WALL / BATH

W: 31" H: 11.25" E: 7"
 Height from center of outlet box
 up: 6.25" down: 5"


 **44955-710**
 (4) Medium Base 100w max.



Mounts up
 or down

 **RELATED PRODUCT**


STIRLING
 INDOOR, p.38
 Brushed Nickel / Burnt Sienna






ONE LIGHT WALL / BATH

W: 5.25" H: 8" E: 7.5"
Height from center of outlet box
up: 3.25" down: 4.75"

 **41035-962**
(1) Medium Base 100w max.

 **49035BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 12" H: 8" E: 7.5"
Height from center of outlet box
up: 3.25" down: 4.75"

 **44035-962**
(2) Medium Base 100w max.


 **49435BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 19" H: 8" E: 7.5"
Height from center of outlet box
up: 3.25" down: 4.75"

 **44036-962**
(3) Medium Base 100w max.

 **49436BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 26" H: 8" E: 7.5"
Height from center of outlet box
up: 3.25" down: 4.75"


 **44037-962**
(4) Medium Base 100w max.

 **49437BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT


METROPOLIS
INDOOR, p.56
Brushed Nickel





ONE LIGHT WALL / BATH

W: 6" H: 10.25" E: 6"
Height from center of outlet box
up: 7.25" down: 3"

 **41044-05**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

W: 10.5" H: 10.25" E: 6"
Height from center of outlet box
up: 7.25" down: 3"

 **40044-05**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 17" H: 10.25" E: 6"
Height from center of outlet box
up: 7.25" down: 3"

 **40045-05**
(3) Medium Base 100w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 23.5" H: 10.25" E: 6"
Height from center of outlet box
up: 7.25" down: 3"

 **40046-05**
(4) Medium Base 100w max.



Mounts up
or down




Wrought iron inspired
Blacksmith finish


WALL / BATH COLLECTIONS

Product Shown: (2) Winnetka One Light Wall/Bath in Blacksmith


ONE LIGHT WALL / BATH
with brushed nickel finish

W: 6" H: 9.25" E: 7.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44660-962**
 (1) Medium Base 100w max.


 **44660BLE-962**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included




Mounts up
or down


TWO LIGHT WALL / BATH
with brushed nickel finish

W: 14" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44661-962**
 (2) Medium Base 100w max.


 **44661BLE-962**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down


ONE LIGHT WALL / BATH
with blacksmith finish

W: 6" H: 9.25" E: 7.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44660-839**
 (1) Medium Base 100w max.


 **44660BLE-839**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included




Mounts up
or down


TWO LIGHT WALL / BATH
with blacksmith finish

W: 14" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44661-839**
 (2) Medium Base 100w max.

 **44661BLE-839**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 23" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44662-962**
 (3) Medium Base 100w max.

 **44662BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 32" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"


 **44663-962**
 (4) Medium Base 100w max.

 **44663BLE-962**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down



 RELATED PRODUCT


WINNETKA
 INDOOR, p.60
 Brushed Nickel / Blacksmith






THREE LIGHT WALL / BATH

W: 23" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44662-839**
 (3) Medium Base 100w max.

 **44662BLE-839**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down


WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH


W: 32" H: 9.25" E: 8.5"
 Height from center of outlet box
 up: 5.25" down: 4"

 **44663-839**
 (4) Medium Base 100w max.


 **44663BLE-839**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

 RELATED PRODUCT


WINNETKA
 INDOOR, p.60
 Brushed Nickel / Blacksmith






ONE LIGHT WALL / BATH


W: 6" H: 10.25" E: 6.25"
Height from center of outlet box
up: 7.25" down: 3"

 **44482-965**
(1) Medium Base 100w max.

 **44482BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down 




TWO LIGHT WALL / BATH

W: 11" H: 10.25" E: 6.25"
Height from center of outlet box
up: 7.25" down: 3"

 **44483-965**
(2) Medium Base 100w max.


 **44483BLE-965**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down 


THREE LIGHT WALL / BATH

W: 17.5" H: 10.25" E: 6.25"
Height from center of outlet box
up: 7.25" down: 3"

 **44484-965**
(3) Medium Base 100w max.

 **44484BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down 




FOUR LIGHT WALL / BATH


W: 23.75" H: 10.25" E: 6.25"
Height from center of outlet box
up: 7.25" down: 3"

 **44485-965**
(4) Medium Base 100w max.

 **44485BLE-965**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down 





ONE LIGHT WALL / BATH

W: 6.25" H: 9.75" E: 9.25"
Height from center of outlet box
up: 5.25" down: 4.5"

44971-841
(1) Medium Base 100w max.

44971BLE-841
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 9.75" E: 8.25"
Height from center of outlet box
up: 5.25" down: 4.5"

44972-841
(2) Medium Base 100w max.

44972BLE-841
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 26.75" H: 9.75" E: 8.25"
Height from center of outlet box
up: 5.25" down: 4.5"

44973-841
(3) Medium Base 100w max.

44973BLE-841
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 34.5" H: 9.75" E: 8.25"
Height from center of outlet box
up: 5.25" down: 4.5"

44974-841
(4) Medium Base 100w max.

44974BLE-841
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

SOLANA
INDOOR, p.66
Polished Nickel

Soft, sweeping lines contrast the bold Blacksmith finish

WALL / BATH COLLECTIONS





Product Shown: (2) Uptown Two Light Wall/Bath in Blacksmith



ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 7.75"
 Height from center of outlet box
 up: 4.5" down: 4"

 **44470-839**
 (1) Medium Base 75w max.

 **44470BLE-839**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 16" H: 8.5" E: 7.75"
 Height from center of outlet box
 up: 4.5" down: 4"

 **44471-839**
 (2) Medium Base 75w max.

 **44471BLE-839**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24" H: 8.5" E: 7.75"
 Height from center of outlet box
 up: 4.5" down: 4"

 **44472-839**
 (3) Medium Base 75w max.

 **44472BLE-839**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 32" H: 8.5" E: 7.75"
 Height from center of outlet box
 up: 4.5" down: 4"


 **44473-839**
 (4) Medium Base 75w max.

 **44473BLE-839**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


 **RELATED PRODUCT**
UPTOWN
INDOOR, p.70
 Blacksmith






ONE LIGHT WALL / BATH

W: 5" H: 11" E: 6"
Height from center of outlet box
up: 8.5" down: 2.5"

 **4110401-715**
(1) Medium Base 100w max.

 **4110401BLE-715**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 14.25" H: 11" E: 7.5"
Height from center of outlet box
up: 8.5" down: 2.5"

 **4410402-715**
(2) Medium Base 100w max.


 **4410402BLE-715**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 24" H: 11" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.5"

 **4410403-715**
(3) Medium Base 100w max.

 **4410403BLE-715**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 34" H: 11" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.5"

 **4410404-715**
(4) Medium Base 100w max.

 **4410404BLE-715**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



 RELATED PRODUCT

SFERA INDOOR, p.74
with Mercury Glass /
with Cafe Tint Glass





ONE LIGHT WALL / BATH

W: 5" H: 11" E: 6"
Height from center of outlet box
up: 8.5" down: 2.5"

4191401-715
(1) Medium Base 100w max.

4191401BLE-715
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 14.25" H: 11" E: 7.5"
Height from center of outlet box
up: 8.5" down: 2.5"

4491402-715
(2) Medium Base 100w max.

4491402BLE-715
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 24" H: 11" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.5"

4491403-715
(3) Medium Base 100w max.

4491403BLE-715
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 34" H: 11" E: 6.75"
Height from center of outlet box
up: 8.5" down: 2.5"

4491404-715
(4) Medium Base 100w max.

4491404BLE-715
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

SFERA INDOOR, p.74
with Mercury Glass /
with Cafe Tint Glass





Inspired by the
Craftsman style


WALL / BATH COLLECTIONS


Product Shown: (2) Denhelm One Light Wall/Bath in Chrome



ONE LIGHT WALL / BATH

W: 5.75" H: 10" E: 7"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4150401-05**
(1) Medium Base 100w max.

 **4150401BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450402-05**
(2) Medium Base 100w max.

 **4450402BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.25" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450403-05**
(3) Medium Base 100w max.

 **4450403BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 31.75" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450404-05**
(4) Medium Base 100w max.


 **4450404BLE-05**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down


 **RELATED PRODUCT**

DENHELM
INDOOR, p.82
Brushed Nickel / Burnt Sienna



 **RELATED PRODUCT**

DENHELM
FLUSH MOUNT, p.87
Chrome





ONE LIGHT WALL / BATH

W: 5.75" H: 10" E: 7"
Height from center of outlet box
up: 7.5" down: 2.5"

4150401-962
(1) Medium Base 100w max.

4150401BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

4450402-962
(2) Medium Base 100w max.

4450402BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

THREE LIGHT WALL / BATH

W: 24.25" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

4450403-962
(3) Medium Base 100w max.

4450403BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 31.75" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

4450404-962
(4) Medium Base 100w max.

4450404BLE-962
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down




RELATED PRODUCT


DENHELM
INDOOR, p.82
Brushed Nickel / Burnt Sienna



ONE LIGHT WALL / BATH

W: 5.75" H: 10" E: 7"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4150401-710**
(1) Medium Base 100w max.

 **4150401BLE-710**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450402-710**
(2) Medium Base 100w max.

 **4450402BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.25" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450403-710**
(3) Medium Base 100w max.

 **4450403BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 31.75" H: 10" E: 7.5"
Height from center of outlet box
up: 7.5" down: 2.5"

 **4450404-710**
(4) Medium Base 100w max.


 **4450404BLE-710**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

 **RELATED PRODUCT**


DENHELM
INDOOR, p.82
Brushed Nickel / Burnt Sienna






ONE LIGHT WALL / BATH

W: 5.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

 **41375-965**
(1) Medium Base 100w max.

 **41375BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 13.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

 **44375-965**
(2) Medium Base 100w max.


 **44375BLE-965**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 21.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

 **44376-965**
(3) Medium Base 100w max.

 **44376BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 29.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"


 **44377-965**
(4) Medium Base 100w max.

 **44377BLE-965**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT

SOMERTON
INDOOR, p.88
Antique Brushed Nickel / Blacksmith





ONE LIGHT WALL / BATH

W: 5.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

41375-839
(1) Medium Base 100w max.

41375BLE-839
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 13.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

44375-839
(2) Medium Base 100w max.

44375BLE-839
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 21.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

44376-839
(3) Medium Base 100w max.

44376BLE-839
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 29.5" H: 6.75" E: 7.5"
Height from center of outlet box
up: 3.75" down: 3"

44377-839
(4) Medium Base 100w max.

44377BLE-839
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

SOMERTON
INDOOR, p.88

Antique Brushed Nickel / Blacksmith

Creme parchment glass
creates a warm glow



WALL / BATH COLLECTIONS

Product Shown: Roslyn Four Light Wall/Bath in Flemish Bronze



ONE LIGHT WALL / BATH

W: 5.5" H: 10.75" E: 8"
Height from center of outlet box
up: 5" down: 5.75"

Q 44520-845
(1) Medium Base 100w max.

E 44520BLE-845
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16" H: 10.5" E: 8.25"
Height from center of outlet box
up: 4.5" down: 6"

Q 44521-845
(2) Medium Base 100w max.

E 44521BLE-845
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 23.5" H: 10.5" E: 8.25"
Height from center of outlet box
up: 4.5" down: 6"

Q 44522-845
(3) Medium Base 100w max.

E 44522BLE-845
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 31" H: 10.5" E: 8.25"
Height from center of outlet box
up: 4.5" down: 6"

Q 44523-845
(4) Medium Base 100w max.


E 44523BLE-845
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

ROSLYN
INDOOR, p.94
Flemish Bronze



Inspired by a
retro hotel



WALL / BATH COLLECTIONS

Product Shown: Sussex Three Light Wall/Bath in Brushed Nickel



ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

44060-05
 (1) Medium Base 100w max.



Mounts up
 or down



TWO LIGHT WALL / BATH

W: 18" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

44061-05
 (2) Medium Base 100w max.



Mounts up
 or down



THREE LIGHT WALL / BATH

W: 24" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

44062-05
 (3) Medium Base 100w max.



Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 32.25" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

44063-05
 (4) Medium Base 100w max.



Mounts up
 or down


RELATED PRODUCT
SUSSEX
INDOOR, p.98
 Brushed Nickel / Heirloom Bronze


WALL / BATH COLLECTIONS



ONE LIGHT WALL / BATH


W: 7.5" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

 **44060-962**
 (1) Medium Base 100w max.

 **49063BLE-962**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included





Mounts up
 or down



TWO LIGHT WALL / BATH

W: 18" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

 **44061-962**
 (2) Medium Base 100w max.


 **49065BLE-962**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down

THREE LIGHT WALL / BATH

W: 24" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

 **44062-962**
 (3) Medium Base 100w max.

 **49066BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down



FOUR LIGHT WALL / BATH


W: 32.25" H: 10.25" E: 10.25"
 Height from center of outlet box
 up: 7" down: 3.25"

 **44063-962**
 (4) Medium Base 100w max.




Mounts up
 or down



 RELATED PRODUCT

SUSSEX
 INDOOR, p.98

Brushed Nickel / Heirloom Bronze





ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44060-782
(1) Medium Base 100w max.

49063BLE-782
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 18" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44061-782
(2) Medium Base 100w max.

49065BLE-782
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 24" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44062-782
(3) Medium Base 100w max.

49066BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 32.25" H: 10.25" E: 10.25"
Height from center of outlet box
up: 7" down: 3.25"

44063-782
(4) Medium Base 100w max.



Mounts up
or down

RELATED PRODUCT

SUSSEX
INDOOR, p.98
Brushed Nickel / Heirloom Bronze



Classic torch styling frames artwork beautifully

WALL / BATH COLLECTIONS


Product Shown: Warwick One Light Wall/Bath in Autumn Bronze



ONE LIGHT WALL / BATH




W: 5" H: 17.25" E: 6.25"
 Height from center of outlet box
 up: 10.5"

 **41330-715**
 (1) Medium Base 100w max.



TWO LIGHT WALL / BATH

W: 15.25" H: 8" E: 7.5"
 Height from center of outlet box
 up: 2.5" down: 5.5"

 **44330-715**
 (2) Medium Base 100w max.




Mounts up
 or down



THREE LIGHT WALL / BATH

W: 22" H: 8" E: 7.5"
 Height from center of outlet box
 up: 2.5" down: 5.5"

 **44331-715**
 (3) Medium Base 100w max.




Mounts up
 or down




FOUR LIGHT WALL / BATH


W: 29.25" H: 8" E: 7.5"
 Height from center of outlet box
 up: 2.5" down: 5.5"

 **44332-715**
 (4) Medium Base 100w max.



Mounts up
 or down

 **RELATED PRODUCT**
WARWICK
 INDOOR, p.104
 Autumn Bronze



TWO LIGHT WALL / BATH

W: 13" H: 9" E: 6.75"
Height from center of outlet box
up: 5" down: 4"

 **40121-05**
(2) Medium Base 60w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 20.75" H: 9" E: 6.75"
Height from center of outlet box
up: 5" down: 4"

 **40122-05**
(3) Medium Base 60w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 28.5" H: 9" E: 6.75"
Height from center of outlet box
up: 5" down: 4"

 **40123-05**
(4) Medium Base 60w max.



Mounts up
or down





TWO LIGHT WALL / BATH

W: 13" H: 9.5" E: 7"
 Height from center of outlet box
 up: 7.25" down: 2.25"

4480402-846
 (2) Medium Base 100w max.

4480402BLE-846
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 20.5" H: 9.5" E: 7"
 Height from center of outlet box
 up: 7.25" down: 2.25"

4480403-846
 (3) Medium Base 100w max.

4480403BLE-846
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 28" H: 9.5" E: 7"
 Height from center of outlet box
 up: 7.25" down: 2.25"

4480404-846
 (4) Medium Base 100w max.

4480404BLE-846
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

RELATED PRODUCT
CORBEILLE
 INDOOR, p.108
 Stardust with Cersed Oak Accents

WALL / BATH COLLECTIONS



Classic up-light
frames the vanity

WALL / BATH COLLECTIONS


Product Shown: (2) Holman One Light Wall/Bath in Bell Metal Bronze



ONE LIGHT WALL / BATH

with brushed nickel finish

W: 5.25" H: 10.25" E: 7.25"
Height from center of outlet box
up: 6.5" down: 3.75"

 **41806-962**
(1) Medium Base 60w max.




Mounts up
or down



ONE LIGHT WALL / BATH

with bell metal bronze finish

W: 5.25" H: 10.25" E: 7.25"
Height from center of outlet box
up: 6.5" down: 3.75"

 **41806-827**
(1) Medium Base 60w max.




Mounts up
or down



ONE LIGHT WALL / BATH

with brushed nickel finish

W: 5" H: 11" E: 7.25"
Height from center of outlet box
up: 7.25" down: 3.75"

 **49806BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down



ONE LIGHT WALL / BATH

with bell metal bronze finish

W: 5" H: 11" E: 7.25"
Height from center of outlet box
up: 7.25" down: 3.75"


 **49806BLE-827**
(1) GU24 Base Self Ballasted CFL
13w lamp included




Mounts up
or down

TWO LIGHT WALL / BATH

W: 11.75" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"

 **44806-962**
 (2) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx




Mounts up
or down



THREE LIGHT WALL / BATH

W: 18" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"

 **44807-962**
 (3) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 24.5" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"

 **44808-962**
 (4) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx



Mounts up
or down



 RELATED PRODUCT

HOLMAN
INDOOR, p.112


Brushed Nickel / Bell Metal Bronze






TWO LIGHT WALL / BATH

W: 11.75" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"

 **44806-827**
 (2) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx




Mounts up
or down



THREE LIGHT WALL / BATH

W: 18" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"

 **44807-827**
 (3) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx




Mounts up
or down



FOUR LIGHT WALL / BATH


W: 24.5" H: 9" E: 7.25"
 Height from center of outlet box
 up: 6.5" down: 2.5"


 **44808-827**
 (4) Medium Base 60w max.

 Fluorescent version with larger glass silhouette on p.xx




Mounts up
or down


 **RELATED PRODUCT**
HOLMAN
 INDOOR, p.112
 Brushed Nickel / Bell Metal Bronze



TWO LIGHT WALL / BATH

W: 11.5" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"

 Incandescent version with smaller glass silhouette on p.xx

 **49807BLE-962**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up or down



THREE LIGHT WALL / BATH

W: 17.75" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"

 Incandescent version with smaller glass silhouette on p.xx

 **49808BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up or down



FOUR LIGHT WALL / BATH

W: 24.25" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"


 Incandescent version with smaller glass silhouette on p.xx

 **49809BLE-962**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up or down



 RELATED PRODUCT

HOLMAN
 INDOOR, p.112

Brushed Nickel / Bell Metal Bronze






TWO LIGHT WALL / BATH

W: 11.5" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"

 Incandescent version with smaller glass silhouette on p.xx

 **49807BLE-827**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up or down



THREE LIGHT WALL / BATH

W: 17.75" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"

 Incandescent version with smaller glass silhouette on p.xx

 **49808BLE-827**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up or down



FOUR LIGHT WALL / BATH


W: 24.25" H: 9.75" E: 7.25"
 Height from center of outlet box
 up: 7.25" down: 2.5"


 Incandescent version with smaller glass silhouette on p.xx

 **49809BLE-827**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up or down

 RELATED PRODUCT
HOLMAN
 INDOOR, p.112
 Brushed Nickel / Bell Metal Bronze



WALL / BATH COLLECTIONS

Aviation inspired arms flare out dramatically



WALL / BATH COLLECTIONS

Product Shown: Brockton Three Light Wall/Bath in Burnt Sienna





TWO LIGHT WALL / BATH

*with brushed nickel finish
and white alabaster glass*



W: 15.75" H: 9.25" E: 9"
Height from center of outlet box
down: 2.5"

 **44175-962**
(2) Medium Base 100w max.

 **44175BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included





TWO LIGHT WALL / BATH

*with burnt sienna finish
and amber scavo glass*



W: 15.75" H: 9.25" E: 9"
Height from center of outlet box
down: 2.5"


 **44175-710**
(2) Medium Base 100w max.


 **44175BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT WALL / BATH 

W: 24.5" H: 9.75" E: 9"
Height from center of outlet box
down: 2.5"

 **44176-962**
(3) Medium Base 100w max.

 **44176BLE-962**
(3) GU24 Base Self Ballasted CFL
13w lamps included


WALL / BATH COLLECTIONS




FOUR LIGHT WALL / BATH 

W: 33" H: 9.75" E: 9"
Height from center of outlet box
down: 2.75"

 **44177-962**
(4) Medium Base 100w max.

 **44177BLE-962**
(4) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

BROCKTON
INDOOR, p.120

Brushed Nickel / Burnt Sienna







THREE LIGHT WALL / BATH



W: 24.5" H: 9.75" E: 9"
 Height from center of outlet box
 down: 2.5"

 **44176-710**
 (3) Medium Base 100w max.

 **44176BLE-710**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included


WALL / BATH COLLECTIONS




FOUR LIGHT WALL / BATH




W: 33" H: 9.75" E: 9"
 Height from center of outlet box
 down: 2.75"

 **44177-710**
 (4) Medium Base 100w max.

 **44177BLE-710**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included

 **RELATED PRODUCT**
BROCKTON
INDOOR, p.120
 Brushed Nickel / Burnt Sienna





Century-old, iconic schoolhouse design

WALL / BATH COLLECTIONS


Product Shown: Academy Three Light Wall/Bath in Chrome




ONE LIGHT WALL / BATH



W: 6.75" H: 10" E: 10"
 Height from center of outlet box
 up: 3"

 **44436-05**
 (1) Medium Base 60w max.


 **44436BLE-05**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included




TWO LIGHT WALL / BATH



W: 17.25" H: 10" E: 10"
 Height from center of outlet box
 up: 3"

 **44437-05**
 (2) Medium Base 60w max.


 **44437BLE-05**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included




THREE LIGHT WALL / BATH



W: 23.25" H: 10" E: 10"
 Height from center of outlet box
 up: 3"

 **44438-05**
 (3) Medium Base 60w max.


 **44438BLE-05**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





FOUR LIGHT WALL / BATH




W: 31.5" H: 10" E: 10"
 Height from center of outlet box
 up: 3"

 **44439-05**
 (4) Medium Base 60w max.

 **44439BLE-05**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included

 **RELATED PRODUCT**
ACADEMY
INDOOR, p.126
 Brushed Nickel / Heirloom Bronze





ONE LIGHT WALL / BATH

W: 6.75" H: 10" E: 10"
Height from center of outlet box
up: 3"

44436-962
(1) Medium Base 60w max.

44436BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / BATH

W: 17.25" H: 10" E: 10"
Height from center of outlet box
up: 3"

44437-962
(2) Medium Base 60w max.

44437BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included

THREE LIGHT WALL / BATH

W: 23.25" H: 10" E: 10"
Height from center of outlet box
up: 3"

44438-962
(3) Medium Base 60w max.

44438BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT WALL / BATH

W: 31.5" H: 10" E: 10"
Height from center of outlet box
up: 3"

44439-962
(4) Medium Base 60w max.

44439BLE-962
(4) GU24 Base Self Ballasted CFL
13w lamps included



RELATED PRODUCT

ACADEMY
INDOOR, p.126
Brushed Nickel / Heirloom Bronze



ONE LIGHT WALL / BATH



W: 6.75" H: 10" E: 10"
Height from center of outlet box
up: 3"

44436-782
(1) Medium Base 60w max.

44436BLE-782
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / BATH



W: 17.25" H: 10" E: 10"
Height from center of outlet box
up: 3"

44437-782
(2) Medium Base 60w max.

44437BLE-782
(2) GU24 Base Self Ballasted CFL
13w lamps included



THREE LIGHT WALL / BATH



W: 23.25" H: 10" E: 10"
Height from center of outlet box
up: 3"

44438-782
(3) Medium Base 60w max.

44438BLE-782
(3) GU24 Base Self Ballasted CFL
13w lamps included



FOUR LIGHT WALL / BATH



W: 31.5" H: 10" E: 10"
Height from center of outlet box
up: 3"

44439-782
(4) Medium Base 60w max.

44439BLE-782
(4) GU24 Base Self Ballasted CFL
13w lamps included

RELATED PRODUCT

ACADEMY
INDOOR, p.126
Brushed Nickel / Heirloom Bronze



Bell-shaped glass inspired by comfortable cottage décor

Product Shown: Gladstone One Light Wall/Bath in Heirloom Bronze


ONE LIGHT WALL / BATH

with chrome finish and satin etched glass

W: 6.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

Q **44850-05**
 (1) Medium Base 100w max.

E **49850BLE-05**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down


ONE LIGHT WALL / BATH

with antique brushed nickel finish and satin etched glass

W: 6.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

Q **44850-965**
 (1) Medium Base 100w max.

E **49850BLE-965**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down


ONE LIGHT WALL / BATH

with heirloom bronze finish and smoky amber glass

W: 6.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

Q **44850-782**
 (1) Medium Base 100w max.


E **49850BLE-782**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included




Mounts up
or down

TWO LIGHT WALL / BATH

W: 15.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44851-05**
 (2) Medium Base 100w max.


 **49851BLE-05**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down

THREE LIGHT WALL / BATH

W: 24" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44852-05**
 (3) Medium Base 100w max.


 **49852BLE-05**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down

FOUR LIGHT WALL / BATH

W: 32.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44853-05**
 (4) Medium Base 100w max.

 **49853BLE-05**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
 or down



FIVE LIGHT WALL / BATH

W: 41.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44854-05**
 (5) Medium Base 100w max.

 **44854BLE-05**
 (5) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down


WALL / BATH COLLECTIONS



SIX LIGHT WALL / BATH

W: 50" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44855-05**
 (6) Medium Base 100w max.

 **44855BLE-05**
 (6) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down

 RELATED PRODUCT

GLADSTONE
INDOOR, p.130


Antique Brushed Nickel / Heirloom Bronze



TWO LIGHT WALL / BATH

W: 15.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44851-965**
 (2) Medium Base 100w max.

 **49851BLE-965**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44852-965**
 (3) Medium Base 100w max.

 **49852BLE-965**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 32.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44853-965**
 (4) Medium Base 100w max.

 **49853BLE-965**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down






FIVE LIGHT WALL / BATH

W: 41.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44854-965**
 (5) Medium Base 100w max.

 **44854BLE-965**
 (5) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


WALL / BATH COLLECTIONS



SIX LIGHT WALL / BATH

W: 50" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44855-965**
 (6) Medium Base 100w max.


 **44855BLE-965**
 (6) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


 RELATED PRODUCT


GLADSTONE
INDOOR, p.130
 Antique Brushed Nickel / Heirloom Bronze



TWO LIGHT WALL / BATH

W: 15.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44851-782**
 (2) Medium Base 100w max.

 **49851BLE-782**
 (2) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
 or down



THREE LIGHT WALL / BATH

W: 24" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44852-782**
 (3) Medium Base 100w max.

 **49852BLE-782**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 32.5" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44853-782**
 (4) Medium Base 100w max.

 **49853BLE-782**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
 or down






FIVE LIGHT WALL / BATH

W: 41.25" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44854-782**
 (5) Medium Base 100w max.

 **44854BLE-782**
 (5) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



SIX LIGHT WALL / BATH

W: 50" H: 9" E: 8.5"
 Height from center of outlet box
 up: 4.5" down: 4.5"

 **44855-782**
 (6) Medium Base 100w max.

 **44855BLE-782**
 (6) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

 RELATED PRODUCT
GLADSTONE
INDOOR, p.130
 Antique Brushed Nickel / Heirloom Bronze



Thin ribbon detail
adds interest

WALL / BATH COLLECTIONS





Product Shown: Park West Four Light Wall/Bath in Burnt Sienna



TWO LIGHT WALL / BATH

W: 17.5" H: 11" E: 7.25"
Height from center of outlet box
up: 8" down: 3"

 **44496-710**
(2) Medium Base 60w max.

 **44496BLE-710**
(2) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.25" H: 11" E: 7.25"
Height from center of outlet box
up: 8" down: 3"

 **44497-710**
(3) Medium Base 60w max.

 **44497BLE-710**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 31.75" H: 11" E: 7.25"
Height from center of outlet box
up: 8" down: 3"

 **44498-710**
(4) Medium Base 60w max.


 **44498BLE-710**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

 **RELATED PRODUCT**


PARK WEST
INDOOR, p.136
Burnt Sienna






ONE LIGHT WALL / BATH

W: 6" H: 6.75" E: 8"
 Height from center of outlet box
 up: 3.5" down: 3.25"

 **44575-962**
 (1) Medium Base 100w max.




Mounts up
 or down



TWO LIGHT WALL / BATH

W: 14.25" H: 6.75" E: 8"
 Height from center of outlet box
 up: 3.5" down: 3.25"


 **44576-962**
 (2) Medium Base 100w max.



Mounts up
 or down

THREE LIGHT WALL / BATH

W: 22.25" H: 6.75" E: 8"
 Height from center of outlet box
 up: 3.5" down: 3.25"

 **44577-962**
 (3) Medium Base 100w max.




Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 30.25" H: 6.75" E: 8"
 Height from center of outlet box
 up: 3.5" down: 3.25"

 **44578-962**
 (4) Medium Base 100w max.



Mounts up
 or down



 RELATED PRODUCT


ALBANY INDOOR, p.140 

Brushed Nickel / Heirloom Bronze



ONE LIGHT WALL / BATH

W: 6" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44575-782**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

W: 14.25" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44576-782**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 22.25" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44577-782**
(3) Medium Base 100w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 30.25" H: 6.75" E: 8"
Height from center of outlet box
up: 3.5" down: 3.25"

 **44578-782**
(4) Medium Base 100w max.



Mounts up
or down

 RELATED PRODUCT



ALBANY INDOOR, p.140

Brushed Nickel / Heirloom Bronze

WALL / BATH COLLECTIONS

Etched white
alabaster glass



Product Shown: Lemont Four Light Wall/Bath in Antique Brushed Nickel


ONE LIGHT WALL / BATH

*with antique brushed nickel finish
and etched white alabaster glass*

W: 5.25" H: 10" E: 7"
Height from center of outlet box
up: 5" down: 5"

44316-965
(1) Medium Base 100w max.

44316BLE-965
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down


TWO LIGHT WALL / BATH

*with antique brushed nickel finish
and etched white alabaster glass*

W: 13" H: 8.5" E: 7"
Height from center of outlet box
up: 4" down: 4.5"

44317-965
(2) Medium Base 100w max.

44317BLE-965
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down


ONE LIGHT WALL / BATH

*with burnt sienna finish
and cafe tint glass*

W: 5.25" H: 10" E: 7"
Height from center of outlet box
up: 5" down: 5"

44316-710
(1) Medium Base 100w max.

44316BLE-710
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down


TWO LIGHT WALL / BATH

*with burnt sienna finish
and cafe tint glass*

W: 13" H: 8.5" E: 7"
Height from center of outlet box
up: 4" down: 4.5"

44317-710
(2) Medium Base 100w max.

44317BLE-710
(2) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 7"
 Height from center of outlet box
 up: 4" down: 4.5"

 **44318-965**
 (3) Medium Base 100w max.

 **44318BLE-965**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down


WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 29" H: 8.5" E: 7"
 Height from center of outlet box
 up: 4" down: 4.5"

 **44319-965**
 (4) Medium Base 100w max.

 **44319BLE-965**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down

 RELATED PRODUCT

LEMONT INDOOR, p.146


Antique Brushed Nickel / Burnt Sienna






THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 7"
 Height from center of outlet box
 up: 4" down: 4.5"

 **44318-710**
 (3) Medium Base 100w max.

 **44318BLE-710**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down


WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 29" H: 8.5" E: 7"
 Height from center of outlet box
 up: 4" down: 4.5"

 **44319-710**
 (4) Medium Base 100w max.

 **44319BLE-710**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

 RELATED PRODUCT

LEMONT INDOOR, p.146

Antique Brushed Nickel / Burnt Sienna



Delicate finial creates a traditional silhouette



WALL / BATH COLLECTIONS

Product Shown: (2) Montreal One Light Wall/Bath in Antique Brushed Nickel



ONE LIGHT WALL / BATH

with antique brushed nickel finish and etched glass, white inside

W: 7.75" H: 8.5" E: 9.75"
 Height from center of outlet box
 up: 4" down: 4.5"

41180-965
 (1) Medium Base 100w max.

41180BLE-965
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with antique brushed nickel finish and etched glass, white inside

W: 17.5" H: 8.25" E: 9.75"
 Height from center of outlet box
 up: 5.25" down: 3"

41181-965
 (2) Medium Base 100w max.

41181BLE-965
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down



ONE LIGHT WALL / BATH

with burnt sienna finish and cafe tint glass

W: 7.75" H: 8.5" E: 9.75"
 Height from center of outlet box
 up: 4" down: 4.5"

41180-710
 (1) Medium Base 100w max.

41180BLE-710
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with burnt sienna finish and cafe tint glass


W: 17.5" H: 8.25" E: 9.75"
 Height from center of outlet box
 up: 5.25" down: 3"

41181-710
 (2) Medium Base 100w max.

41181BLE-710
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down





THREE LIGHT WALL / BATH

W: 27" H: 8.25" E: 9.75"
Height from center of outlet box
up: 5.25" down: 3"



Mounts up
or down

 **41182-965**
(3) Medium Base 100w max.

 **41182BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included





FOUR LIGHT WALL / BATH

W: 36.75" H: 8.25" E: 9.75"
Height from center of outlet box
up: 5.25" down: 3"



Mounts up
or down

 **41183-965**
(4) Medium Base 100w max.

 **41183BLE-965**
(4) GU24 Base Self Ballasted CFL
13w lamps included

 RELATED PRODUCT

MONTREAL
INDOOR, p.152


Antique Brushed Nickel / Burnt Sienna






THREE LIGHT WALL / BATH

W: 27" H: 8.25" E: 9.75"
 Height from center of outlet box
 up: 5.25" down: 3"

 **41182-710**
 (3) Medium Base 100w max.

 **41182BLE-710**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 36.75" H: 8.25" E: 9.75"
 Height from center of outlet box
 up: 5.25" down: 3"


 **41183-710**
 (4) Medium Base 100w max.

 **41183BLE-710**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included




Mounts up
or down

 RELATED PRODUCT
MONTREAL
 INDOOR, p.152
 Antique Brushed Nickel / Burnt Sienna



TWO LIGHT WALL / BATH

W: 13" H: 7.75" E: 7.5"
Height from center of outlet box
up: 4.25" down: 3.5"

 **40010-773**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 18.25" H: 7.75" E: 7.5"
Height from center of outlet box
up: 4.25" down: 3.5"

 **40011-773**
(3) Medium Base 100w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 24.75" H: 7.75" E: 8.25"
Height from center of outlet box
up: 4.25" down: 3.5"

 **40012-773**
(4) Medium Base 100w max.




Mounts up
or down





TWO LIGHT WALL / BATH

W: 13.25" H: 10.5" E: 8.25"
Height from center of outlet box
up: 7.75" down: 2.75"

 **40124-05**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 18.75" H: 10.5" E: 8.25"
Height from center of outlet box
up: 7.75" down: 2.75"

 **40125-05**
(3) Medium Base 100w max.



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 25.5" H: 10.5" E: 8.25"
Height from center of outlet box
up: 7.75" down: 2.75"

 **40126-05**
(4) Medium Base 100w max.



Mounts up
or down



ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

Q **4112401-05**
(1) Medium Base 100w max.

E **4112401BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

Q **4412402-05**
(2) Medium Base 100w max.

E **4412402BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

Q **4412403-05**
(3) Medium Base 100w max.

E **4412403BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 23" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

Q **4412404-05**
(4) Medium Base 100w max.

E **4412404BLE-05**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



Q RELATED PRODUCT

NORTHBROOK
INDOOR, p.158

Brushed Nickel / Roman Bronze





ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

4112401-962
(1) Medium Base 100w max.

4112401BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

4412402-962
(2) Medium Base 100w max.

4412402BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

4412403-962
(3) Medium Base 100w max.

4412403BLE-962
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 23" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

4412404-962
(4) Medium Base 100w max.

4412404BLE-962
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT


NORTHBROOK
INDOOR, p.158

Brushed Nickel / Roman Bronze



ONE LIGHT WALL / BATH

W: 5.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

 **4112401-191**
(1) Medium Base 100w max.

 **4112401BLE-191**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.5" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

 **4412402-191**
(2) Medium Base 100w max.


 **4412402BLE-191**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 21" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"

 **4412403-191**
(3) Medium Base 100w max.

 **4412403BLE-191**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 23" H: 8.5" E: 8.5"
Height from center of outlet box
up: 4.25" down: 4.25"


 **4412404-191**
(4) Medium Base 100w max.

 **4412404BLE-191**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT

NORTHBROOK
INDOOR, p.158

Brushed Nickel / Roman Bronze





ONE LIGHT WALL / BATH

W: 6" H: 10.25" E: 8.75"
Height from center of outlet box
up: 6.75" down: 3.5"

4170401-736
(1) Medium Base 60w max.

4170401BLE-736
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 16.75" H: 10.25" E: 8.75"
Height from center of outlet box
up: 6.5" down: 3.75"

4470402-736
(2) Medium Base 60w max.

4470402BLE-736
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 23.25" H: 10.25" E: 8.75"
Height from center of outlet box
up: 6.5" down: 3.75"

4470403-736
(3) Medium Base 60w max.

4470403BLE-736
(3) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH

W: 31.5" H: 10.25" E: 8.75"
Height from center of outlet box
up: 6.5" down: 3.75"

4470404-736
(4) Medium Base 60w max.

4470404BLE-736
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

RELATED PRODUCT

BLAYNE
INDOOR, p164
Platinum Oak



Curved crossbar adds flair



WALL / BATH COLLECTIONS

Product Shown: Rialto Two Light Wall/Bath in Antique Brushed Nickel



ONE LIGHT WALL / BATH

with antique brushed nickel finish and etched white alabaster glass

W: 6" H: 9.75" E: 7"
Height from center of outlet box
up: 5.25" down: 4.5"

41360-965
(1) Medium Base 100w max.



Mounts up or down



TWO LIGHT WALL / BATH

with antique brushed nickel finish and etched white alabaster glass

W: 14" H: 8.25" E: 8"
Height from center of outlet box
up: 5.75" down: 2.5"

44360-965
(2) Medium Base 100w max.



Mounts up or down



ONE LIGHT WALL / BATH

with russet bronze finish and ginger glass

W: 6" H: 9.75" E: 7"
Height from center of outlet box
up: 5.25" down: 4.5"

41360-829
(1) Medium Base 100w max.



Mounts up or down



TWO LIGHT WALL / BATH

with russet bronze finish and ginger glass

W: 14" H: 8.25" E: 8"
Height from center of outlet box
up: 5.75" down: 2.5"

44360-829
(2) Medium Base 100w max.




Mounts up or down



THREE LIGHT WALL / BATH

W: 22" H: 8.25" E: 8"
 Height from center of outlet box
 up: 5.75" down: 2.5"

 **44361-965**
 (3) Medium Base 100w max.




Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 30" H: 8.25" E: 8"
 Height from center of outlet box
 up: 5.75" down: 2.5"

 **44362-965**
 (4) Medium Base 100w max.



Mounts up
 or down

 RELATED PRODUCT

RIALTO INDOOR, p.168


Antique Brushed Nickel / Russet Bronze





THREE LIGHT WALL / BATH

W: 22" H: 8.25" E: 8"
 Height from center of outlet box
 up: 5.75" down: 2.5"

 **44361-829**
 (3) Medium Base 100w max.




Mounts up or down

WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 30" H: 8.25" E: 8"
 Height from center of outlet box
 up: 5.75" down: 2.5"

 **44362-829**
 (4) Medium Base 100w max.



Mounts up or down

 **RELATED PRODUCT**


RIALTO INDOOR, p.168
 Antique Brushed Nickel / Russet Bronze






ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"
Height from center of outlet box
up: 4" down: 5"

 **41939-05**
(1) Medium Base 100w max.

 **41939BLE-05**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 12.5" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44940-05**
(2) Medium Base 100w max.


 **44940BLE-05**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 24.25" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44941-05**
(3) Medium Base 100w max.


 **44941BLE-05**
(3) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

FOUR LIGHT WALL / BATH

W: 30.25" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44942-05**
(4) Medium Base 100w max.

 **44942BLE-05**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

 RELATED PRODUCT

WINDGATE
INDOOR, p.174
Brushed Nickel / Heirloom Bronze





ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"
 Height from center of outlet box
 up: 4" down: 5"

41939-962
 (1) Medium Base 100w max.

41939BLE-962
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

W: 12.5" H: 8.25" E: 8"
 Height from center of outlet box
 up: 3.25" down: 5"

44940-962
 (2) Medium Base 100w max.

44940BLE-962
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down



THREE LIGHT WALL / BATH

W: 24.25" H: 8.25" E: 8"
 Height from center of outlet box
 up: 3.25" down: 5"

44941-962
 (3) Medium Base 100w max.

44941BLE-962
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down



FOUR LIGHT WALL / BATH


W: 30.25" H: 8.25" E: 8"
 Height from center of outlet box
 up: 3.25" down: 5"


44942-962
 (4) Medium Base 100w max.

44942BLE-962
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


 RELATED PRODUCT
WINDGATE
 INDOOR, p.174
 Brushed Nickel / Heirloom Bronze






ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"
Height from center of outlet box
up: 4" down: 5"

 **41939-782**
(1) Medium Base 100w max.

 **41939BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 12.5" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44940-782**
(2) Medium Base 100w max.


 **44940BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 24.25" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44941-782**
(3) Medium Base 100w max.


 **44941BLE-782**
(3) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

FOUR LIGHT WALL / BATH


W: 30.25" H: 8.25" E: 8"
Height from center of outlet box
up: 3.25" down: 5"

 **44942-782**
(4) Medium Base 100w max.


 **44942BLE-782**
(4) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down

 RELATED PRODUCT

WINDGATE
INDOOR, p.174
Brushed Nickel / Heirloom Bronze






TWO LIGHT WALL / BATH



W: 12" H: 8.25" E: 7.5"
Height from center of outlet box
down: 2.75"


 **44019-962**
(2) Medium Base 100w max.



THREE LIGHT WALL / BATH



W: 17" H: 8.25" E: 8.5"
Height from center of outlet box
down: 3"


 **44020-962**
(3) Medium Base 100w max.



FOUR LIGHT WALL / BATH



W: 23.5" H: 8" E: 8.25"
Height from center of outlet box
down: 2.75"

 **44021-962**
(4) Medium Base 100w max.



Metal trim detail
with glass shades

WALL / BATH COLLECTIONS


Product Shown: Laurel Leaf Four Light Wall/Bath in Antique Brushed Nickel



ONE LIGHT WALL / BATH

with antique brushed nickel finish

W: 6" H: 9.75" E: 7.5"
Height from center of outlet box
up: 4.5" down: 5.25"

 **41350-965**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

with antique brushed nickel finish

W: 15" H: 9.25" E: 7.25"
Height from center of outlet box
up: 5" down: 4.25"

 **44350-965**
(2) Medium Base 100w max.




Mounts up
or down



ONE LIGHT WALL / BATH

with estate bronze finish

W: 6" H: 9.75" E: 7.5"
Height from center of outlet box
up: 4.5" down: 5.25"

 **41350-708**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

with estate bronze finish

W: 15" H: 9.25" E: 7.25"
Height from center of outlet box
up: 5" down: 4.25"

 **44350-708**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 21.5" H: 9.25" E: 7.25"
 Height from center of outlet box
 up: 5" down: 4.25"

 **44351-965**
 (3) Medium Base 100w max.



Mounts up
 or down

WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 29.75" H: 9.25" E: 7.25"
 Height from center of outlet box
 up: 5" down: 4.25"

 **44352-965**
 (4) Medium Base 100w max.



Mounts up
 or down

 RELATED PRODUCT

LAUREL LEAF
 INDOOR, p.180


Antique Brushed Nickel / Estate Bronze





THREE LIGHT WALL / BATH

W: 21.5" H: 9.25" E: 7.25"
 Height from center of outlet box
 up: 5" down: 4.25"

 **44351-708**
 (3) Medium Base 100w max.




Mounts up
 or down

WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 29.75" H: 9.25" E: 7.25"
 Height from center of outlet box
 up: 5" down: 4.25"

 **44352-708**
 (4) Medium Base 100w max.



Mounts up
 or down

 RELATED PRODUCT
LAUREL LEAF
 INDOOR, p.180
 Antique Brushed Nickel / Estate Bronze



European inspired
with romantic,
rustic design


WALL / BATH COLLECTIONS

Product Shown: (2) Del Prato One Light Wall/Bath in Chestnut Bronze



ONE LIGHT WALL / BATH

W: 7" H: 10.25" E: 8.75"
Height from center of outlet box
up: 5.25" down: 5"

 **41120-820**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

W: 14.25" H: 9.25" E: 7"
Height from center of outlet box
up: 5" down: 4.25"

 **44122-820**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 23.25" H: 9.25" E: 7"
Height from center of outlet box
up: 5" down: 4.25"

 **44123-820**
(3) Medium Base 100w max.




Mounts up
or down




FOUR LIGHT WALL / BATH

W: 29.25" H: 9.25" E: 7"
Height from center of outlet box
up: 4.25" down: 5"


 **44124-820**
(4) Medium Base 100w max.



Mounts up
or down

 **RELATED PRODUCT**


DEL PRATO
INDOOR, p.186
Chestnut Bronze





ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 6.75"
 Height from center of outlet box
 up: 7.5" down: 3"

 **44705-05**
 (1) Medium Base 100w max.




Mounts up
 or down



TWO LIGHT WALL / BATH

W: 13.5" H: 10.5" E: 6.75"
 Height from center of outlet box
 up: 7.5" down: 3"


 **44706-05**
 (2) Medium Base 100w max.



Mounts up
 or down

THREE LIGHT WALL / BATH

W: 21.25" H: 10.5" E: 6.75"
 Height from center of outlet box
 up: 7.5" down: 3"

 **44707-05**
 (3) Medium Base 100w max.




Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 29" H: 10.5" E: 6.75"
 Height from center of outlet box
 up: 7.5" down: 3"

 **44708-05**
 (4) Medium Base 100w max.




Mounts up
 or down





ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 6.75"
Height from center of outlet box
up: 7.5" down: 3"

 **44705-962**
(1) Medium Base 100w max.




Mounts up
or down



TWO LIGHT WALL / BATH

W: 13.5" H: 10.5" E: 6.75"
Height from center of outlet box
up: 7.5" down: 3"

 **44706-962**
(2) Medium Base 100w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 21.25" H: 10.5" E: 6.75"
Height from center of outlet box
up: 7.5" down: 3"

 **44707-962**
(3) Medium Base 100w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 29" H: 10.5" E: 6.75"
Height from center of outlet box
up: 7.5" down: 3"

 **44708-962**
(4) Medium Base 100w max.



Mounts up
or down

Softly curved,
contemporary arms



WALL / BATH COLLECTIONS

Product Shown: Wheaton Three Light Wall/Bath in Heirloom Bronze



ONE LIGHT WALL / BATH

with brushed nickel finish

W: 6.5" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"

Q **44625-962**
(1) Medium Base 100w max.

E **44625BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with brushed nickel finish

W: 15.25" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"

Q **44626-962**
(2) Medium Base 100w max.

E **44626BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



ONE LIGHT WALL / BATH

with heirloom bronze finish

W: 6.5" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"

Q **44625-782**
(1) Medium Base 100w max.

E **44625BLE-782**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with heirloom bronze finish

W: 15.25" H: 7.75" E: 8.25"
Height from center of outlet box
up: 3.75" down: 4"

Q **44626-782**
(2) Medium Base 100w max.

E **44626BLE-782**
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down





THREE LIGHT WALL / BATH

W: 23.75" H: 7.75" E: 8.25"
 Height from center of outlet box
 up: 3.75" down: 4"



Mounts up
 or down

 **44627-962**
 (3) Medium Base 100w max.

 **44627BLE-962**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included

WALL / BATH COLLECTIONS





FOUR LIGHT WALL / BATH

W: 32.5" H: 7.75" E: 8.25"
 Height from center of outlet box
 up: 3.75" down: 4"



Mounts up
 or down

 **44628-962**
 (4) Medium Base 100w max.

 **44628BLE-962**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included

 RELATED PRODUCT

WHEATON
 INDOOR, p.190
 Brushed Nickel / Heirloom Bronze





THREE LIGHT WALL / BATH

W: 23.75" H: 7.75" E: 8.25"
 Height from center of outlet box
 up: 3.75" down: 4"

44627-782
 (3) Medium Base 100w max.

44627BLE-782
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 32.5" H: 7.75" E: 8.25"
 Height from center of outlet box
 up: 3.75" down: 4"

44628-782
 (4) Medium Base 100w max.

44628BLE-782
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

RELATED PRODUCT
WHEATON
 INDOOR, p.190
 Brushed Nickel / Heirloom Bronze

Dramatic curves make
a bold statement



WALL / BATH COLLECTIONS

Product Shown: Acadia Three Light Wall/Bath in Misted Bronze


ONE LIGHT WALL / BATH

W: 7" H: 11.25" E: 8.25"
 Height from center of outlet box
 up: 5.5" down: 5.75"

41145-814
 (1) Medium Base 100w max.

41145BLE-814
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
or down


TWO LIGHT WALL / BATH

W: 14.5" H: 10.5" E: 8.25"
 Height from center of outlet box
 up: 5" down: 5.5"

44145-814
 (2) Medium Base 100w max.

44145BLE-814
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


THREE LIGHT WALL / BATH

W: 22.5" H: 10.5" E: 8.25"
 Height from center of outlet box
 up: 5" down: 5.5"

44146-814
 (3) Medium Base 100w max.

44146BLE-814
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down


FOUR LIGHT WALL / BATH

W: 30.5" H: 10.5" E: 8.25"
 Height from center of outlet box
 up: 5" down: 5.5"

44147-814
 (4) Medium Base 100w max.

44147BLE-814
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

RELATED PRODUCT

ACADIA
 INDOOR, p.200
 Misted Bronze



Braided rope
detail adds
design interest

Product Shown: Plymouth One Light Wall/Bath in Blacksmith



ONE LIGHT WALL / BATH

with weathered pewter finish

W: 5" H: 9.5" E: 9.5"
Height from center of outlet box
up: 4.25" down: 5.25"

Q **44891-57**
(1) Medium Base 100w max.

E **44891BLE-57**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with weathered pewter finish

W: 16.25" H: 9.5" E: 10.25"
Height from center of outlet box
up: 4.25" down: 5.25"

Q **44892-57**
(2) Medium Base 100w max.

E **44892BLE-57**
(2) GU24 Base Self Ballasted CFL
13w lamps included



Mounts up
or down



ONE LIGHT WALL / BATH

with blacksmith finish

W: 5" H: 9.5" E: 9.5"
Height from center of outlet box
up: 4.25" down: 5.25"

Q **44891-839**
(1) Medium Base 100w max.

E **44891BLE-839**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Mounts up
or down



TWO LIGHT WALL / BATH

with blacksmith finish

W: 16.25" H: 9.5" E: 10.25"
Height from center of outlet box
up: 4.25" down: 5.25"

Q **44892-839**
(2) Medium Base 100w max.

E **44892BLE-839**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down




THREE LIGHT WALL / BATH

W: 26.5" H: 9.5" E: 10.25"
 Height from center of outlet box
 up: 4.25" down: 5.25"



 **44893-57**
 (3) Medium Base 100w max.

Mounts up
 or down

 **44893BLE-57**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included


WALL / BATH COLLECTIONS




FOUR LIGHT WALL / BATH

W: 36.75" H: 9.5" E: 10.25"
 Height from center of outlet box
 up: 4.25" down: 5.25"



 **44894-57**
 (4) Medium Base 100w max.

Mounts up
 or down

 **44894BLE-57**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included

 RELATED PRODUCT


PLYMOUTH
 INDOOR, p.206
 Weathered Pewter / Blacksmith






THREE LIGHT WALL / BATH

W: 26.5" H: 9.5" E: 10.25"
 Height from center of outlet box
 up: 4.25" down: 5.25"

 **44893-839**
 (3) Medium Base 100w max.

 **44893BLE-839**
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH


W: 36.75" H: 9.5" E: 10.25"
 Height from center of outlet box
 up: 4.25" down: 5.25"


 **44894-839**
 (4) Medium Base 100w max.

 **44894BLE-839**
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
or down

 RELATED PRODUCT
PLYMOUTH
 INDOOR, p.206
 Weathered Pewter / Blacksmith





Intricate, repeating pattern makes a bold decorative statement

WALL / BATH COLLECTIONS

Product Shown: (2) Highlands Two Light Wall Sconces in Palladium with Silver Silk Shantung Shades



TWO LIGHT WALL SCONCE

with palladium finish and silver silk shantung shades

W: 12.25" H: 15.25" E: 8.5"
Height from center of outlet box: 8"


42251-824
(2) Candelabra Base 60w max.



TWO LIGHT WALL / BATH

with palladium finish and dusted ivory glass

W: 15.5" H: 11.75" E: 8.75"
Height from center of outlet box
up: 5.25" down: 6.5"

 **47251-824**
(2) Medium Base 75w max.



Mounts up
or down



TWO LIGHT WALL SCONCE

with regal bronze finish and fawn fabric shades

W: 12.25" H: 15.25" E: 8.5"
Height from center of outlet box: 8"

42251-758
(2) Candelabra Base 60w max.



TWO LIGHT WALL / BATH

with regal bronze finish and dusted ivory glass

W: 15.5" H: 11.75" E: 8.75"
Height from center of outlet box
up: 5.25" down: 6.5"

 **47251-758**
(2) Medium Base 75w max.




Mounts up
or down



THREE LIGHT WALL / BATH

W: 22.5" H: 11.75" E: 8.75"
 Height from center of outlet box
 up: 5.25" down: 6.5"

 **47252-824**
 (3) Medium Base 75w max.




Mounts up
 or down

WALL / BATH COLLECTIONS



FOUR LIGHT WALL / BATH

W: 29.5" H: 11.75" E: 8.75"
 Height from center of outlet box
 up: 5.25" down: 6.5"

 **47253-824**
 (4) Medium Base 75w max.



Mounts up
 or down

 RELATED PRODUCT


HIGHLANDS
 INDOOR, p.210
 Palladium / Regal Bronze





THREE LIGHT WALL / BATH

W: 22.5" H: 11.75" E: 8.75"
Height from center of outlet box
up: 5.25" down: 6.5"

 **47252-758**
(3) Medium Base 75w max.




Mounts up
or down



FOUR LIGHT WALL / BATH

W: 29.5" H: 11.75" E: 8.75"
Height from center of outlet box
up: 5.25" down: 6.5"

 **47253-758**
(4) Medium Base 75w max.



Mounts up
or down

 RELATED PRODUCT


HIGHLANDS
INDOOR, p.210
Palladium / Regal Bronze






ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 8.25"
Height from center of outlet box
up: 7.25" down: 3.25"

 **41380-965**
(1) Medium Base 100w max.

 **49380BLE-965**
(1) GU24 Base Self Ballasted CFL
13w lamp included





Mounts up
or down



TWO LIGHT WALL / BATH

W: 15.25" H: 10.5" E: 8"
Height from center of outlet box
up: 7.25" down: 3.25"

 **44380-965**
(2) Medium Base 100w max.


 **49381BLE-965**
(2) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down

THREE LIGHT WALL / BATH

W: 23" H: 10.5" E: 8"
Height from center of outlet box
up: 7.25" down: 3.25"

 **44381-965**
(3) Medium Base 100w max.

 **49382BLE-965**
(3) GU24 Base Self Ballasted CFL
13w lamps included





Mounts up
or down



FOUR LIGHT WALL / BATH

W: 31.5" H: 10.5" E: 8"
Height from center of outlet box
up: 7.25" down: 3.25"


 **44382-965**
(4) Medium Base 100w max.

 **49383BLE-965**
(4) GU24 Base Self Ballasted CFL
13w lamps included




Mounts up
or down



 RELATED PRODUCT

PARKVIEW
INDOOR, p.218
Antique Brushed Nickel / Russet Bronze





ONE LIGHT WALL / BATH

W: 6" H: 10.5" E: 8.25"
 Height from center of outlet box
 up: 7.25" down: 3.25"

41380-829
 (1) Medium Base 100w max.

49380BLE-829
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



Mounts up
 or down



TWO LIGHT WALL / BATH

W: 15.25" H: 10.5" E: 8"
 Height from center of outlet box
 up: 7.25" down: 3.25"

44380-829
 (2) Medium Base 100w max.

49381BLE-829
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down



THREE LIGHT WALL / BATH

W: 23" H: 10.5" E: 8"
 Height from center of outlet box
 up: 7.25" down: 3.25"

44381-829
 (3) Medium Base 100w max.

49382BLE-829
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down



FOUR LIGHT WALL / BATH

W: 31.5" H: 10.5" E: 8"
 Height from center of outlet box
 up: 7.25" down: 3.25"

44382-829
 (4) Medium Base 100w max.

49383BLE-829
 (4) GU24 Base Self Ballasted CFL
 13w lamps included



Mounts up
 or down


RELATED PRODUCT

PARKVIEW
 INDOOR, p.218
 Antique Brushed Nickel / Russet Bronze



ONE LIGHT WALL / BATH

W: 5" H: 9.25" E: 8"
 Height from center of outlet box
 up: 5.5" down: 3.75"

 **44760-962**
 (1) Medium Base 100w max.




Mounts up
 or down




TWO LIGHT WALL / BATH 

W: 13.5" H: 8.5" E: 8.75"
 Height from center of outlet box
 up: 2.75"

 **44761-962**
 (2) Medium Base 100w max.

THREE LIGHT WALL / BATH 


W: 17.25" H: 8.5" E: 8.75"
 Height from center of outlet box
 up: 2.75"

 **44762-962**
 (3) Medium Base 100w max.



FOUR LIGHT WALL / BATH 

W: 24.75" H: 9.75" E: 8"
 Height from center of outlet box
 up: 3.25"

 **44763-962**
 (4) Medium Base 100w max.





ONE LIGHT WALL / BATH

W: 5" H: 9.25" E: 8"
Height from center of outlet box
up: 5.5" down: 3.75"

44760-782
(1) Medium Base 100w max.



Mounts up
or down



TWO LIGHT WALL / BATH

W: 13.5" H: 8.5" E: 8.75"
Height from center of outlet box
up: 2.75"

44761-782
(2) Medium Base 100w max.



THREE LIGHT WALL / BATH

W: 17.25" H: 8.5" E: 8.75"
Height from center of outlet box
up: 2.75"

44762-782
(3) Medium Base 100w max.



FOUR LIGHT WALL / BATH

W: 24.75" H: 9.75" E: 8"
Height from center of outlet box
up: 3.25"

44763-782
(4) Medium Base 100w max.






TWO LIGHT WALL / BATH



W: 12" H: 8.25" E: 7.5"
Height from center of outlet box
down: 3"


 **4871-05**
(2) Medium Base 100w max.



THREE LIGHT WALL / BATH



W: 17" H: 8" E: 8.5"
Height from center of outlet box
down: 3"


 **4872-05**
(3) Medium Base 100w max.



FOUR LIGHT WALL / BATH



W: 23.5" H: 8.25" E: 8"
Height from center of outlet box
down: 3"


 **4873-05**
(4) Medium Base 100w max.





TWO LIGHT WALL / BATH


W: 12" H: 8.25" E: 7.5"
Height from center of outlet box
down: 3"

 **4871-02**
(2) Medium Base 100w max.



THREE LIGHT WALL / BATH


W: 17" H: 8" E: 8.5"
Height from center of outlet box
down: 3"

 **4872-02**
(3) Medium Base 100w max.



FOUR LIGHT WALL / BATH

W: 23.5" H: 8.25" E: 8"
Height from center of outlet box
down: 3"

 **4873-02**
(4) Medium Base 100w max.






THREE LIGHT WALL / BATH

W: 18" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4737-05
(3) Medium Base G25 100w max.



FOUR LIGHT WALL / BATH

W: 24" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4738-05
(4) Medium Base G25 100w max.



FIVE LIGHT WALL / BATH

W: 30" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4735-05
(5) Medium Base G25 100w max.



SIX LIGHT WALL / BATH



W: 36" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4739-05
(6) Medium Base G25 100w max.



EIGHT LIGHT WALL / BATH



W: 48" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4740-05
(8) Medium Base G25 100w max.



THREE LIGHT WALL / BATH 

W: 18" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4737-98
(3) Medium Base G25 100w max.



FOUR LIGHT WALL / BATH 

W: 24" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4738-98
(4) Medium Base G25 100w max.



FIVE LIGHT WALL / BATH 

W: 30" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4735-98
(5) Medium Base G25 100w max.



SIX LIGHT WALL / BATH



W: 36" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4739-98
(6) Medium Base G25 100w max.



EIGHT LIGHT WALL / BATH



W: 48" H: 4.25" E: 2.25"
Height from center of outlet box
up: 2.25"

4740-98
(8) Medium Base G25 100w max.



FOUR LIGHT WALL / BATH 

W: 24" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4701-05
(4) Medium Base G25 100w max.



SIX LIGHT WALL / BATH 

W: 36" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4702-05
(6) Medium Base G25 100w max.



EIGHT LIGHT WALL / BATH 

W: 48" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4703-05
(8) Medium Base G25 100w max.



FOUR LIGHT WALL / BATH



W: 24" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4701-962
(4) Medium Base G25 100w max.



SIX LIGHT WALL / BATH



W: 36" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4702-962
(6) Medium Base G25 100w max.



EIGHT LIGHT WALL / BATH




W: 48" H: 4.75" E: 2.5"
Height from center of outlet box
up: 2.5"

4703-962
(8) Medium Base G25 100w max.



TWO LIGHT WALL / BATH  


W: 23.5" H: 4.5" E: 4"
 Height from center of outlet box
 up: 2.25"

-  **49215BLE-962**
 (2) Mini Bi-Pin T5 14w
 lamps included
 120V NPF Electronic Ballast



TWO LIGHT WALL / BATH  


W: 35.5" H: 4.5" E: 4"
 Height from center of outlet box
 up: 2.25"

-  **49216BLE-962**
 (2) Mini Bi-Pin T5 21w
 lamps included
 120V NPF Electronic Ballast



TWO LIGHT WALL / BATH  

W: 47.5" H: 4.5" E: 4"
 Height from center of outlet box
 up: 2.25"


-  **49217BLE-962**
 (2) Mini Bi-Pin T5 28w
 lamps included
 120V NPF Electronic Ballast

WALL / BATH COLLECTIONS

 RELATED PRODUCT

**MIDLAND
 CEILING**, p.290
 Brushed Nickel






**ONE LIGHT
WALL / BATH SCONCE**

with brushed nickel finish and white acrylic diffuser

W: 11.75" H: 8.75" E: 4"
Height from center of outlet box up: 6.75"

E 49339BLE-962
(1) GU24 Base Self Ballasted CFL
18w lamp included



**TWO LIGHT
WALL / BATH SCONCE**

with brushed nickel finish and white acrylic diffuser

W: 11.75" H: 8.75" E: 4"
Height from center of outlet box up: 6.75"

O 49439L-962
(2) G24q-1 Base Double Biax
13w max.
120V NPF Electronic Ballast



**ONE LIGHT
WALL / BATH SCONCE**

with brushed nickel finish and satin white acrylic diffuser

W: 6" H: 12.5" E: 3.5"
Height from center of outlet box up: 6.25"

E 49340BLE-962
(1) GU24 Base Self Ballasted CFL
18w lamp included



**ONE LIGHT
WALL / BATH SCONCE**

with burnt sienna finish and satin white acrylic diffuser

W: 9.5" H: 10.5" E: 4"
Height from center of outlet box up: 5.25"

E 49334BLE-710
(1) GU24 Base Self Ballasted CFL
18w lamp included



**ONE LIGHT
WALL / BATH SCONCE**

with brushed nickel finish and satin white acrylic diffuser

W: 9.5" H: 10.5" E: 4"
Height from center of outlet box up: 5.25"

E 49335BLE-962
(1) GU24 Base Self Ballasted CFL
18w lamp included



**TWO LIGHT
WALL / BATH SCONCE**

with brushed nickel finish and satin white acrylic diffuser


W: 9.5" H: 10.5" E: 4"
Height from center of outlet box up: 5.25"

O 49535L-962
(2) G24q-1 Base Double Biax
13w max.
120V NPF Electronic Ballast



ADA SCONCES

Various Finishes




ONE LIGHT WALL / BATH SCONCE

*with black metal screen and
white acrylic diffuser*

W: 11.75" H: 8.75" E: 4"
Height from center of outlet box
up: 4.5"



E 49332BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included



ONE LIGHT WALL / BATH SCONCE

*with white metal screen and
white acrylic diffuser*

W: 11.75" H: 8.75" E: 4"
Height from center of outlet box
up: 4.5"



E 49332BLE-15
(1) GU24 Base Self Ballasted CFL
18w lamp included




ONE LIGHT WALL / BATH SCONCE

*with burnt sienna finish and
satin white acrylic diffuser*

W: 7.5" H: 13.5" E: 3.25"
Height from center of outlet box
up: 6.75"



E 49331BLE-710
(1) GU24 Base Self Ballasted CFL
18w lamp included



ONE LIGHT WALL / BATH SCONCE

*with black metal screen and
white acrylic diffuser*

W: 8.5" H: 11.75" E: 3.75"
Height from center of outlet box
up: 6"



E 49333BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included



ONE LIGHT WALL / BATH SCONCE

*with white metal screen and
white acrylic diffuser*

W: 8.5" H: 11.75" E: 3.75"
Height from center of outlet box
up: 6"



E 49333BLE-15
(1) GU24 Base Self Ballasted CFL
18w lamp included



ONE LIGHT WALL / BATH SCONCE

*with brushed nickel finish and
satin white acrylic diffuser*

W: 7.5" H: 13.5" E: 3.25"
Height from center of outlet box
up: 6.75"



E 49331BLE-962
(1) GU24 Base Self Ballasted CFL
18w lamp included



**TWO LIGHT
WALL / BATH SCONCE**

*with brushed nickel finish
and frosted glass*

W: 15.75" H: 10" E: 4"
Height from center of outlet box
up: 5.75"

E 49170BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



**TWO LIGHT
WALL / BATH SCONCE**

*with burnt sienna finish
and frosted glass*

W: 15.75" H: 10" E: 4"
Height from center of outlet box
up: 5.75"

E 49170BLE-710
(2) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
WALL / BATH SCONCE**

*with brushed nickel finish and
clear highlighted satin etched glass*

W: 9.5" H: 9.25" E: 4"
Height from center of outlet box
up: 4.25"

Q 41115-962
(1) Medium Base 100w max.



**TWO LIGHT
WALL / BATH SCONCE**

*with brushed nickel finish
and opal cased etched glass*

W: 8" H: 10.5" E: 4"
Height from center of outlet box
up: 5.75"

E 49119BLE-962
(2) GU24 Base Self Ballasted CFL
13w lamps included



**TWO LIGHT
WALL / BATH SCONCE**

*with heirloom bronze finish
and opal cased etched glass*

W: 8" H: 10.5" E: 4"
Height from center of outlet box
up: 5.75"

E 49119BLE-782
(2) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
WALL / BATH SCONCE**

*with brushed nickel finish
and white glass*

W: 15" H: 7.5" E: 4"
Height from center of outlet box
up: 3"

Q 4135-962
(1) Medium Base 100w max.

E 4936BLE-962
(1) GU24 Base Self Ballasted CFL
13w lamp included



ADA SCONCES

Various Finishes



ONE LIGHT WALL / BATH SCONCE

*with brushed nickel finish
and white acrylic diffuser*

W: 14.75" H: 7.25" E: 3.75"
Height from center of outlet box
up: 2.5"

E **49151BLE-962**
(1) GU24 Base Self Ballasted CFL
13w lamp included



TWO LIGHT WALL / BATH SCONCE

*with brushed nickel finish
and white acrylic diffuser*

W: 20" H: 10" E: 4"
Height from center of outlet box
up: 2.75"

E **49150BLE-962**
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT WALL / BATH SCONCE

with white finish and white glass

W: 11.5" H: 5.75" E: 4"
Height from center of outlet box
up: 2.5"

Q **4148-15**
(1) Medium Base 100w max.



WALL / BATH COLLECTIONS



TWO LIGHT WALL / BATH SCONCE

*with white finish
and white acrylic diffuser*

W: 10.5" H: 12" E: 4"
Height from center of outlet box
up: 5.75"

E **4974BLE-15**
(2) G24q-1 Base Quad 4-Pin
13w lamps included



ONE LIGHT WALL / BATH SCONCE

*with white finish and
white acrylic diffuser*

W: 13.75" H: 6.25" E: 4"
Height from center of outlet box
up: 3.75"

E **4938BLE-15**
(1) GU24 Base Self Ballasted CFL
13w lamp included



Q RELATED PRODUCT


ADA SCONCES, p.555





ONE LIGHT
WALL / BATH SCONCE
with white finish and white glass


W: 10.75" H: 5.25" E: 4.25"
Height from center of outlet box
up: 2.5"

 **4123-15**
(1) Medium Base 100w max.



ONE LIGHT
WALL / BATH SCONCE
with white finish and white acrylic diffuser


W: 13.75" H: 6.75" E: 5.25"
Height from center of outlet box
up: 4"

 **4138-15**
(1) Medium Base 100w max.



ONE LIGHT
WALL / BATH SCONCE
with antique bronze finish and nuage creme glass


W: 10" H: 10" E: 5"
Height from center of outlet box
up: 4.75"

 **4108-71**
(1) Medium Base 100w max.



ONE LIGHT
WALL / BATH SCONCE
with blacksmith finish and hammertone glass

W: 8" H: 8.5" E: 4.5"
Height from center of outlet box
up: 3"

 **41640-839**
(1) Medium Base 100w max.





TWO LIGHT MULTI-VOLT CEILING / WALL MOUNT



*with white finish and
white acrylic diffuser*

W: 24.25" H: 4.5" E: 4.5"
Height from center of outlet box
up: 2.25"

E 49024LE-15
(2) Medium Bi-Pin T5 17w max.
120/277V HPF Electronic Ballast



TWO LIGHT MULTI-VOLT CEILING / WALL MOUNT



*with white finish and
white acrylic diffuser*

W: 36.25" H: 4.5" E: 4.5"
Height from center of outlet box
up: 2.25"

E 49025LE-15
(2) Medium Bi-Pin T5 25w max.
120/277V HPF Electronic Ballast



TWO LIGHT MULTI-VOLT CEILING / WALL MOUNT



*with white finish and
white acrylic diffuser*

W: 48.25" H: 4.5" E: 4.5"
Height from center of outlet box
up: 2.25"

E 49026LE-15
(2) Medium Bi-Pin T5 32w max.
120/277V HPF Electronic Ballast



TWO LIGHT WALL / BATH

*with frosted acrylic diffuser
and white end caps*



W: 24.5" H: 4.75" E: 4"
Height from center of outlet box
up: 2.5"



49310L-15

(2) Medium Bi-Pin T5 17w max.
120V NPF Electronic Ballast



TWO LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 24" H: 5.75" E: 2.25"
Height from center of outlet box
up: 3"



59038LE-15

(2) Medium Bi-Pin T5 17w max.
120V NPF Electronic Ballast



TWO LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 48" H: 5.75" E: 2.25"
Height from center of outlet box
up: 3"



59039LE-15

(2) Medium Bi-Pin T5 32w max.
120V NPF Electronic Ballast




ONE LIGHT WALL / BATH

*with smooth white steel finish
and white U-channel glass*



W: 4.5" H: 7.5" E: 4.75"
Height from center of outlet box
up: 4.5"

 **4449-15**
(1) Medium Base 75w max.




TWO LIGHT WALL / BATH

*with smooth white steel finish
and white U-channel glass*



W: 15" H: 4.5" E: 5"
Height from center of outlet box
up: 2.25"

 **4453-15**
(2) Medium Base 75w max.




FOUR LIGHT WALL / BATH

*with smooth white steel finish
and white U-channel glass*



W: 24" H: 4.5" E: 5"
Height from center of outlet box
up: 2.25"

 **4455-15**
(4) Medium Base 60w max.



TWO LIGHT WALL / BATH

*with chrome finish end caps
and white acrylic diffuser*



W: 24" H: 3.25" E: 5.25"
Height from center of outlet box
up: 1.75"

E 49013LE-05
(2) Medium Bi-Pin T5 17w max.
120V HPF Electronic Ballast



TWO LIGHT WALL / BATH

*with chrome finish end caps
and white acrylic diffuser*



W: 36" H: 3.25" E: 5.25"
Height from center of outlet box
up: 1.75"

E 49014LE-05
(2) Medium Bi-Pin T5 25w max.
120V HPF Electronic Ballast



TWO LIGHT WALL / BATH

*with chrome finish end caps
and white acrylic diffuser*



W: 48" H: 3.25" E: 5.25"
Height from center of outlet box
up: 1.75"

E 49015LE-05
(2) Medium Bi-Pin T5 32w max.
120V HPF Electronic Ballast



ONE LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 13.75" H: 6.75" E: 3.5"
Height from center of outlet box
up: 3.5"

E **4939BLE-68**
(1) GU24 Base Self Ballasted CFL
13w lamp included



THREE LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 25.75" H: 6.75" E: 3.5"
Height from center of outlet box
up: 3.5"

E **4940BLE-68**
(3) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 26.75" H: 6" E: 4.75"
Height from center of outlet box
up: 3"

O **4908LE-68**
(2) Medium Bi-Pin T5 17w max.
120V NPF Electronic Ballast



TWO LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 38.75" H: 6" E: 4.75"
Height from center of outlet box
up: 3"



4910LE-68

(2) Medium Bi-Pin T5 25w max.
120V NPF Electronic Ballast



TWO LIGHT WALL / BATH

*with white finish and
white acrylic diffuser*



W: 50.75" H: 6" E: 4.25"
Height from center of outlet box
up: 3"



4989LE-68

(2) Medium Bi-Pin T5 32w max.
120V NPF Electronic Ballast

Looking for additional wall/bath fixtures?

This section is only a sampling of the wall and bath fixtures we offer. You will find additional options spread throughout multiple sections of this catalog.

Below is a listing of the other collections and their corresponding page numbers where you can find additional fixtures to help meet your needs.

Additional wall/bath fixtures

Centra	p.68
Ellington	p.78
Highlands	p.210
Manor House	p.196
Metropolis	p.56
Stirling	p.38
Ceiling/Wall Flushmounts	p.282
Outdoor Flushmounts	p.586
Outdoor Wall Lanterns	p.559
Outdoor Wall Sconces	p.585



Ellington
One Light Wall/Bath



Highlands
Two Light Wall/Bath



Two Light ADA Outdoor
Wall Sconce



WALL / BATH COLLECTIONS

Product Shown: Stirling Two Light Semi-Flush Convertible Pendant [p.40] and (2) One Light Wall Sconces [p.41] in Brushed Nickel

Product Shown: Quality Max 52" Indoor Fan in Heirloom Bronze with Cerused Oak / Ebony Blades, p.446



CEILING FANS





CEILING FANS

CEILING FANS

Ceiling fans are a great way to cost-effectively control the temperature in your home. In the summer months they help you circulate cool air, and in the winter they help heat your space by redirecting warm air down from the ceiling. For added functionality, all of our ceiling fans can be used with a light kit to add general illumination in a room.

HIGHLANDS 52"

Indoor Fan with Integrated Light Kit

Trim adds impactful
design detail



CEILING FANS

Product Shown: Highlands 52" Indoor Fan in Palladium

15358B-824
Palladium Finish
Pecan Finish Blades
Dusted Ivory Glass



15358B-758
Regal Bronze Finish
Pecan Finish Blades
Dusted Ivory Glass



CEILING FANS

FEATURES

5 Blade fan

5 extra-wide 150mm, high quality plywood blades.

Remote control included

Includes three speed remote with fan control and four level light dimmer. Battery included.

Integrated light fixture

(3) 40w lamps included.

Flush mount capable

For flush mount installation, order flush mount canopy **1631** in the selected finish on p.457.

Optional accessories

For additional downrods or sloped ceiling adapters see p.457.

Lifetime motor warranty

SPECIFICATIONS

Dimensions D: 52" H: 18.5"

Blade pitch 13°

Wattage (3) Candelabra Base
40w lamps included

Min. ceiling height 8.15'

Motor size 172mm x 17mm

Energy information at high speed

Airflow	Electricity use	Efficiency
5,031 CFM	62 watts	81 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

RELATED PRODUCT

HIGHLANDS BATH, p.406
Palladium / Regal Bronze

RELATED PRODUCT

HIGHLANDS INDOOR, p.210
Palladium / Regal Bronze

SOMERTON 56"

Indoor Fan with Integrated Light Kit



Soft curve and right angle converge

CEILING FANS

Product Shown: Somerton 56" Indoor Fan in Blacksmith

15170B-965
Antique Brushed Nickel Finish
Teak Wood Grain Finish Blades
Satin Etched Glass



Glass mounts
up or down



15170B-839
Blacksmith Finish
Teak Wood Grain Finish Blades
Cafe Tint Glass



Glass mounts
up or down



FEATURES

5 Blade fan

5 extra-wide 150mm, high quality plywood blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Integrated light fixture

(3) 60w lamps included. Somerton fans can also be mounted without the integrated light kit.

Flush mount capable

For flush mount installation, order flush mount canopy **1631** in the selected finish on p.457.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** or **B** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions D: 56" H: 21.5"

Blade pitch 13°

Wattage (3) Candelabra Base
60w lamps included

Min. ceiling height 7.44'

Motor size 188mm x 20mm

Energy information at high speed

Airflow	Electricity use	Efficiency
6,254 CFM	78 watts	80 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

RELATED PRODUCT

SOMERTON
BATH, p.328

Antique Brushed Nickel / Blacksmith



RELATED PRODUCT

SOMERTON
INDOOR, p.88

Antique Brushed Nickel / Blacksmith



QUALITY PRO DELUXE 52"

Indoor Fan with Integrated Light Kit

15162B-15

White Finish
White Finish Blades
White Faux Alabaster Glass



15160B-255

Brushed Pewter Finish
Walnut Finish Blades
White Faux Alabaster Glass



CEILING FANS

FEATURES

5 Blade fan

5 extra-wide 130mm, high quality plywood blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Integrated light fixture

(3) 40w lamps included.

Flush mount capable

All Quality Pro Deluxe fans include hardware required for flush mount installation.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** or **B** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions D: 52" H:15.8"

Blade pitch 11°

Wattage (3) Candelabra Base
40w lamps included

Min. ceiling height 7.88'

Motor size 153mm x 12mm

Energy information at high speed


Airflow	Electricity use	Efficiency
4,224 CFM	56 watts	75 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

15163B-191
Roman Bronze Finish
Roman Bronze / American Walnut Dual Finish Blades
White Faux Alabaster Glass



15161B-191
Roman Bronze Finish
Roman Bronze / American Walnut Dual Finish Blades
Champagne Scavo Glass



CEILING FANS

RELATED PRODUCT

QUALITY PRO DELUXE **15161B-191** coordinates with the following indoor collections:

ACADIA, p.200	Misted Bronze	PARKVIEW, p.218	Russet Bronze
BROCKTON, p.120	Burnt Sienna	RIALTO, p.168	Russet Bronze
DEL PRATO, p.186	Chestnut Bronze	ROSLYN, p.94	Flemish Bronze
GLADSTONE, p.130	Heirloom Bronze	SFERA, p.74	Autumn Bronze
LEMONT, p.146	Burnt Sienna	STIRLING, p.38	Burnt Sienna
MONTREAL, p.152	Burnt Sienna	WARWICK, p.104	Vintage Bronze
PARK WEST, p.136	Burnt Sienna		

QUALITY PRO DELUXE **15160B-255** coordinates with the following indoor collections:

LEMONT, p.146	Antique Brushed Nickel
PLYMOUTH, p.206	Weathered Pewter



QUALITY MAX 52"



Indoor Fan

Classic, clean styling



CEILING FANS

Product Shown: Quality Max 52" Indoor Fan in Heirloom Bronze with Cersued Oak / Ebony Blades



E 15030-15
White Finish
White Finish Blades



E 15030-02
Polished Brass Finish
Oak / Walnut Dual Finish Blades



E 15030-05
Chrome Finish
Silver Finish Blades



E 15030-07
Weathered Iron Finish
Walnut Finish Blades

CEILING FANS



E 15030-829
Russet Bronze Finish
Teak Wood Grain Finish Blades



E 15030-839
Blacksmith Finish
Black Finish Blades


E 15030-782
Heirloom Bronze Finish
Walnut Grain Finish Blades



E 15030-962
Brushed Nickel Finish
Mahogany Dark / Oak Dual Finish Blades



E 15040-782
Heirloom Bronze Finish
Cerused Oak / Ebony Dual Finish Blades



E 15040-962
Brushed Nickel Finish
Cerused Oak / Ebony Dual Finish Blades



FEATURES
5 Blade fan

5 extra-wide 139mm, high quality plywood blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Light kit available

Light kit not included, order optional light kit **16150B**, **16151B**, **16148BL**, **16120B** or **16021BLE** in the selected finish on p.454-455.

Flush mount capable

All Quality Max fans include hardware required for flush mount installation.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A**, **B** or **D** on p.456.

Lifetime motor warranty
SPECIFICATIONS

Dimensions	D: 52" H: 12.75"
Blade pitch	11°
Wattage	Varies based on light kit selected
Min. ceiling height	7.99'
Motor size	153mm x 15mm

Energy information at high speed

Airflow	Electricity use	Efficiency
6,182 CFM	66 watts	94 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

RELATED PRODUCT

QUALITY MAX **15030-05** coordinates with the following indoor collections:

ENGLEHORN, p.34	Chrome
OSLO, p.44	Chrome
SOLANA, p.66	Polished Nickel



QUALITY MAX **15030-07** coordinates with the following indoor collections:

MANOR HOUSE, p.196	Weathered Iron
--------------------	----------------



QUALITY MAX **15030-839** coordinates with the following indoor collections:

OSLO, p.44	Blacksmith
UPTOWN, p.70	Blacksmith
WINNETKA, p.60	Blacksmith



QUALITY MAX **15040-782** coordinates with the following indoor collections:

BLAYNE, p.164	Platinum Oak
CORBELLE, p.108	Stardust



QUALITY MAX PLUS 52" E

Indoor Fan with Integrated Light Kit



E 15030BLE-15
White Finish
White Finish Blades



E 15030BLE-814
Misted Bronze Finish
Cherry Finish Blades



E 15030BLE-965
Antique Brushed Nickel Finish
Teak Wood Grain Finish Blades



E 15030BLE-07
Weathered Iron Finish
Walnut Finish Blades



E 15030BLE-782
Heirloom Bronze Finish
Walnut Grain Finish Blades



E 15030BLE-962
Brushed Nickel Finish
Mahogany Dark / Oak Dual Finish Blades



E 15040BLE-782
Heirloom Bronze Finish
Cerused Oak / Ebony Dual Finish Blades



E 15040BLE-962
Brushed Nickel Finish
Cerused Oak / Ebony Dual Finish Blades



CEILING FANS



FEATURES

5 Blade fan

5 extra-wide 139mm, high quality plywood blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Integrated light fixture

(2) 13w lamps included, replacement LED lamps available on p.620.

Flush mount capable

All Quality Max Plus fans include hardware required for flush mount installation.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** or **D** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions	D: 52" H: 19.1"
Blade pitch	11°
Wattage	(2) GU24 Base Self Ballasted CFL 13w lamps included
Min. ceiling height	7.99'
Motor size	153mm x 15mm

Energy information at high speed

Airflow	Electricity use	Efficiency
5,996 CFM	65 watts	92 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

RELATED PRODUCT

QUALITY MAX PLUS **15030BLE-965** coordinates with the following indoor collections:

GLADSTONE, p.130	Antique Brushed Nickel
MONTREAL, p.152	Antique Brushed Nickel
PARKVIEW, p.218	Antique Brushed Nickel
RIALTO, p.168	Antique Brushed Nickel



QUALITY MAX PLUS **15030BLE-782** coordinates with the following indoor collections:

ALBANY, p.140	Heirloom Bronze
HOLMAN, p.112	Bell Metal Bronze
LAUREL LEAF, p.180	Estate Bronze
NORTHBROOK, p.158	Roman Bronze
WHEATON, p.190	Heirloom Bronze
WINDGATE, p.174	Heirloom Bronze



QUALITY MAX PLUS **15040BLE-782** coordinates with the following indoor collections:

DENHELM, p.82	Burnt Sienna
SUSSEX, p.98	Heirloom Bronze
VITELLI, p.50	Autumn Bronze



QUALITY MAX PLUS **15030BLE-962** coordinates with the following indoor collections:

ALBANY, p.140	Brushed Nickel
CENTRA, p.68	Brushed Stainless
HOLMAN, p.112	Brushed Nickel
LAUREL LEAF, p.180	Antique Brushed Nickel
METROPOLIS, p.56	Brushed Nickel
NORTHBROOK, p.158	Brushed Nickel
STIRLING, p.38	Brushed Nickel
SUSSEX, p.98	Brushed Nickel
WHEATON, p.190	Brushed Nickel
WINDGATE, p.174	Brushed Nickel
WINNETKA, p.60	Brushed Nickel



QUALITY MAX PLUS **15040BLE-962** coordinates with the following indoor collections:

BROCKTON, p.120	Brushed Nickel
DENHELM, p.82	Brushed Nickel
DRISCOLL, p.28	Brushed Nickel
VITELLI, p.50	Weathered Pewter



LONG BEACH 52"

Outdoor Fan



Light kit adds glow

CEILING FANS

Product Shown: Long Beach 52" Outdoor Fan in Bronze Powdercoat with optional light kit

E **1540-15**
White Powdercoat Finish
White Finish ABS Resin Blades



E **1540-10**
Bronze Powdercoat Finish
Oak Finish ABS Resin Blades



CEILING FANS

FEATURES

5 Blade fan

5 durable, all weather ABS resin blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Easy maintenance

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

Light kit available

Light kit not included, order optional light kit **16149BL** in the selected finish on p.454.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions	D: 52" H: 14"
Blade pitch	12°
Wattage	Varies based on light kit selected
Min. ceiling height	7.6'
Motor size	153mm x 17mm

Energy information at high speed

Airflow	Electricity use	Efficiency
5,502 CFM	62 watts	89 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

E **15045-191**
 Roman Bronze Finish
 Oak Finish ABS Resin Blades
 D: 42" H: 12.5"



E **15046-191**
 Roman Bronze Finish
 Oak Finish ABS Resin Blades
 D: 52" H: 12.75"



CEILING FANS

FEATURES

5 Blade fan

5 durable, all weather ABS resin blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Easy maintenance

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

Light kit available

Light kit not included, order optional light kit **16149BL** in the selected finish on p.454.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions Varies based on fan diameter selected

Blade pitch 12°

Wattage Varies based on light kit selected

Min. ceiling height 7.85'

Motor size 153mm x 12mm

Energy information at high speed

	Airflow	Electricity use	Efficiency
42"	3,841 CFM	46 watts	84 CFM/watt
52"	5,240 CFM	62 watts	85 CFM/watt
	<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71-86 CFM/watt at high speed.

49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

1525-15
White Powdercoat Finish
White Finish ABS Resin Blades



FEATURES

5 Blade fan

5 durable, all weather ABS resin blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Easy maintenance

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

Light kit available

Light kit not included, order optional light kit **16149BL** in the selected finish on p.454.

Flush mount capable

For flush mount installation, order flush mount canopy **1631** in the selected finish on p.457.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.454-457. For optional remote control, select category **A** on p.456.

Lifetime motor warranty

SPECIFICATIONS

Dimensions	D: 42" H: 13.25"
Blade pitch	12°
Wattage	Varies based on light kit selected
Min. ceiling height	7.85'
Motor size	153mm x 13mm

Energy information at high speed

Airflow	Electricity use	Efficiency
3,817 CFM	46 watts	83 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>


Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71-86 CFM/watt at high speed.

LIGHT KITS

ONE LIGHT CEILING FAN LIGHT KIT*

with white glass

D: 10.75" H: 3.5"

 (1) Medium Base Self Ballasted CFL
13w lamp included

Compatible with Quality Max ceiling fans



16148BL-15
white



16148BL-02
polished brass



16148BL-05
chrome



16148BL-962
brushed nickel



16148BL-782
heirloom bronze



16148BL-829
russet bronze




16148BL-839
blacksmith

TWO LIGHT CEILING FAN LIGHT KIT*

with satin etched glass

D: 12.25" H: 6.75"

 (2) GU24 Base Self Ballasted CFL
18w lamps included

Compatible with Quality Max ceiling fans



16021BLE-33
satin white glass

THREE LIGHT CEILING FAN LIGHT KIT*

with satin etched glass

D: 12" H: 7"

(3) Candelabra Base
60w lamps included

Compatible with Quality Max ceiling fans




16120B-33
satin white glass

TWO LIGHT CEILING FAN LIGHT KIT*

with opal glass

D: 10" H: 5"

 (2) Medium Base Self Ballasted CFL
13w lamps included

Compatible with all Long Beach, Panorama
and Bayou ceiling fans



16149BL-15
white powdercoat



16149BL-10
bronze powdercoat



16149BL-191
roman bronze
powdercoat

*WARNING: All light kits shown here can only be used with an on/off switch, not with a dimming control system.

**THREE LIGHT CEILING
FAN LIGHT KIT***

D: 6.5" H: 2.75"

(3) Candelabra Base
60w lamps included
Glass sold separately (see below)

Compatible with Quality Max ceiling fans



16150B-15
white



16150B-02
polished brass



16150B-962
brushed nickel

**FOUR LIGHT CEILING
FAN LIGHT KIT***

D: 6.5" H: 3"

(4) Candelabra Base
40w lamps included
Glass sold separately (see below)

Compatible with Quality Max ceiling fans



16151B-15
white



16151B-02
polished brass



16151B-05
chrome



16151B-962
brushed nickel



16151B-829
russet bronze



16151B-782
heirloom bronze



16151B-839
blacksmith

GLASS CHOICES

All neck sizes 2.25", compatible with all 16150 and 16151 series fitters above.



1633-681
Stratus White
D: 5.5" H: 5.25"



1664-692
Etched White Alabaster
D: 5.5" H: 5.25"



1665-6058
Cafe Tint
D: 5.5" H: 5.25"



1665-619
Satin Etched
D: 5.5" H: 5.25"



1666-33
Satin White
D: 4.75" H: 5.25"



1676-32
Clear Ribbed
D: 4.25" H: 5"



1676-33
Satin White
D: 4.25" H: 5"

CATEGORY

A

FAN WALL CONTROL

1601-15

- Ivory and white knobs included
- Three speed settings
- Not for fans operated by remote




CATEGORY

B

COMBO REMOTE CONTROL KIT

16002-15

- For fans with manual reverse and incandescent light source
- Canopy installed receiver converts pull chain fan to remote capability
- Motor speed, reverse and downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated transmitter included, no hardwiring required



transmitter

receiver

includes enclosure for hand-held use

REMOTE CONTROL TRANSMITTER

16005-15

- Transmitter accessory / companion for use with existing or installed fans with receiver
- Delivers added flexibility of use as a wall mount remote or hand-held unit
- Reverse motor and downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated, no hardwiring required



transmitter

includes enclosure for hand-held use

CATEGORY

C


CATEGORY

D

COMBO REMOTE CONTROL KIT

16006-15


- For fans with manual reverse and fluorescent light source
- Canopy installed receiver converts pull chain fan to remote capability
- Motor speed and on/off downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated, no hardwiring required



transmitter

receiver

includes enclosure for hand-held use



shown in
roman bronze

FLUSH MOUNT CANOPY

For lower ceilings, this flush mount canopy can easily be mounted directly on the top of most Sea Gull Lighting models, bringing your fan closer to the ceiling.



1631-15
white



1631-05
chrome



1631-962
brushed nickel



1631-965
antique brushed
nickel



1631-824
palladium



1631-829
russet bronze



1631-758
regal bronze



1631-814
misted bronze



1631-191
roman bronze



1631-782
heirloom bronze



1631-07
weathered iron



1631-839
blacksmith



shown in
chrome

SLOPED CEILING ADAPTER

For extreme sloped or vaulted ceilings (up to 46° pitch). This adapter can easily be mounted onto any Sea Gull Lighting ceiling fan.



1630-15
white



1630-02
polished brass



1630-05
chrome



1630-962
brushed nickel



1630-965
antique brushed
nickel



1630-824
palladium



1630-255
brushed pewter



1630-829
russet bronze



1630-758
regal bronze



1630-10
bronze



1630-814
misted bronze



1630-191
roman bronze



1630-782
heirloom bronze



1630-07
weathered iron



1630-839
blacksmith

DOWNRODS

Downrods offer added flexibility in placing fans in the exact setting desired. Decorative .5" diameter downrods are threaded on one end with pre-drilled holes on both ends. The threaded end of the downrod should be installed in the ball, inside the ceiling canopy.

For optimum performance, we recommend that your ceiling fan is installed with the blades suspended between 8' and 9' above the floor.

Using the chart, select from an extensive list of finishes and sizes for the correct downrod to match your fan finish and ceiling height.

Ceiling height	9'	10'	11'	12'	13'	15'
Suggested length	12"	18"	24"	36"	48"	72"
White	1610-15	1611-15	1612-15	1613-15	1614-15	1617-15
Polished Brass	1610-02	1611-02	1612-02	1613-02	1614-02	1617-02
Chrome	1610-05	1611-05	1612-05	1613-05	1614-05	1617-05
Brushed Nickel	1610-962	1611-962	1612-962	1613-962	1614-962	1617-962
Antique Brushed Nickel	1610-965	1611-965	1612-965	1613-965	1614-965	1617-965
Palladium	1610-824	1611-824	1612-824	1613-824	1614-824	1617-824
Brushed Pewter	1610-255	1611-255	1612-255	1613-255	1614-255	1617-255
Russet Bronze	1610-829	1611-829	1612-829	1613-829	1614-829	1617-829
Regal Bronze	1610-758	1611-758	1612-758	1613-758	1614-758	1617-758
Bronze	1610-10	1611-10	1612-10	1613-10	1614-10	1617-10
Misted Bronze	1610-814	1611-814	1612-814	1613-814	1614-814	1617-814
Roman Bronze	1610-191	1611-191	1612-191	1613-191	1614-191	1617-191
Heirloom Bronze	1610-782	1611-782	1612-782	1613-782	1614-782	1617-782
Weathered Iron	1610-07	1611-07	1612-07	1613-07	1614-07	1617-07
Blacksmith	1610-839	1611-839	1612-839	1613-839	1614-839	1617-839

Product Shown: Branford One Light Outdoor Wall Lantern in Obsidian Mist, p. 487



OUTDOOR COLLECTIONS



Product Shown: (2) Lancaster Two Light Outdoor
Wall Lanterns in Antique Bronze, p.523



OUTDOOR COLLECTIONS

OUTDOOR COLLECTIONS

Outdoor Lighting enhances the beauty of your property, creates a welcoming environment for your guests and makes your home more secure. Choose your style and find the right size fixtures to add that finishing touch to the outside of your home.

Frame within a frame
construction featuring
clear seeded glass

OUTDOOR COLLECTIONS

Product Shown: Hunnington Large One Light Outdoor Wall Lantern in Black with Clear Seeded Glass

**ONE LIGHT
OUTDOOR PENDANT***with weathered pewter finish
and etched seeded glass*D: 9" H: 13.75"
12' of wire pre-laced through 10' of chain**E 69029BLE-57**
(1) GU24 Base Self Ballasted CFL
26w lamp included**ONE LIGHT
OUTDOOR PENDANT***with weathered pewter finish
and clear seeded glass*D: 9" H: 13.75"
12' of wire pre-laced through 10' of chain**62027-57**
(1) Medium Base 100w max.**ONE LIGHT
OUTDOOR PENDANT***with black finish and
etched seeded glass*D: 9" H: 13.75"
12' of wire pre-laced through 10' of chain**E 69029BLE-12**
(1) GU24 Base Self Ballasted CFL
26w lamp included**ONE LIGHT
OUTDOOR PENDANT***with black finish and
clear seeded glass*D: 9" H: 13.75"
12' of wire pre-laced through 10' of chain**62027-12**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 2"

E 89029BLE-57
(1) GU24 Base Self Ballasted CFL
18w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 2"

E 89031BLE-57
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

W: 9" H: 15"

O 89129BL-57
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

W: 10" H: 6.25"


E 79039BLE-57
(2) GU24 Base Self Ballasted CFL
18w lamps included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 2"


 **88025-57**
(1) Medium Base 60w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 2"


 **88027-57**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



W: 9" H: 15"


 **82027-57**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



W: 10" H: 6.25"

 **78027-57**
(2) Medium Base 75w max.



SMALL ONE LIGHT OUTDOOR WALL LANTERN



W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 2"

E 89029BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included



LARGE ONE LIGHT OUTDOOR WALL LANTERN



W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 2"

E 89031BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR POST LANTERN



W: 9" H: 15"

O 89129BL-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT



W: 10" H: 6.25"

E 79039BLE-12
(2) GU24 Base Self Ballasted CFL
18w lamps included

**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**W: 7" H: 11" E: 8.5"
Height from center of outlet box up: 2" **88025-12**
(1) Medium Base 60w max.**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**W: 9" H: 14" E: 10.5"
Height from center of outlet box up: 2" **88027-12**
(1) Medium Base 100w max.**ONE LIGHT OUTDOOR
POST LANTERN**

W: 9" H: 15"

82027-12
(1) Medium Base 100w max.**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**


W: 10" H: 6.25"

78027-12
(2) Medium Base 75w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6" H: 12.25" E: 7"
Height from center of outlet box
up: 2.5"


 **8522401-57**
(1) Medium Base 100w max.


 **8522401BLE-57**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6.75" H: 13.5" E: 7.5"
Height from center of outlet box
up: 2.5"


 **8622401-57**
(1) Medium Base 100w max.


 **8622401BLE-57**
(1) GU24 Base Self Ballasted CFL
18w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.5" H: 15" E: 8.5"
Height from center of outlet box
up: 2.5"


 **8722401-57**
(1) Medium Base 100w max.


 **8722401BLE-57**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT
OUTDOOR PENDANT** 

D: 7" H: 16"
10' of wire pre-laced through 3' of chain


 **6222401-57**
(1) Medium Base 100w max.


 **6222401BLE-57**
(1) GU24 Base Self Ballasted CFL
18w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

D: 7.75" H: 18.75"


 **8222401-57**
(1) Medium Base 100w max.


 **8222401BL-57**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 11.25" H: 6"

 **7822402-57**
(2) Medium Base 75w max.

 **7822402BLE-57**
(2) GU24 Base Self Ballasted CFL
13w lamps included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

W: 6" H: 12.25" E: 7"
Height from center of outlet box
up: 2.5"

8522401-12
(1) Medium Base 100w max.

8522401BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**

W: 6.75" H: 13.5" E: 7.5"
Height from center of outlet box
up: 2.5"

8622401-12
(1) Medium Base 100w max.

8622401BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7.5" H: 15" E: 8.5"
Height from center of outlet box
up: 2.5"

8722401-12
(1) Medium Base 100w max.

8722401BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT
OUTDOOR PENDANT**

D: 7" H: 16"
10' of wire pre-laced through 3' of chain

6222401-12
(1) Medium Base 100w max.

6222401BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN**

D: 7.75" H: 18.75"

8222401-12
(1) Medium Base 100w max.

8222401BL-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**

D: 11.25" H: 6"


7822402-12
(2) Medium Base 75w max.


7822402BLE-12
(2) GU24 Base Self Ballasted CFL
13w lamps included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6" H: 12.25" E: 8"
Height from center of outlet box up: 3.5"


 **8524401-71**
(1) Medium Base 100w max.


 **8524401BLE-71**
(1) GU24 Base Self Ballasted CFL
18w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 8.5" H: 16.75" E: 10.75"
Height from center of outlet box up: 3.5"


 **8624401-71**
(1) Medium Base 100w max.


 **8624401BLE-71**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

D: 10.25" H: 22.25"

 **8224401-71**
(1) Medium Base 100w max.


 **8224401BL-71**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 12.25" H: 5.5"

 **7824402-71**
(2) Medium Base 75w max.

 **7824402BLE-71**
(2) GU24 Base Self Ballasted CFL
13w lamps included


**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**


W: 6" H: 12.25" E: 8"
Height from center of outlet box up: 3.5"

8524401-12
(1) Medium Base 100w max.

8524401BLE-12
(1) GU24 Base Self Ballasted CFL
18w lamp included


**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**


W: 8.5" H: 16.75" E: 10.75"
Height from center of outlet box up: 3.5"

8624401-12
(1) Medium Base 100w max.

8624401BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included


**ONE LIGHT OUTDOOR
POST LANTERN**


D: 10.25" H: 22.25"

8224401-12
(1) Medium Base 100w max.

8224401BL-12
(1) GU24 Base Self Ballasted CFL
26w lamp included


**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**


D: 12.25" H: 5.5"

7824402-12
(2) Medium Base 75w max.


7824402BLE-12
(2) GU24 Base Self Ballasted CFL
13w lamps included




**ONE LIGHT
OUTDOOR PENDANT** 

with antique bronze finish

D: 10.25" H: 18.25"
10' of wire pre-laced through 3' of chain

 **6224401-71**
(1) Medium Base 100w max.

 **6224401BLE-71**
(1) GU24 Base Self Ballasted CFL
18w lamp included


OUTDOOR COLLECTIONS




**ONE LIGHT
OUTDOOR PENDANT** 

with black finish

D: 10.25" H: 18.25"
10' of wire pre-laced through 3' of chain

 **6224401-12**
(1) Medium Base 100w max.

 **6224401BLE-12**
(1) GU24 Base Self Ballasted CFL
18w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8" H: 11.25" E: 9.25"
Height from center of outlet box
up: 6.25"

8870-12
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 11.25" H: 15.75" E: 13.5"
Height from center of outlet box
up: 9.5"

8871-12
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 11.25" H: 15.75" E: 16"

8269-12
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT**




D: 11.25" H: 9.25"

8869-12
(1) Medium Base 100w max.

RELATED PRODUCT

**SEBRING
PENDANTS**, p.262


Brushed Stainless / Weathered Copper






**SMALL ONE LIGHT
 OUTDOOR WALL LANTERN** 

W: 8" H: 11.25" E: 9.25"
 Height from center of outlet box
 up: 6.25"


 **8870-98**
 (1) Medium Base 100w max.


 **89070BLE-98**
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



**LARGE ONE LIGHT
 OUTDOOR WALL LANTERN** 

W: 11.25" H: 15.75" E: 13.5"
 Height from center of outlet box
 up: 9.5"


 **8871-98**
 (1) Medium Base 100w max.

 **89571BLE-98**
 (1) GU24 Base Self Ballasted CFL
 26w lamp included



**ONE LIGHT OUTDOOR
 POST LANTERN** 


D: 11.25" H: 15.75" E: 16"


 **8269-98**
 (1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
 CEILING FLUSH MOUNT** 


D: 11.25" H: 9.25"

 **8869-98**
 (1) Medium Base 100w max.

 RELATED PRODUCT

**SEBRING
 PENDANTS**, p.262

Brushed Stainless / Weathered Copper





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8" H: 11.25" E: 9.25"
Height from center of outlet box
up: 6.25"

8870-44
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 11.25" H: 15.75" E: 13.5"
Height from center of outlet box
up: 9.5"

8871-44
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 11.25" H: 15.75" E: 16"

8269-44
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



D: 11.25" H: 9.25"

8869-44
(1) Medium Base 100w max.


RELATED PRODUCT

**SEBRING
PENDANTS**, p.262
Brushed Stainless / Weathered Copper



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6" H: 12" E: 7.5"
Height from center of outlet box
up: 7.25"

 **88116-962**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6" H: 17.5" E: 7.5"
Height from center of outlet box
up: 8.5"

 **88117-962**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 10" H: 20.75" E: 11.5"
Height from center of outlet box
up: 10.5"

 **88119-962**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 10" H: 6.75"

 **88115-962**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8" H: 13.75" E: 9"
Height from center of outlet box
up: 3.5"

8440-44
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10.75" H: 18.5" E: 12"
Height from center of outlet box
up: 4.75"

8441-44
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT**



D: 10.75" H: 16.75"
10' of wire and 3' of chain

6041-44
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 11" H: 20"


8241-44
(1) Medium Base 100w max.



OUTDOOR COLLECTIONS

ONE LIGHT
OUTDOOR PENDANT 

D: 7.75" H: 20"
10' of wire and 3' of chain

 **69400BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN



W: 6" H: 9.75" E: 6.75"
 Height from center of outlet box up: 2.5"

E 89101BLE-12
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



MEDIUM ONE LIGHT OUTDOOR WALL LANTERN



W: 6.25" H: 19.75" E: 10"
 Height from center of outlet box up: 15.25"

E 89102BLE-12
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



LARGE ONE LIGHT OUTDOOR WALL LANTERN



W: 7.75" H: 23.5" E: 10.75"
 Height from center of outlet box up: 16"

E 89103BLE-12
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT



with etched glass, white inside


D: 12.75" H: 7.5"

E 79136BLE-12
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



ONE LIGHT OUTDOOR WALL LANTERN 


W: 6" H: 9.75" E: 6.75"
Height from center of outlet box up: 2.5"

 **85200-12**
(1) Medium Base 100w max.



MEDIUM ONE LIGHT OUTDOOR WALL LANTERN 


W: 6.25" H: 19.75" E: 10"
Height from center of outlet box up: 15.25"

 **88200-12**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR PENDANT 

D: 7.75" H: 20"
10' of wire and 3' of chain

 **60400-12**
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR POST LANTERN 

D: 7.75" H: 23"

82200-12
(2) Candelabra Base 60w max.



TWO LIGHT OUTDOOR WALL LANTERN

W: 7.75" H: 23.5" E: 10.75"
Height from center of outlet box up: 16"

88201-12
(2) Candelabra Base 60w max.



THREE LIGHT OUTDOOR WALL LANTERN

W: 10.75" H: 31.5" E: 13.75"
Height from center of outlet box up: 21"

88202-12
(3) Candelabra Base 60w max.



THREE LIGHT OUTDOOR POST LANTERN

D: 10.75" H: 28.75"

82201-12
(3) Candelabra Base 60w max.



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

D: 12.75" H: 7.5"

78136-12
(2) Medium Base 60w max.






ONE LIGHT
OUTDOOR PENDANT



L: 10" W: 10" H: 17"
10' of wire and 4' of chain


 **60010-71**
(1) Medium Base 150w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 11.25" E: 7.75"
Height from center of outlet box
up: 4"


 **85008-71**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10" H: 16.75" E: 10.75"
Height from center of outlet box
up: 5.75"


 **85013-71**
(1) Medium Base 150w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 13.5" H: 22.75" E: 14.5"
Height from center of outlet box
up: 6.5"


 **85028-71**
(1) Medium Base 150w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



L: 10" W: 10" H: 19"

 **82007-71**
(1) Medium Base 150w max.



Craftsman silhouette has a touch of Asian inspiration



OUTDOOR COLLECTIONS


Product Shown: Medford Lakes Large One Light Outdoor Wall Lantern in Statuary Bronze




**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



L: 7" W: 7" H: 11" E: 8"
Height from center of outlet box
up: 6.5"

 **88880-51**
(1) Medium Base 100w max.


 **60880BLE-51**
(1) GU24 Base Self Ballasted CFL
13w lamp included




**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



L: 9" W: 9" H: 14.25" E: 10"
Height from center of outlet box
up: 8.5"

 **88881-51**
(1) Medium Base 100w max.


 **88881BLE-51**
(1) GU24 Base Self Ballasted CFL
13w lamp included




**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



L: 11" W: 11" H: 17" E: 12"
Height from center of outlet box
up: 9.75"

 **88882-51**
(1) Medium Base 100w max.


 **88882BLE-51**
(1) GU24 Base Self Ballasted CFL
26w lamp included




**ONE LIGHT
OUTDOOR PENDANT**



L: 11" W: 11" H: 14.75"
10' of wire and 6' of chain

 **60880-51**
(1) Medium Base 100w max.


 **60880BLE-51**
(1) GU24 Base Self Ballasted CFL
26w lamp included




**ONE LIGHT OUTDOOR
POST LANTERN**



L: 11" W: 11" H: 16.25"

 **82880-51**
(1) Medium Base 100w max.


 **82880BL-51**
(1) GU24 Base Self Ballasted CFL
26w lamp included




**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



L: 13" W: 13" H: 7"


 **78880-51**
(2) Medium Base 60w max.


 **78880BLE-51**
(2) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 10.5" H: 7"


 **78240-780**
(1) Medium Base 100w max.


 **79340BLE-780**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


D: 7" H: 10.5" E: 8"
Height from center of outlet box
up: 3"


 **88240-780**
(1) Medium Base 100w max.

 **89340BLE-780**
(1) GU24 Base Self Ballasted CFL
13w lamp included

**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

D: 11" H: 26.25" E: 13.75"
Height from center of outlet box
up: 9.25"


 **88242-780**
(1) Medium Base 100w max.


 **89342BLE-780**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**EXTRA LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

D: 13" H: 29.75" E: 16"
Height from center of outlet box
up: 11.25"

 **88243-780**
(1) Medium Base 100w max.

 **89343BLE-780**
(1) GU24 Base Self Ballasted CFL
26w lamp included





**DARK SKY SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



D: 7" H: 10.5" E: 8"
Height from center of outlet box
up: 2.5"

88240D-780
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



D: 9" H: 15.5" E: 10"
Height from center of outlet box
up: 4.5"

88241-780
(1) Medium Base 100w max.

89341BLE-780
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 11" H: 23"

82240-780
(1) Medium Base 100w max.

89240BL-780
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT
OUTDOOR PENDANT**



D: 11" H: 19.5"
10' of wire and 6' of chain

60240-780
(1) Medium Base 100w max.

69340BLE-780
(1) GU24 Base Self Ballasted CFL
26w lamp included

Seeded water glass highlights classic lantern

OUTDOOR COLLECTIONS




Product Shown: Branford One Light Outdoor Wall Lantern in Obsidian Mist



ONE LIGHT OUTDOOR WALL LANTERN

W: 6.75" H: 14" E: 6.75"
Height from center of outlet box up: 6.5"

 **88190-802**
(1) Medium Base 100w max.



SMALL TWO LIGHT OUTDOOR WALL LANTERN

W: 6.75" H: 17.75" E: 7.75"
Height from center of outlet box up: 7.75"

88191-802
(2) Candelabra Base 40w max.



LARGE TWO LIGHT OUTDOOR WALL LANTERN

W: 9" H: 22.5" E: 9.75"
Height from center of outlet box up: 9.75"

88192-802
(2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR POST LANTERN

L: 9" W: 8.75" H: 28.5"

82190-802
(2) Candelabra Base 40w max.



Clear seeded glass
adds texture



4
2
8



OUTDOOR COLLECTIONS

Product Shown: (2) Trafalgar Two Light Outdoor Wall Lanterns in Oxidized Bronze



**SMALL TWO LIGHT
OUTDOOR WALL LANTERN** 

W: 7.5" H: 14.75" E: 9.75"
Height from center of outlet box
up: 8"

8459-46
(2) Candelabra Base 40w max.



**LARGE TWO LIGHT
OUTDOOR WALL LANTERN** 

W: 9" H: 18" E: 11.5"
Height from center of outlet box
up: 10.5"

8460-46
(2) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 12.25" H: 23.5" E: 14.25"
Height from center of outlet box
up: 11.5"

8461-46
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 12.25" H: 20.75"
10' of wire and 3' of chain

6059-46
(3) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
POST LANTERN** 

D: 12.25" H: 22.75"

8259-46
(3) Candelabra Base 60w max.



Simple, geometric lines
of the Prairie style

OUTDOOR COLLECTIONS


Product Shown: Prairie Large One Light Outdoor Wall Lantern in Antique Bronze




**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 4.5" H: 8.75" E: 4.75"
Height from center of outlet box
up: 5.25"

 **8408-71**
(1) Medium Base 100w max.


 **89015BLE-71**
(1) GU24 Base Self Ballasted CFL
13w lamp included




**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 11.5" E: 7.75"
Height from center of outlet box
up: 4"

 **8508-71**
(1) Medium Base 100w max.

 **89016BLE-71**
(1) GU24 Base Self Ballasted CFL
13w lamp included




**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10" H: 16.5" E: 10.75"
Height from center of outlet box
up: 5.75"

 **8513-71**
(1) Medium Base 150w max.


 **89417BLE-71**
(1) GU24 Base Self Ballasted CFL
26w lamp included




**ONE LIGHT OUTDOOR
POST LANTERN**



L: 10" W: 10" H: 19"


 **8207-71**
(1) Medium Base 150w max.

 **82947BL-71**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6" H: 10.25" E: 7.5"
Height from center of outlet box
up: 2.5"

 **88660-185**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 8" H: 12.25" E: 9.5"
Height from center of outlet box
up: 2.75"

 **88661-185**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 10" H: 14.5" E: 12"
Height from center of outlet box
up: 3.25"


 **88662-185**
(1) Medium Base 150w max.

OUTDOOR COLLECTIONS



**ONE LIGHT
OUTDOOR PENDANT** 


D: 10" H: 20"
10' of wire and 3' of chain


 **60660-185**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN** 


D: 10" H: 17.75"

 **82660-185**
(1) Medium Base 100w max.

 RELATED PRODUCT


**WINNETKA
INDOOR**, p.60

Brushed Nickel / Blacksmith




**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 10" H: 7"

 **78660-185**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 6" H: 10.25" E: 7.5"
Height from center of outlet box
up: 2.5"

88660-814
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8" H: 12.25" E: 9.5"
Height from center of outlet box
up: 2.75"

88661-814
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10" H: 14.5" E: 12"
Height from center of outlet box
up: 3.25"

88662-814
(1) Medium Base 150w max.



**ONE LIGHT
OUTDOOR PENDANT**



D: 10" H: 20"
10' of wire and 3' of chain

60660-814
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 10" H: 17.75"

82660-814
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



D: 10" H: 7"

78660-814
(1) Medium Base 100w max.


RELATED PRODUCT

**WINNETKA
INDOOR**, p.60
Brushed Nickel / Blacksmith



ONE LIGHT
OUTDOOR PENDANT 

D: 11" H: 18"
10' of wire and 4' of chain

 **69191BLE-71**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 13.5" E: 8.25"
Height from center of outlet box
up: 4.75"

E 89181BLE-71
(1) GU24 Base Self Ballasted CFL
13w lamp included



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 9" H: 15.25" E: 10.5"
Height from center of outlet box
up: 6"

E 89192BLE-71
(1) GU24 Base Self Ballasted CFL
26w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 11" H: 19.75" E: 12.75"
Height from center of outlet box
up: 7.75"

E 89193BLE-71
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN**




D: 11" H: 21.5"

O 89298BL-71
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 13.5" E: 8.25"
Height from center of outlet box
up: 4.75"

 **88081-71**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 9" H: 15.25" E: 10.5"
Height from center of outlet box
up: 6"

 **88082-71**
(1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 11" H: 20.75" E: 12.75"
Height from center of outlet box
up: 7.75"

88083-71
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 11" H: 19"
10' of wire and 4' of chain

60081-71
(3) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
POST LANTERN** 

D: 11" H: 20.25"

82081-71
(3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 13.5" E: 8.25"
 Height from center of outlet box
 up: 4.75"

88081-965
 (1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 9" H: 15.25" E: 10.5"
 Height from center of outlet box
 up: 6"

88082-965
 (1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN**



W: 11" H: 20.75" E: 12.75"
 Height from center of outlet box
 up: 7.75"

88083-965
 (3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT**



D: 11" H: 19"
 10' of wire and 4' of chain

60081-965
 (3) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
POST LANTERN**



D: 11" H: 20.25"

82081-965
 (3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box
up: 6"

E 89062BLE-44
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 9.25" H: 21" E: 10"
Height from center of outlet box
up: 8.5"

E 89273BLE-44
(1) GU24 Base Self Ballasted CFL
26w lamp included



**DARK SKY ONE LIGHT
OUTDOOR WALL LANTERN**  

*with clear seeded glass
painted white inside*

W: 9.25" H: 21" E: 10"
Height from center of outlet box
up: 8.5"

Q 8463D-44
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT** 

L: 9.25" W: 9.25" H: 19"
10' of wire and 6' of chain

E 69272BLE-44
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

L: 9.25" W: 9.25" H: 22.75"

Q 82973BL-44
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL LANTERN



W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box up: 6"

8462-44
(1) Medium Base 100w max.



DARK SKY ONE LIGHT OUTDOOR WALL LANTERN



with clear seeded glass painted white inside

W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box up: 6"

8462D-44
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR WALL LANTERN



W: 9.25" H: 21" E: 10"
Height from center of outlet box up: 8.5"

8463-44
(2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR PENDANT



L: 9.25" W: 9.25" H: 19"
10' of wire and 6' of chain

6062-44
(2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR POST LANTERN



W: 9.25" H: 22.75"

8262-44
(2) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6.75" H: 14.5" E: 7.5"
Height from center of outlet box
up: 6"

E 89062BLE-46
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 9.25" H: 21" E: 10"
Height from center of outlet box
up: 8.5"

E 89273BLE-46
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT
OUTDOOR PENDANT** 

L: 9.25" W: 9.25" H: 19"
10' of wire and 6' of chain

E 69272BLE-46
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

L: 9.25" W: 9.25" H: 22.75"

O 82973BL-46
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

W: 6.75" H: 14.5" E: 7.5"
 Height from center of outlet box up: 6"

8462-46
 (1) Medium Base 100w max.



TWO LIGHT OUTDOOR WALL LANTERN

W: 9.25" H: 21" E: 10"
 Height from center of outlet box up: 8.5"

8463-46
 (2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR PENDANT

L: 9.25" W: 9.25" H: 19"
 10' of wire and 6' of chain

6062-46
 (2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR POST LANTERN

L: 9.25" W: 9.25" H: 22.75"


8262-46
 (2) Candelabra Base 60w max.





ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 13.5" E: 9"
Height from center of outlet box up: 5.5"

 **8835-08**
(1) Medium Base 100w max.



TWO LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 19.75" E: 9"
Height from center of outlet box up: 14.25"

8838-08
(2) Candelabra Base 60w max.



THREE LIGHT UPLIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 25.5" E: 11.25"
Height from center of outlet box up: 18"

8839-08
(3) Candelabra Base 60w max.

OUTDOOR COLLECTIONS



TWO LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 19.75" E: 9"
Height from center of outlet box up: 5.5"

8840-08
(2) Candelabra Base 40w max.



THREE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN

W: 8.5" H: 25.5" E: 11.25"
Height from center of outlet box up: 7.75"

8841-08
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT**



D: 8.5" H: 25"
10' of wire and 3' of chain

6637-08
(3) Candelabra Base 40w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



L: 9.75" tW: 9.75" H: 9.25"

8834-08
(2) Candelabra Base 60w max.



**LARGE THREE LIGHT
OUTDOOR WALL LANTERN**



W: 8.5" H: 32.25" E: 8.75"
Height from center of outlet box
up: 14"

8842-08
(3) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
POST LANTERN**




D: 8.5" H: 24.25"

8238-08
(3) Candelabra Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN 

W: 6.5" H: 13.5" E: 9"
Height from center of outlet box up: 5.5"

 **8835-12**
(1) Medium Base 100w max.



TWO LIGHT UPLIGHT OUTDOOR WALL LANTERN 

W: 6.5" H: 19.75" E: 9"
Height from center of outlet box up: 14.25"

8838-12
(2) Candelabra Base 60w max.



THREE LIGHT UPLIGHT OUTDOOR WALL LANTERN 

W: 8.5" H: 25.5" E: 11.25"
Height from center of outlet box up: 18"

8839-12
(3) Candelabra Base 60w max.



TWO LIGHT DOWNLIGHT OUTDOOR WALL LANTERN 

W: 6.5" H: 19.75" E: 9"
Height from center of outlet box up: 5.5"

8840-12
(2) Candelabra Base 40w max.



THREE LIGHT DOWNLIGHT OUTDOOR WALL LANTERN 

W: 8.5" H: 25.5" E: 11.25"
Height from center of outlet box up: 7.75"

8841-12
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT**



D: 8.5" H: 25"
10' of wire and 3' of chain

6637-12
(3) Candelabra Base 40w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



L: 9.75" tW: 9.75" H: 9.25"

8834-12
(2) Candelabra Base 60w max.



**LARGE THREE LIGHT
OUTDOOR WALL LANTERN**



W: 8.5" H: 32.25" E: 8.75"
Height from center of outlet box
up: 14"

8842-12
(3) Candelabra Base 40w max.



**THREE LIGHT OUTDOOR
POST LANTERN**



D: 8.5" H: 24.25"

8238-12
(3) Candelabra Base 60w max.



SMALL ONE LIGHT OUTDOOR WALL LANTERN



W: 6.5" H: 13.75" E: 8.75"
Height from center of outlet box
up: 5.5"

E 89136BLE-08
(1) GU24 Base Self Ballasted CFL
13w lamp included



LARGE ONE LIGHT OUTDOOR WALL LANTERN



W: 8.5" H: 14.75" E: 10.5"
Height from center of outlet box
up: 7.75"

E 89137BLE-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT



D: 12.75" H: 7.5"

E 79136BLE-08
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT OUTDOOR PENDANT



D: 8.5" H: 11.5"
10' of wire pre-laced through 6" of chain

E 69136BLE-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR POST LANTERN



D: 8.5" H: 17.5"


E 89236BL-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 6.5" H: 13.75" E: 8.75"
Height from center of outlet box
up: 5.5"


 **88136-08**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8.5" H: 14.75" E: 10.5"
Height from center of outlet box
up: 7.75"


 **88137-08**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



D: 12.75" H: 7.5"

 **78136-08**
(2) Medium Base 60w max.



**ONE LIGHT
OUTDOOR PENDANT**



D: 8.5" H: 11.5"
10' of wire pre-laced through 6' of chain


 **60136-08**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**




D: 8.5" H: 17.5"

 **82136-08**
(1) Medium Base 100w max.




**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 10.25" E: 7"
Height from center of outlet box
up: 6"

 **8822-12**
(1) Medium Base 100w max.



**MEDIUM DOWNLIGHT
ONE LIGHT OUTDOOR
WALL LANTERN** 


W: 10.25" H: 18" E: 10.75"
Height from center of outlet box
up: 4.75"

 **8825-12**
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT** 

D: 10.25" H: 18.75"
10' of wire and 3' of chain

 **6025-12**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN** 


D: 13" H: 25.75"

8231-12
(3) Candelabra Base 60w max.



**MEDIUM UPLIGHT
ONE LIGHT OUTDOOR
WALL LANTERN**


W: 10.25" H: 19.75" E: 10.75"
Height from center of outlet box
up: 15"

 **8824-12**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 10.25" H: 28" E: 10.75"
Height from center of outlet box
up: 15"

 **8823-12**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**
with clear beveled glass

D: 12.75" H: 7.5"

78136-12
(2) Medium Base 60w max.





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 10.25" E: 7"
Height from center of outlet box
up: 6"

8822-15
(1) Medium Base 100w max.



**MEDIUM DOWNLIGHT
ONE LIGHT OUTDOOR
WALL LANTERN**



W: 10.25" H: 18" E: 10.75"
Height from center of outlet box
up: 4.75"

8825-15
(1) Medium Base 100w max.



**MEDIUM UPLIGHT
ONE LIGHT OUTDOOR
WALL LANTERN**



W: 10.25" H: 19.75" E: 10.75"
Height from center of outlet box
up: 15"

8824-15
(1) Medium Base 100w max.

OUTDOOR COLLECTIONS



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10.25" H: 28" E: 10.75"
Height from center of outlet box
up: 15"

8823-15
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT**



D: 10.25" H: 18.75"
10' of wire and 3' of chain

6025-15
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 13" H: 25.75"

8231-15
(3) Candelabra Torpedo 60w max.



RELATED PRODUCT

**WHITE OUTDOOR
FLUSHMOUNTS**, p.567-568



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 



W: 6.75" H: 9.5" E: 7.5"
Height from center of outlet box
up: 6.25"

-  **8972BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included
-  **8972PBLE-12** *(photocell included)*
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 9" H: 12.5" E: 10.75"
Height from center of outlet box
up: 4"

-  **89316BLE-12**
(1) GU24 Base Self Ballasted CFL
26w lamp included
-  **89316PBLE-12** *(photocell included)*
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

D: 11.75" H: 24.25"


-  **89322BL-12**
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with etched glass, white inside


D: 12.75" H: 7.5"

-  **79136BLE-12**
(2) GU24 Base Self Ballasted CFL
13w lamps included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6.75" H: 9.5" E: 7.5"
Height from center of outlet box
up: 6.25"

 **8813-12**
(1) Medium Base 100w max.



**SMALL ONE LIGHT OUTDOOR
WALL LANTERN WITH TAIL** 

W: 6.75" H: 17" E: 7.5"
Height from center of outlet box
up: 6.25"


 **8812-12**
(1) Medium Base 100w max.

OUTDOOR COLLECTIONS



**LARGE ONE LIGHT
OUTDOOR WALL
LANTERN WITH TAIL** 


W: 9" H: 25.75" E: 10.75"
Height from center of outlet box
up: 13"

 **8814-12**
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT** 

D: 9" H: 14.25"
10' of wire and 3' of chain


 **6016-12**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
DOWNLIGHT OUTDOOR
WALL LANTERN**



W: 9" H: 12.25" E: 10.75"
Height from center of outlet box
up: 3.75"


 **8816-12**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 9" H: 16.75" E: 10.75"
Height from center of outlet box
up: 12.75"


 **8815-12**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



*with clear outer glass
and frosted chimney*
D: 11.5" H: 24.25"

 **8216-12**
(1) Medium Base 150w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with clear beveled glass
D: 12.75" H: 7.5"

78136-12
(2) Medium Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6" H: 10" E: 9"
Height from center of outlet box
up: 3.25"

E 89131BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.25" H: 11.75" E: 9.5"
Height from center of outlet box
up: 3.25"

E 89132BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

L: 10.75" W: 10.75" H: 6.5"

E 79131BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT
OUTDOOR PENDANT** 

L: 7.25" W: 7.25" H: 11.25"
10' of wire pre-laced through 6" of chain

E 69131BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

L: 7.25" W: 7.25" H: 16.5"

O 89231BL-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 6" H: 10" E: 9"
Height from center of outlet box
up: 3.25"

□ **88131-12**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7.25" H: 11.75" E: 9.5"
Height from center of outlet box
up: 3.25"

□ **88132-12**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



L: 10.75" W: 10.75" H: 6.5"

□ **78131-12**
(2) Medium Base 60w max.



**ONE LIGHT
OUTDOOR PENDANT**



L: 7.25" W: 7.25" H: 11.25"
10' of wire pre-laced through 6' of chain

□ **60131-12**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



L: 7.25" W: 7.25" H: 16.5"

□ **82131-12**
(1) Medium Base 100w max.



WITHOUT TAIL
H: 11"

MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

with clear beveled glass

W: 5.25" H: 14" E: 5.75"
Height from center of outlet box
up: 8.75"

8503-12
(1) Medium Base 100w max.



WITHOUT TAIL
H: 12.5"

LARGE ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 17.75" E: 7.25"
Height from center of outlet box
up: 12.5"

8504-12
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR POST LANTERN

with clear beveled glass

D: 8.5" H: 16.5"


8202-12
(1) Medium Base 100w max.





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with white finish


W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"

 **8592-15**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with polished brass finish


W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"

 **8592-02**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with antique brushed nickel finish


W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"

 **8592-965**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with sienna finish


W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"

 **8592-26**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with antique bronze finish


W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"

 **8592-71**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with black finish

W: 4.25" H: 8.25" E: 5.5"
Height from center of outlet box
up: 2.75"


 **8592-12**
(1) Medium Base 100w max.





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 12" E: 7"
Height from center of outlet box
up: 5.75"

 **8037-965**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.75" H: 12" E: 7.5"
Height from center of outlet box
up: 4.5"

 **8038-965**
(1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 11.75" H: 23" E: 11"
Height from center of outlet box
up: 10"

8040-965
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 11.75" H: 20.75"
10' of wire and 4' of chain

6039-965
(3) Candelabra Base 40w max.



LARGE ONE LIGHT
OUTDOOR WALL LANTERN



W: 7.75" H: 14" E: 7.5"
Height from center of outlet box
up: 6.5"

8067-965
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR
WALL LANTERN



W: 10" H: 20.5" E: 9.5"
Height from center of outlet box
up: 9.5"

8039-965
(2) Candelabra Base 40w max.



TWO LIGHT OUTDOOR
POST LANTERN



D: 10" H: 21.5"

8229-965
(2) Candelabra Base 60w max.



THREE LIGHT OUTDOOR
POST LANTERN




D: 11.75" H: 24"

8239-965
(3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 12" E: 7"
Height from center of outlet box
up: 5.75"

 **8037-02**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.75" H: 12" E: 7.5"
Height from center of outlet box
up: 4.5"

 **8038-02**
(1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 11.75" H: 23" E: 11"
Height from center of outlet box
up: 10"

8040-02
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 11.75" H: 20.75"
10' of wire and 4' of chain

6039-02
(3) Candelabra Base 40w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7.75" H: 14" E: 7.5"
Height from center of outlet box
up: 6.5"

8067-02
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**

W: 10" H: 20.5" E: 9.5"
Height from center of outlet box
up: 9.5"

8039-02
(2) Candelabra Base 40w max.



**TWO LIGHT OUTDOOR
POST LANTERN**

D: 10" H: 21.5"

8229-02
(2) Candelabra Base 60w max.



**THREE LIGHT OUTDOOR
POST LANTERN**

D: 11.75" H: 24"


8239-02
(3) Candelabra Base 60w max.





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 12" E: 7"
Height from center of outlet box
up: 5.75"

 **8037-71**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.75" H: 12" E: 7.5"
Height from center of outlet box
up: 4.5"

 **8038-71**
(1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 11.75" H: 23" E: 11"
Height from center of outlet box
up: 10"

8040-71
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 11.75" H: 20.75"
10' of wire and 4' of chain

6039-71
(3) Candelabra Base 40w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7.75" H: 14" E: 7.5"
Height from center of outlet box
up: 6.5"

8067-71
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**



W: 10" H: 20.5" E: 9.5"
Height from center of outlet box
up: 9.5"

8039-71
(2) Candelabra Base 40w max.



**TWO LIGHT OUTDOOR
POST LANTERN**



D: 10" H: 21.5"

8229-71
(2) Candelabra Base 60w max.



**THREE LIGHT OUTDOOR
POST LANTERN**




D: 11.75" H: 24"

8239-71
(3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 12" E: 7"
Height from center of outlet box
up: 5.75"

 **8037-12**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7.75" H: 12" E: 7.5"
Height from center of outlet box
up: 4.5"

 **8038-12**
(1) Medium Base 100w max.



**THREE LIGHT OUTDOOR
WALL LANTERN** 

W: 11.75" H: 23" E: 11"
Height from center of outlet box
up: 10"

8040-12
(3) Candelabra Base 40w max.



**THREE LIGHT
OUTDOOR PENDANT** 

D: 11.75" H: 20.75"
10' of wire and 4' of chain

6039-12
(3) Candelabra Base 40w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7.75" H: 14" E: 7.5"
Height from center of outlet box
up: 6.5"

8067-12
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**

W: 10" H: 20.5" E: 9.5"
Height from center of outlet box
up: 9.5"

8039-12
(2) Candelabra Base 40w max.



**TWO LIGHT OUTDOOR
POST LANTERN**

D: 10" H: 21.5"

8229-12
(2) Candelabra Base 60w max.



**THREE LIGHT OUTDOOR
POST LANTERN**


D: 11.75" H: 24"

8239-12
(3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6.5" H: 11.25" E: 8.5"
Height from center of outlet box
up: 2.75"

 **84029-746**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 8.5" H: 15" E: 9.5"
Height from center of outlet box
up: 2.75"


 **84031-746**
(1) Medium Base 100w max.



SEMI-FLUSH
H: 9.75"

**ONE LIGHT
OUTDOOR SEMI-FLUSH
CONVERTIBLE PENDANT** 

W: 6.5" H: 10.5"
10' of wire and 4' of chain


 **60029-746**
(1) Medium Base 100w max.



Mounts up
or down

**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6.5" H: 15" E: 8.5"
Height from center of outlet box
up: 11.5"


 **84030-746**
(1) Medium Base 100w max.



Mounts up
or down

**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 8.5" H: 19.25" E: 9.5"
Height from center of outlet box
up: 16.5"

 **84032-746**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN** 

W: 8.5" H: 20.25"

 **82029-746**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

W: 6.5" H: 11.25" E: 8.5"
Height from center of outlet box
up: 2.75"

84029-12
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 8.5" H: 15" E: 9.5"
Height from center of outlet box
up: 2.75"

84031-12
(1) Medium Base 100w max.



SEMI-FLUSH
H: 9.75"

**ONE LIGHT
OUTDOOR SEMI-FLUSH
CONVERTIBLE PENDANT**

W: 6.5" H: 10.5"
10' of wire and 4' of chain

60029-12
(1) Medium Base 100w max.



Mounts up
or down

**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

W: 6.5" H: 15" E: 8.5"
Height from center of outlet box
up: 11.5"

84030-12
(1) Medium Base 100w max.



Mounts up
or down

**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 8.5" H: 19.25" E: 9.5"
Height from center of outlet box
up: 16.5"

84032-12
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**


W: 8.5" H: 20.25"

82029-12
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT** 


D: 10" H: 17"
10' of wire and 10' of chain

 **60068-746**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 6" H: 8.25" E: 7.75"
Height from center of outlet box
up: 3.25"

 **84068-746**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 8" H: 13.25" E: 10"
Height from center of outlet box
up: 8.25"

 **84069-746**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 10" H: 16.25" E: 12"
Height from center of outlet box
up: 9"

 **84070-746**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN** 


D: 10" H: 17.25"

 **82068-746**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 13.25" H: 7.5"

 **88068-746**
(2) Medium Base 60w max.



ONE LIGHT
OUTDOOR PENDANT



D: 10" H: 17"
10' of wire and 10' of chain

60068-12
(1) Medium Base 100w max.



SMALL ONE LIGHT
OUTDOOR WALL LANTERN



W: 6" H: 8.25" E: 7.75"
Height from center of outlet box
up: 3.25"

84068-12
(1) Medium Base 100w max.



MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN



W: 8" H: 13.25" E: 10"
Height from center of outlet box
up: 8.25"

84069-12
(1) Medium Base 100w max.



LARGE ONE LIGHT
OUTDOOR WALL LANTERN



W: 10" H: 16.25" E: 12"
Height from center of outlet box
up: 9"

84070-12
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR
POST LANTERN



D: 10" H: 17.25"

82068-12
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT



D: 13.25" H: 7.5"

88068-12
(2) Medium Base 60w max.



**ONE LIGHT
OUTDOOR PENDANT** 

D: 10" H: 17"
10' of wire pre-laced through 10' of chain

- E** **69248PBLE-12** (photocell included)
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 6" H: 8.25" E: 7.75"
Height from center of outlet box
up: 3.25"

- E** **89048BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included
- E** **89048PBLE-12** (photocell included)
(1) GU24 Base Self Ballasted CFL
13w lamp included



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 8" H: 13.25" E: 10"
Height from center of outlet box
up: 8.25"

- E** **89049BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included
- E** **89049PBLE-12** (photocell included)
(1) GU24 Base Self Ballasted CFL
13w lamp included

OUTDOOR COLLECTIONS



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 10" H: 16.25" E: 12"
Height from center of outlet box
up: 9"

- E** **89250BLE-12**
(1) GU24 Base Self Ballasted CFL
26w lamp included
- E** **89250PBLE-12** (photocell included)
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 

D: 10" H: 17.25"

- G** **82950PBL-12** (photocell included)
(1) GU24 Base Self Ballasted CFL
26w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

D: 13.25" H: 7.5"


- E** **89248PBLE-12** (photocell included)
(2) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT
OUTDOOR PENDANT**



D: 10" H: 17"
10' of wire pre-laced through 10' of chain


 **60048-185**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 6" H: 8.25" E: 7.75"
Height from center of outlet box
up: 3.25"


 **84048-185**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 8" H: 13.25" E: 10"
Height from center of outlet box
up: 8.25"

 **84049-185**
(1) Medium Base 100w max.


OUTDOOR COLLECTIONS



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 10" H: 16.25" E: 12"
Height from center of outlet box
up: 9"


 **84050-185**
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



D: 10" H: 17.25"


 **82048-185**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



D: 13.25" H: 7.5"


 **88048-185**
(2) Medium Base 60w max.



SMALL ONE LIGHT OUTDOOR WALL LANTERN



W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"


 **8456-15**
(1) Medium Base 100w max.



MEDIUM ONE LIGHT OUTDOOR WALL LANTERN



W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"


 **8457-15**
(1) Medium Base 100w max.



LARGE ONE LIGHT OUTDOOR WALL LANTERN



W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

 **8458-15**
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR WALL LANTERN



W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"


8468-15
(2) Candelabra Base 40w max.



ONE LIGHT OUTDOOR POST LANTERN



L: 7" W: 7" H: 17.25"


 **8257-15**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"


 **8456-965**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"


 **8457-965**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

 **8458-965**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**



W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"

8468-965
(2) Candelabra Base 40w max.



**ONE LIGHT OUTDOOR
POST LANTERN**



L: 7" W: 7" H: 17.25"

 **8257-965**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**



W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"

8468-71
(2) Candelabra Base 40w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"

8456-71
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"

8457-71
(1) Medium Base 100w max.



**DARK SKY MEDIUM
ONE LIGHT OUTDOOR
WALL LANTERN**



with etched white tiffany glass

W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"

84157D-71
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

8458-71
(1) Medium Base 100w max.



**DARK SKY LARGE
ONE LIGHT OUTDOOR
WALL LANTERN**



with etched white tiffany glass

W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

84158D-71
(1) Medium Base 100w max.




**ONE LIGHT OUTDOOR
POST LANTERN**



L: 7" W: 7" H: 17.25"

8257-71
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"

E 8980BLE-08
(1) GU24 Base Self Ballasted CFL
13w lamp included



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"

E 8981BLE-08
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

E 89382BLE-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



**EXTRA LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"

E 89383BLE-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN** 


L: 7" W: 7" H: 17.25"

O 89386BL-08
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**


W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"

 **8880-08**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**


W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"

 **8881-08**
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

 **8882-08**
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
WALL LANTERN**


W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"

8883-08
(2) Candelabra Base 40w max.



**ONE LIGHT OUTDOOR
POST LANTERN**

L: 7" W: 7" H: 17.25"

 **8286-08**
(1) Medium Base 100w max.





SMALL ONE LIGHT OUTDOOR WALL LANTERN



W: 4" H: 11.25" E: 5.75"
Height from center of outlet box
up: 6"


 **8456-12**
(1) Medium Base 100w max.



MEDIUM ONE LIGHT OUTDOOR WALL LANTERN



W: 5.25" H: 12.5" E: 5.75"
Height from center of outlet box
up: 6"


 **8457-12**
(1) Medium Base 100w max.



LARGE ONE LIGHT OUTDOOR WALL LANTERN



W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

 **8458-12**
(1) Medium Base 100w max.

OUTDOOR COLLECTIONS




DARK SKY LARGE ONE LIGHT OUTDOOR WALL LANTERN



with etched white tiffany glass

W: 7" H: 17" E: 8"
Height from center of outlet box
up: 6.5"

 **84158D-12**
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR WALL LANTERN



W: 7" H: 20.25" E: 7.75"
Height from center of outlet box
up: 6.5"


8468-12
(2) Candelabra Base 40w max.



ONE LIGHT OUTDOOR POST LANTERN



L: 7" W: 7" H: 17.25"

 **8257-12**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**



W: 5.75" H: 10.5" E: 5.75"
Height from center of outlet box
up: 7.25"

8507-02
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 12.25" E: 7.25"
Height from center of outlet box
up: 3.25"

8509-02
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR SEMI-FLUSH
CONVERTIBLE PENDANT**



D: 7" H: 12.5"
10' of wire and 4' of chain

6008-02
(1) Medium Base 100w max.



SEMI-FLUSH
H: 13"



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7" H: 25.5" E: 7"
Height from center of outlet box
up: 15"

8510-02
(1) Medium Base 100w max.



WITHOUT TAIL
H: 17.75"



**ONE LIGHT OUTDOOR
POST LANTERN**




D: 7" H: 15.75"

8209-02
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 5.75" H: 10.5" E: 5.75"
Height from center of outlet box
up: 7.25"

 **8507-26**
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN** 


W: 7" H: 12.25" E: 7.25"
Height from center of outlet box
up: 3.25"

 **8509-26**
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR SEMI-FLUSH
CONVERTIBLE PENDANT** 

D: 7" H: 12.5"
10' of wire and 4' of chain

 **6008-26**
(1) Medium Base 100w max.




SEMI-FLUSH
H: 13"

OUTDOOR COLLECTIONS



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN** 

W: 7" H: 25.5" E: 7"
Height from center of outlet box
up: 15"

 **8510-26**
(1) Medium Base 100w max.




WITHOUT TAIL
H: 17.75"



**ONE LIGHT OUTDOOR
POST LANTERN** 

D: 7" H: 15.75"

 **8209-26**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

W: 5.75" H: 10.5" E: 5.75"
Height from center of outlet box
up: 7.25"

8507-12
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7" H: 12.25" E: 7.25"
Height from center of outlet box
up: 3.25"

8509-12
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR SEMI-FLUSH
CONVERTIBLE PENDANT**

D: 7" H: 12.5"
10' of wire and 4' of chain

6008-12
(1) Medium Base 100w max.



SEMI-FLUSH
H: 13"



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 7" H: 25.5" E: 7"
Height from center of outlet box
up: 15"

8510-12
(1) Medium Base 100w max.



WITHOUT TAIL
H: 17.75"



**ONE LIGHT OUTDOOR
POST LANTERN**


D: 7" H: 15.75"

8209-12
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN 

W: 7" H: 10.75" E: 7.5"
Height from center of outlet box up: 4"

 **8056-71**
(1) Medium Base 100w max.



TWO LIGHT OUTDOOR WALL LANTERN 

W: 9" H: 17" E: 9.5"
Height from center of outlet box up: 8"

8057-71
(2) Candelabra Base 40w max.



THREE LIGHT OUTDOOR WALL LANTERN 

W: 12.25" H: 21.75" E: 12.75"
Height from center of outlet box up: 10"

8058-71
(3) Candelabra Base 40w max.



THREE LIGHT OUTDOOR POST LANTERN 

with removable white candle covers

W: 12.25" H: 22"

8258-71
(3) Candelabra Base 60w max.



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with white acrylic diffuser

W: 8" H: 15.5" E: 8.5"
Height from center of outlet box
up: 12.5"

E 88392BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**
with white acrylic diffuser

W: 8" H: 21.75" E: 8.5"
Height from center of outlet box
up: 12.5"

E 88390BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN**
with white acrylic diffuser

D: 8" H: 14.75"

G 82390BL-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**
with clear beveled acrylic diffuser

W: 8" H: 15.5" E: 8.5"
Height from center of outlet box
up: 12.5"

Q 88092-12
(1) Medium Base 60w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**
with clear beveled acrylic diffuser

W: 8" H: 21.75" E: 8.5"
Height from center of outlet box
up: 12.5"

Q 88090-12
(1) Medium Base 60w max.



**ONE LIGHT OUTDOOR
POST LANTERN**
with clear beveled acrylic diffuser

D: 8" H: 14.75"

Q 82090-12
(1) Medium Base 60w max.





**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**



W: 7.75" H: 16.75" E: 8.5"
Height from center of outlet box
up: 14"



88941BL-782
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ONE LIGHT
DOWNLIGHT OUTDOOR
WALL LANTERN**

W: 6.5" H: 14.25" E: 7.75"
Height from center of outlet box
up: 3.25"

- 88938BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ONE LIGHT
UPLIGHT OUTDOOR
WALL LANTERN**

W: 6.5" H: 15.25" E: 7.75"
Height from center of outlet box
up: 12"

- 88939BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 8" H: 17" E: 8.5"
Height from center of outlet box
up: 14"

- 88941BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT
OUTDOOR PENDANT**

D: 8" H: 14.75"
6' of wire and 3' of chain

- 60938BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**ONE LIGHT OUTDOOR
POST LANTERN**

D: 8" H: 18.25"

- 82938BL-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**

with etched glass, white inside


D: 12.75" H: 7.5"

- 79136BLE-12**
(2) GU24 Base Self Ballasted CFL
13w lamps included



LARGE ONE LIGHT
OUTDOOR WALL LANTERN 

W: 7.75" H: 16.75" E: 8.5"
Height from center of outlet box
up: 14"

 **88941-782**
(1) Medium Base 100w max.



**SMALL ONE LIGHT
DOWNLIGHT OUTDOOR
WALL LANTERN**

W: 6.5" H: 14.25" E: 7.75"
Height from center of outlet box
up: 3.25"

88938-12
(1) Medium Base 100w max.



**SMALL ONE LIGHT
UPLIGHT OUTDOOR
WALL LANTERN**

W: 6.5" H: 15.25" E: 7.75"
Height from center of outlet box
up: 12"

88939-12
(1) Medium Base 100w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

W: 8" H: 17" E: 8.5"
Height from center of outlet box
up: 14"

88941-12
(1) Medium Base 100w max.



**ONE LIGHT
OUTDOOR PENDANT**

D: 8" H: 14.75"
6' of wire and 3' of chain

60938-12
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR
POST LANTERN**

D: 8" H: 18.25"

82938-12
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**

D: 12.75" H: 7.5"

78136-12
(2) Medium Base 60w max.





SMALL ONE LIGHT OUTDOOR WALL LANTERN

with white acrylic diffuser

W: 6.5" H: 10.5" E: 8.5"
Height from center of outlet box
up: 2.75"

E 88198BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



LARGE ONE LIGHT OUTDOOR WALL LANTERN

with white acrylic diffuser

W: 8" H: 23" E: 9"
Height from center of outlet box
up: 13.25"

E 88113BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



WITHOUT TAIL
H: 16"



ONE LIGHT OUTDOOR POST LANTERN

with white acrylic diffuser

W: 8" H: 16.5"

82192BL-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



SMALL ONE LIGHT OUTDOOR WALL LANTERN

with frosted acrylic diffuser

W: 6.5" H: 10.5" E: 8.5"
Height from center of outlet box
up: 2.75"

88098-15
(1) Medium Base 60w max.



LARGE ONE LIGHT OUTDOOR WALL LANTERN

with frosted acrylic diffuser

W: 8" H: 23" E: 9"
Height from center of outlet box
up: 13.25"

88103-15
(1) Medium Base 60w max.



WITHOUT TAIL
H: 16"



ONE LIGHT OUTDOOR POST LANTERN

with frosted acrylic diffuser

W: 8" H: 16.5"

82092-15
(1) Medium Base 60w max.





**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

with white acrylic diffuser

W: 6.5" H: 10.5" E: 8.5"
Height from center of outlet box
up: 2.75"

E 88198BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

with white acrylic diffuser

W: 8" H: 23" E: 9"
Height from center of outlet box
up: 13.25"

E 88113BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



WITHOUT TAIL
H: 16"



**ONE LIGHT OUTDOOR
POST LANTERN**

with white acrylic diffuser

W: 8" H: 16.5"

82192BL-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



**SMALL ONE LIGHT
OUTDOOR WALL LANTERN**

with frosted acrylic diffuser

W: 6.5" H: 10.5" E: 8.5"
Height from center of outlet box
up: 2.75"

88098-12
(1) Medium Base 60w max.



**LARGE ONE LIGHT
OUTDOOR WALL LANTERN**

with frosted acrylic diffuser

W: 8" H: 23" E: 9"
Height from center of outlet box
up: 13.25"

88103-12
(1) Medium Base 60w max.



WITHOUT TAIL
H: 16"



**ONE LIGHT OUTDOOR
POST LANTERN**

with frosted acrylic diffuser

W: 8" H: 16.5"


82092-12
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with white finish and clear beveled glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"


 **8588-15**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with pewter finish and clear beveled glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

 **8588-155**
(1) Medium Base 100w max.




OUTDOOR COLLECTIONS



ONE LIGHT OUTDOOR WALL LANTERN

with white finish and white glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"


 **8988BLE-15**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

with pewter finish and white glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

 **8988BLE-155**
(1) GU24 Base Self Ballasted CFL
13w lamp included





ONE LIGHT OUTDOOR WALL LANTERN

with bronze finish and clear beveled glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

8588-10
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish and clear beveled glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

8588-12
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with bronze finish and white glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

8988BLE-10
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

with black finish and white glass

W: 5.75" H: 8.75" E: 4.5"
Height from center of outlet box up: 5"

8988BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included





ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 3.75" E: 3.75"
Height from center of outlet box up: 1/2 of height

8335-15
(1) Medium Base 60w max.

E 8335BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



Mounts vertically or horizontally



ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 4" E: 4"
Height from center of outlet box up: 2.5"

E 89805BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 4" E: 4"
Height from center of outlet box up: 1/2 of height

E 89806BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



Mounts vertically or horizontally



ONE LIGHT OUTDOOR WALL / CEILING MOUNT



D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

83057-15
(1) Medium Base 75w max.

E 83057BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included

ONE LIGHT OUTDOOR WALL / CEILING MOUNT



D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

E 89807BLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 3.75" E: 3.75"
Height from center of outlet box up: 1/2 of height

8335-12
(1) Medium Base 60w max.

E 8335BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



Mounts vertically or horizontally



ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 4" E: 4"
Height from center of outlet box up: 2.5"

E 89805BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

L: 10" W: 5" H: 4" E: 4"
Height from center of outlet box up: 1/2 of height

E 89806BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



Mounts vertically or horizontally



ONE LIGHT OUTDOOR WALL / CEILING MOUNT

D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

83057-12
(1) Medium Base 75w max.

E 83057BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included



ONE LIGHT OUTDOOR WALL / CEILING MOUNT

D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

E 89807BLE-12
(1) GU24 Base Self Ballasted CFL
26w lamp included







ONE LIGHT OUTDOOR WALL LANTERN

W: 6.5" H: 10.5" E: 5"
Height from center of outlet box up: ½ of height

8325-15
(1) Medium Base 100w max.

 **8925BLE-15**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL / CEILING MOUNT 

W: 6.5" H: 10.5" E: 5.75"
Height from center of outlet box up: 3.25"


8327-15
(1) Medium Base 100w max.




ONE LIGHT OUTDOOR WALL / CEILING MOUNT

W: 6.5" H: 10.5" E: 5.75"
Height from center of outlet box up: ½ of height

8326-15
(1) Medium Base 100w max.

 **8927BLE-15**
(1) GU24 Base Self Ballasted CFL
13w lamp included



OUTDOOR COLLECTIONS



ONE LIGHT OUTDOOR WALL / CEILING MOUNT 

D: 7.5" H: 4.5" E: 4.5"
Height from center of outlet box up: 3.75"

8319-15
(1) Medium Base 100w max.




ONE LIGHT OUTDOOR WALL / CEILING MOUNT 

D: 10" H: 5.25" E: 5.25"
Height from center of outlet box up: 5"

8324-15
(1) Medium Base 100w max.

TWO LIGHT OUTDOOR WALL / CEILING MOUNT 

D: 10" H: 5.25" E: 5.25"
Height from center of outlet box up: 5"

 **8924BLE-15**
(2) GU24 Base Self Ballasted CFL
13w lamps included




ONE LIGHT OUTDOOR WALL / CEILING MOUNT 

D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

8323-15
(1) Medium Base 100w max.

TWO LIGHT OUTDOOR WALL / CEILING MOUNT 

D: 10" H: 5" E: 5"
Height from center of outlet box up: 5"

 **8923BLE-15**
(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT OUTDOOR WALL LANTERN

with white finish and white acrylic diffuser

W: 11.75" H: 11" E: 3.75"
Height from center of outlet box up: 5.5"

E 89060BLE-15
(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT OUTDOOR WALL LANTERN

with pewter finish and white acrylic diffuser

W: 11.75" H: 11" E: 3.75"
Height from center of outlet box up: 5.5"

E 89060BLE-75
(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT OUTDOOR WALL LANTERN

with olde iron finish and white acrylic diffuser

W: 11.75" H: 11" E: 3.75"
Height from center of outlet box up: 5.5"

E 89060BLE-72
(2) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT OUTDOOR WALL LANTERN

with paintable ceramic finish

W: 8" H: 10" E: 5.75"
Height from center of outlet box up: 4.25"

83046-714
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and white polycarbonate diffuser

W: 10.25" H: 13" E: 11"
Height from center of outlet box up: 5.75"

83055-12
(1) Medium Base 60w max.

E 83055BLE-12
(1) GU24 Base Self Ballasted CFL
23w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

with white finish polycarbonate and white polycarbonate diffuser

W: 10.25" H: 13" E: 11"
Height from center of outlet box up: 5.75"

83055-15
(1) Medium Base 60w max.

E 83055BLE-15
(1) GU24 Base Self Ballasted CFL
23w lamp included






WITHOUT TAIL
H: 20"

ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and clear beveled acrylic panels

W: 8" H: 25" E: 9"
Height from center of outlet box up: 15.25"


 **8765-12**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polypropylene and clear beveled acrylic diffuser

W: 8" H: 17.5" E: 8.5"
Height from center of outlet box up: 10.75"


 **8720-32**
(1) Medium Base 60w max.




ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and white polycarbonate diffuser

W: 6" H: 9" E: 7"
Height from center of outlet box up: 4"

 **88018-12**
(1) Medium Base 60w max.

 **89018BLE-12**
(1) GU24 Base Self Ballasted CFL
13w lamp included




WITHOUT TAIL
H: 20"

ONE LIGHT OUTDOOR WALL LANTERN

with white finish polycarbonate and clear beveled acrylic panels

W: 8" H: 25" E: 9"
Height from center of outlet box up: 15.25"


 **8765-15**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with white finish polypropylene and clear beveled acrylic diffuser

W: 8" H: 17.5" E: 8.5"
Height from center of outlet box up: 10.75"


 **8720-15**
(1) Medium Base 60w max.




ONE LIGHT OUTDOOR WALL LANTERN

with white finish polycarbonate and white polycarbonate diffuser

W: 6" H: 9" E: 7"
Height from center of outlet box up: 4"

 **88018-15**
(1) Medium Base 60w max.

 **89018BLE-15**
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ROUNDED
ONE LIGHT OUTDOOR
WALL LANTERN**

*with heirloom bronze finish
and curved satin etched glass*

W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box
up: 12.25"

8894OBL-782
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ROUNDED
ONE LIGHT OUTDOOR
WALL LANTERN**

*with black powdercoat finish
and curved satin etched glass*

W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box
up: 12.25"

8894OBLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



**SMALL ROUNDED
ONE LIGHT OUTDOOR
WALL LANTERN**

*with heirloom bronze finish
and clear curved beveled glass*

W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box
up: 12.25"

88940-782
(1) Medium Base 100w max.



**SMALL ROUNDED
ONE LIGHT OUTDOOR
WALL LANTERN**

*with black powdercoat finish
and clear curved beveled glass*

W: 6.5" H: 15.5" E: 7.75"
Height from center of outlet box
up: 12.25"

88940-12
(1) Medium Base 100w max.





ONE LIGHT OUTDOOR WALL LANTERN

with satin aluminum finish and white polycarbonate diffuser

W: 4.5" H: 6.75" E: 4.75"
Height from center of outlet box up: 3.5"

8301-04
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish and white polycarbonate diffuser

W: 4.5" H: 6.75" E: 4.75"
Height from center of outlet box up: 3.5"

8301-12
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish and white polycarbonate diffuser

W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.5"

E 8909PBLE-12 (*photocell included*)
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

with white finish polycarbonate and white glass

W: 6" H: 7.25" E: 7"
Height from center of outlet box up: 2.25"

8753-15
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and white glass

W: 6" H: 7.25" E: 7"
Height from center of outlet box up: 2.25"

8753-34
(1) Medium Base 60w max.
8755-34 (*photocell included*)
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and white acrylic diffuser

W: 6" H: 7.25" E: 7"
Height from center of outlet box up: 2.25"

8753-68
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and white acrylic diffuser

W: 6" H: 8" E: 6.75"
Height from center of outlet box up: 2.75"

E 8955BLE-12
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN

with white finish polycarbonate and clear glass

W: 4.5" H: 6" E: 5.5"
Height from center of outlet box up: 10.75"

8750-15
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish polycarbonate and clear glass

W: 4.5" H: 6" E: 5.5"
Height from center of outlet box up: 10.75"

8750-12
(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL LANTERN

with antique bronze finish and clear glass

W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.25"

8550-71
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR WALL LANTERN

with black finish and clear glass

W: 4.5" H: 7.5" E: 5.75"
Height from center of outlet box up: 2.25"


8550-12
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR POST LANTERN 

with white finish polycarbonate and clear beveled acrylic diffuser

D: 8" H: 18"


 **8255-15**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR POST LANTERN 

with black finish polycarbonate and clear beveled acrylic diffuser

D: 8" H: 18"


 **8255-12**
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR POST LANTERN 

with black finish polypropylene and clear beveled acrylic diffuser

D: 8" H: 11"

 **8275-32**
(1) Medium Base 60w max.


OUTDOOR COLLECTIONS




ONE LIGHT OUTDOOR POST LANTERN 

with black finish polycarbonate and white acrylic diffuser

D: 12" H: 13"

 **8252-68**
(1) Medium Base 100w max.

D: 14" H: 15"


 **8254-68**
(1) Medium Base 150w max.



ONE LIGHT OUTDOOR POST LANTERN 

with black finish polycarbonate and clear textured acrylic diffuser

D: 10.75" H: 16.25"


 **82066-12**
(1) Medium Base 150w max.




ONE LIGHT OUTDOOR POST LANTERN 

with black finish and frosted acrylic diffuser

W: 10.5" H: 18"


 **82065-12**
(1) Medium Base 100w max.

 **82065BL-12**
(1) GU24 Base Self Ballasted CFL
26w lamp included



TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT 
with white finish aluminum


W: 22" H: 12.5" E: 11.25"

 **8607-15**
(2) Medium Base BR40 120w max.



TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT 
with black finish aluminum

W: 22" H: 12.5" E: 11.25"

 **8607-12**
(2) Medium Base BR40 120w max.



TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT 
with white finish polycarbonate

W: 9.5" H: 11" E: 2.5"

 **8642-15**
(2) Medium Base PAR38 90w max.



TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT 
with black finish polycarbonate

W: 9.5" H: 11" E: 2.5"

 **8642-12**
(2) Medium Base PAR38 90w max.



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT



W: 4.5" H: 7"

8438-15
(1) Medium Base BR30 65w max.



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT



W: 6" H: 9"

8439-15
(1) Medium Base BR40 120w max.



ONE LIGHT OUTDOOR WALL LANTERN



W: 5" H: 7" E: 8"
Height from center of outlet box up: 3"

8338-15
(1) Medium Base BR30 65w max.
8938DBLE-15
(1) GU24 Base Self Ballasted CFL
13w lamp included

OUTDOOR COLLECTIONS



ONE LIGHT OUTDOOR WALL LANTERN



W: 6" H: 9" E: 9.25"
Height from center of outlet box up: 3.5"

8339-15
(1) Medium Base BR40 120w max.
89439DBLE-15
(1) GU24 Base Self Ballasted CFL
26w lamp included



TWO LIGHT OUTDOOR WALL LANTERN



with open top & bottom
W: 5" H: 15" E: 8.25"
Height from center of outlet box up: 7.5"

8340-15
(2) Medium Base BR30 65w max.



TWO LIGHT OUTDOOR WALL LANTERN



with open top & bottom
W: 6" H: 18" E: 9.25"
Height from center of outlet box up: 9"

8341-15
(2) Medium Base BR40 120w max.



ONE LIGHT OUTDOOR WALL LANTERN



W: 5" H: 7" E: 8"
Height from center of outlet box up: 3"

- 8338-10**
(1) Medium Base BR30 65w max.
- 8938DBLE-10**
(1) GU24 Base Self Ballasted CFL
13w lamp included



ONE LIGHT OUTDOOR WALL LANTERN



W: 6" H: 9" E: 9.25"
Height from center of outlet box up: 3.5"

- 8339-10**
(1) Medium Base BR40 120w max.
- 89439DBLE-10**
(1) GU24 Base Self Ballasted CFL
26w lamp included



9002-12



9003-12

CYLINDER DIFFUSER



with black finish

D: 4.5" H: 1.25"

9002-12
Compatible with 8338-10 / 8338-15 /
8438-10 / 8438-15

D: 5.75" H: 1.75"

9003-12
Compatible with 8339-10 / 8339-15 /
8439-10 / 8439-15



TWO LIGHT OUTDOOR WALL LANTERN



with open top & bottom

W: 5" H: 15" E: 8.25"
Height from center of outlet box up: 7.5"

- 8340-10**
(2) Medium Base BR30 65w max.



TWO LIGHT OUTDOOR WALL LANTERN



with open top & bottom

W: 6" H: 18" E: 9.25"
Height from center of outlet box up: 9"

- 8341-10**
(2) Medium Base BR40 120w max.



9008-12



9009-12

CYLINDER DIFFUSER



with black finish

D: 5.25" H: .75"

9008-12
Compatible with 8340-10 / 8340-15

D: 5.75" H: .75"

9009-12
Compatible with 8341-10 / 8341-15



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with burled iron finish

D: 11" H: 7.5"

7826401-780

(1) Medium Base 75w max.

E 7826401BLE-780

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with burled iron finish

D: 13" H: 7.75"

7826402-780

(2) Medium Base 60w max.

E 7826402BLE-780

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with burled iron finish

D: 15" H: 7.75"

7826403-780

(3) Medium Base 60w max.

E 7826403BLE-780

(3) GU24 Base Self Ballasted CFL
13w lamps included

OUTDOOR COLLECTIONS



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with black finish

D: 11" H: 7.5"

7826401-12

(1) Medium Base 75w max.

E 7826401BLE-12

(1) GU24 Base Self Ballasted CFL
13w lamp included



**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with black finish

D: 13" H: 7.75"

7826402-12

(2) Medium Base 60w max.

E 7826402BLE-12

(2) GU24 Base Self Ballasted CFL
13w lamps included



**THREE LIGHT OUTDOOR
CEILING FLUSH MOUNT** 

with black finish

D: 15" H: 7.75"

7826403-12

(3) Medium Base 60w max.

E 7826403BLE-12

(3) GU24 Base Self Ballasted CFL
13w lamps included



**ONE LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with burled iron finish

D: 11" H: 4.75"

7827401-780

(1) Medium Base 60w max.

E 7827401BLE-780
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



**TWO LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with burled iron finish

D: 13" H: 5.25"

7827402-780

(2) Medium Base 60w max.

E 7827402BLE-780
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



**THREE LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with burled iron finish

D: 15" H: 6"

7827403-780

(3) Medium Base 60w max.

E 7827403BLE-780
 (3) GU24 Base Self Ballasted CFL
 13w lamps included



**ONE LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with black finish

D: 11" H: 4.75"

7827401-12

(1) Medium Base 60w max.

E 7827401BLE-12
 (1) GU24 Base Self Ballasted CFL
 13w lamp included



**TWO LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with black finish

D: 13" H: 5.25"

7827402-12

(2) Medium Base 60w max.

E 7827402BLE-12
 (2) GU24 Base Self Ballasted CFL
 13w lamps included



**THREE LIGHT OUTDOOR
 CEILING FLUSH MOUNT**

with black finish

D: 15" H: 6"

7827403-12

(3) Medium Base 60w max.

E 7827403BLE-12
 (3) GU24 Base Self Ballasted CFL
 13w lamps included





**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with weathered pewter finish

L: 11.75" W: 11.75" H: 5.75"

7828401-57

(1) Medium Base 60w max.

E 7828401BLE-57

(1) GU24 Base Self Ballasted CFL
13w lamp included

**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with weathered pewter finish

L: 13" W: 13" H: 6"

7828402-57

(2) Medium Base 60w max.

E 7828402BLE-57

(2) GU24 Base Self Ballasted CFL
13w lamps included

**THREE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with weathered pewter finish

L: 15" W: 15" H: 6.75"

7828403-57

(3) Medium Base 60w max.

E 7828403BLE-57

(3) GU24 Base Self Ballasted CFL
13w lamps included

OUTDOOR COLLECTIONS



**ONE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with black finish

L: 11.75" W: 11.75" H: 5.75"

7828401-12

(1) Medium Base 60w max.

E 7828401BLE-12

(1) GU24 Base Self Ballasted CFL
13w lamp included

**TWO LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with black finish

L: 13" W: 13" H: 6"

7828402-12

(2) Medium Base 60w max.

E 7828402BLE-12

(2) GU24 Base Self Ballasted CFL
13w lamps included

**THREE LIGHT OUTDOOR
CEILING FLUSH MOUNT**



with black finish

L: 15" W: 15" H: 6.75"

7828403-12

(3) Medium Base 60w max.

E 7828403BLE-12

(3) GU24 Base Self Ballasted CFL
13w lamps included



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

with black polypropylene and clear textured glass

W: 8.25" H: 4.75"

7567-32

(1) Medium Base 60w max.



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

with black polypropylene and clear textured acrylic

W: 10.25" H: 5.5"



79121BLE-12

(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

with black polypropylene and clear textured glass

W: 10.25" H: 5.5"

7569-32

(2) Medium Base 60w max.



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

with white polypropylene and clear textured glass

W: 8.25" H: 4.75"

7567-15

(1) Medium Base 60w max.



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

with white polypropylene and clear textured acrylic

W: 10.25" H: 5.5"



79121BLE-15

(2) GU24 Base Self Ballasted CFL
13w lamps included



TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

with white polypropylene and clear textured glass

W: 10.25" H: 5.5"

7569-15

(2) Medium Base 60w max.



OUTDOOR CEILING FLUSH MOUNTS

Various Finishes



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

with antique bronze finish and clear textured glass

W: 7.5" H: 5.25"

75467-71

(1) Medium Base 60w max.



ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

with antique brushed nickel finish and clear textured glass

W: 7.5" H: 5.25"

75467-965

(1) Medium Base 60w max.



ONE LIGHT OUTDOOR WALL / CEILING FLUSH MOUNT

with white finish and white ribbed polycarbonate diffuser

L: 7.5" W: 5.25" H: 4" E: 4"

4325-68

(1) Medium Base 60w max.



TWO LIGHT OUTDOOR WALL / CEILING MOUNT

with white finish and white acrylic diffuser

L: 10.25" W: 10.25" H: 4" E: 4"

E 7916BLE-68

(2) GU24 Base Self Ballasted CFL
13w lamps included



ALUMINUM POST
with black powdercoat finish
W: 10.25" H: 71.25"
8130-12



ALUMINUM POST WITH LADDER REST
with black powdercoat finish
D: 3" H: 84"
8105-12
8114-12
Photocell control included



STEEL POST WITH LADDER REST
with black powdercoat finish
D: 3" H: 84"
8106-12
8118-12
Photocell control included



STEEL POST
with white powdercoat finish
D: 3" H: 84"
8102-15



STEEL POST
with black powdercoat finish
D: 3" H: 84"
8102-12



ALUMINUM PEDESTAL MOUNT ADAPTER
with black powdercoat finish
L: 6" W: 6" H: 4.25"
9014-12
Use only with 36" max. height post lantern





ADDRESS LIGHT

with white powdercoat finish

W: 12.5" H: 7" E: 2.25"

9600-15

(2) Wedge Base T3¼ 5w 16v lamps included



ADDRESS LIGHT

with antique bronze powdercoat finish

W: 12.5" H: 7" E: 2.25"

9600-71

(2) Wedge Base T3¼ 5w 16v lamps included



ADDRESS LIGHT

with black powdercoat finish

W: 12.5" H: 7" E: 2.25"

9600-12

(2) Wedge Base T3¼ 5w 16v lamps included



NUMBER "0" TILE

W: 2.25" H: 5"

90610-60 (crème finish)

90610-68 (white finish)



NUMBER "1" TILE

W: 2.25" H: 5"

90611-60 (crème finish)

90611-68 (white finish)



NUMBER "2" TILE

W: 2.25" H: 5"

90612-60 (crème finish)

90612-68 (white finish)



NUMBER "3" TILE

W: 2.25" H: 5"

90613-60 (crème finish)

90613-68 (white finish)



NUMBER "4" TILE

W: 2.25" H: 5"

90614-60 (crème finish)

90614-68 (white finish)



NUMBER "5" TILE

W: 2.25" H: 5"

90615-60 (crème finish)

90615-68 (white finish)



NUMBER "6" TILE

W: 2.25" H: 5"

90616-60 (crème finish)

90616-68 (white finish)



NUMBER "7" TILE

W: 2.25" H: 5"

90617-60 (crème finish)

90617-68 (white finish)



NUMBER "8" TILE

W: 2.25" H: 5"

90618-60 (crème finish)

90618-68 (white finish)



NUMBER "9" TILE

W: 2.25" H: 5"

90619-60 (crème finish)

90619-68 (white finish)




BLANK TILE

W: 2.25" H: 5"

90619-60 (crème finish)

90619-68 (white finish)



BLANK HALF TILE

W: 2.25" H: 5"

90621-60 (crème finish)

90621-68 (white finish)



TRANSFORMER

L: 2.5" W: 2.125" H: 2"

9647

16V, Class II

120V PATH LIGHTS

120V Incandescent Tiered Bollard design perfect for lighting pathways

- Rugged die-cast aluminum construction with a powdercoat finish
- Clear glass diffuser protects electrical components from water and corrosion
- Threaded for 1/2" pipe fitting for permanent installation. Pipe sold separately.
- Listed for wet locations



ONE LIGHT
OUTDOOR PATH

with black powdercoat finish

D: 5.875" H: 7"

9226-12
(1) Medium Base 75w max.



ONE LIGHT
OUTDOOR PATH

with emerald green powdercoat finish

D: 5.875" H: 7"

9226-95
(1) Medium Base 75w max.

120V DIRECTIONAL LIGHTS

120V Die-cast aluminum directional lighting with a powdercoat finish that protects from the elements

- Protective tempered borosilicate glass lens for water resistance and easy re-lamping.
- Fully adjustable swivel base attaches easily to conduit or power post
- Large swivel with internal "teeth" and stainless steel screw allow for precise and fixed aiming.
- Deck mount base and polycarbonate ground stake included for ease of installation options.



ONE LIGHT
OUTDOOR ACCENT

with black powdercoat finish

D: 3" H: 6.5"

9312-12
(1) Medium Base PAR20 50w max.



ONE LIGHT
OUTDOOR ACCENT

with chestnut powdercoat finish

D: 3" H: 6.5"

9312-40
(1) Medium Base PAR20 50w max.



120V STABILIZER STAKE

with black finish

D: 7.75" H: 19.5"

9364-12



ONE LIGHT
OUTDOOR ACCENT

with black powdercoat finish

D: 5.25" H: 7"

9313-12
(1) Medium Base PAR30 75w max.



ONE LIGHT
OUTDOOR ACCENT

with chestnut powdercoat finish

D: 5.25" H: 7"

9313-40
(1) Medium Base PAR30 75w max.



RECESSED LIGHTING





RECESSED LIGHTING

RECESSED LIGHTING

Recessed Lighting by Sea Gull Lighting is designed for a wide range of ceiling conditions and light sources. You can choose from incandescent, fluorescent and LED light sources for both new construction and renovation installs. In addition, we offer multiple trim options for different applications such as wall-washing or a shower light.

RECESSED LIGHTING

RECESSED LIGHTING



Product Shown: (2) Traverse 6" LED Downlights [p.579] & (1) Traverse 4" LED Downlight [p.577]

SELECTING YOUR HOUSING

Selecting the right recessed housing begins with knowing the installation method as well as understanding how the space will be used. The guide below will help you with the process of selecting your housing.

STEP

1

REMODEL OR NEW CONSTRUCTION

A "remodel" installation typically is an existing room project where the installation is made by cutting through existing ceiling materials. The housing will not be supported by joists but by the ceiling material, such as drywall.

A "new construction" project is one that has access to the ceiling and joists; where insulation and drywall are not yet installed. New construction housings are nailed directly into the joists with adjustable bar hangers.

STEP

2

IC OR NON-IC HOUSING

IC (insulation contact) housings can come in direct contact with insulation materials.
* WARNING: Insulation should not be compressed.

Non-IC (no insulation contact) housings are for areas without insulation or where insulation can be kept a minimum of 3" away from housing.

STEP

3

SIZE OF HOUSING

4" housings are designed for a smaller, sleek look in your ceiling. Best used in smaller spaces for a minimal look.

5" housings are designed for flexibility in light output and size.

6" housings are for the standard large aperture approach in your ceiling. Can be used in tall entryways and two-story hallways or high ceilings.

ADDITIONAL CONSIDERATIONS

AIR-TIGHT HOUSINGS are sealed to prevent air from escaping into the ceiling/floor above; a benefit to heating/cooling efficiency.

A **RECESSED TRIM** is the "ring" blending the recessed housing, lamp and ceiling material into a clean finish.

BAFFLES are the cone-like piece that surrounds the inside of the housing around the bulb; they can be smooth or ridged and help shape the light and minimize glare.

4" TRAVERSE LED

4" LED Downlight / Remodel & New Construction / IC Airtight

RECESSED LIGHTING




Product Shown: (3) Traverse 4" LED Downlights & (1) Traverse 6" LED Downlight



PRODUCT INFORMATION



14602S-15	14601S-15	14607S-15
2700K	3000K	4000K
White Finish	White Finish	White Finish




Shown with included Edison Base socket adapter

ZONAL LUMEN SUMMARY (3000K)

Zone	Lumens	% Total
0° - 30°	127	26.9%
0° - 40°	206.4	43.7%
0° - 60°	361.5	76.5%
0° - 90°	470	99.5%
0° - 180°	472.5	100%

POLAR CANDELA DISTRIBUTION (3000K)



J-BOX COMPATIBILITY

Works with most metal and PVC 4" x 4" square J-Boxes, with minimum 1.5" depth.

SPECIFICATIONS

Color Temperature	2700K / 3000K / 4000K
Light Output (lumens)	425 / 450 / 475
Efficacy (lm/w)	45 / 47 / 50
Equivalent to	50 watt PAR 20 Halogen
Power Consumption	9.5 watts
Color Rendering	80 CRI
Beam Spread	100°
Operating Life	50,000 hours
Dimmable	Yes (down to 15%)
Voltage	120V
Power Factor	> .9
Operating Temperature	-20°C to +40°C (25° C nominal)
Construction	Die-cast aluminum, white painted finish
Lens	Sealed frosted acrylic
Warranty	5 year limited
Installation	4" recessed retrofit or 4" J-box (min. 1.5" depth)
Certification	

RECESSED HOUSING COMPATIBILITY ^{1,2}

The 4" Traverse can be retrofit into most 4" recessed housings including the following:

All-Pro	ET400R, EI400 ATSB, ET400 ATSB, ET400R ATSB
Halo	H99RTAT, H99RT
Commercial Electric	HBR2000R, HBR2000BA
Juno	TC1R, TC1, IC1
Lithonia Lighting	L3, L3R
Sea Gull Lighting	1105, 1115, 1179

¹ IC rated when used in IC approved recessed housings.

DIMMER COMPATIBILITY / APPROVED DIMMERS ²

While the 4" Traverse LED draws as few as 9.5 watts continuously, it could have an in-rush current spike and should therefore be treated as an 80 watt load when sizing dimmers. The maximum number of 4" Traverse units that should be used on a typical approved 600 watt dimmer is 7.

Ace	34050, 3027596
Leviton	6633-PL, 6684, 6631, IPI06-1LZ,
Lutron	RRD-10ND, SZ-6ND, HW-RPM-4A-120, HxD-6ND, QSG-6P, LP-RPM-4A-120, PHPM-WBX, S-600PR-WH, DV-600PR-WH, TG-600PR-WH, AY600P, Q600P, GL600, CN-600PHW, DV-603PG, S-600, S-600P, LG-600P, D-600PH, TT-300NLH, TG-603PG, DV-600PR-WH
LeGrand	DrRD4W

² Vendor approved housings and dimmers are subject to change without notice.

6" TRAVERSE LED

5" / 6" LED Downlight / Remodel & New Construction / IC Airtight



RECESSED LIGHTING

Product Shown: (2) Traverse 6" LED Downlights




PRODUCT INFORMATION



14603S-15	14600S-15	14604S-15
2700K	3000K	4000K
White Finish	White Finish	White Finish


Optional accessory: 14610
For recessed housings without integral "C" clips



ZONAL LUMEN SUMMARY (3000K)

Zone	Lumens	% Total
0° - 30°	214.9	27%
0° - 40°	349.3	43.9%
0° - 60°	610.2	76.7%
0° - 90°	789.7	99.3%
0° - 180°	795.2	100%

POLAR CANDELA DISTRIBUTION (3000K)



J-BOX COMPATIBILITY

Works with most metal and PVC 4" x 4" square J-Boxes, with minimum 1.5" depth.

SPECIFICATIONS

Color Temperature	2700K / 3000K / 4000K
Light Output (lumens)	700 / 750 / 775
Efficacy (lm/w)	48 / 52 / 53
Equivalent to	75 watt BR30 Incandescent
Power Consumption	14.5 watts
Color Rendering	80 CRI
Beam Spread	105°
Operating Life	50,000 hours
Dimmable	Yes (down to 15%)
Voltage	120V
Power Factor	> .7
Operating Temperature	-20°C to +40°C (25° C nominal)
Construction	Die-cast aluminum, white painted finish
Lens	Sealed frosted acrylic
Warranty	5 year limited
Installation	5" or 6" recessed retrofit or 4" J-box (min. 1.5" depth)
Certification	

RECESSED HOUSING COMPATIBILITY ^{1,2}

The 6" Traverse can be retrofit into most 5" / 6" recessed housings including the following. For housings without integral "C" clips, use accessory part 14610.

All-Pro	EI500AT, EI500RAT, ET500, ET500R, EI700AT, EI700RAT, EI700ATNB, EI700, EI700R, EI700NB, ET700, ET700R, EI700U, EI700UAT, EI2700AT, EI2700, ET2700, ET2700R
Capri	CR1, PR1, QL1, R9ASIC
Commercial Electric	H3, H17, H18
Elco	EL71CA
Halo	H7ICAT, H7RICAT, H7ICT, H7RICT, H7ICATNB, H7ICTNB, H7T, H7RT, H7TNB, H7TCP, H7UICAT, H7UICATNB, H27RICAT, H27RICT, H27RICT, H27T, H27RT, H5ICAT, H5RICAT, H5T, H5RT, H25ICAT
Juno	ICC22/R/W/S, IC23/W, IC21/R, TC2/R, IC20, IC25/W/S, TC20
Lightolier	11041CS/ICR/SIC/SICR, 1104ICX (w/ML7RAB adapter)
Lithonia	L7X, L7XP
Prescolite	IBXS
Progress	P87 (w/ML7RAB adapter). Requires mounting clip accessory (sold separately). Consult factory for details.
Sea Gull Lighting	1128, 1128QC, 11028, 11028QC, 11128, 11128QC, 11118, 11018, 1128FB
Thomas	PS1, PS9RM

¹ IC rated when used in IC approved recessed housings.

DIMMER COMPATIBILITY / APPROVED DIMMERS ²

The maximum number of 6" Traverse units that should be used on a typical approved 600 watt dimmer is 5.

Lutron	DV-600PR-WH, DV-603PG, S-600, S-600P, TG-603PG
LeGrand	DrRD4W

² Vendor approved housings and dimmers are subject to change without notice.

RECESSED LED RETROFIT


5" / 6" LED Downlight / Remodel / IC Airtight



RECESSED LIGHTING

Product Shown: 5" / 6" Recessed LED Retrofit

PRODUCT INFORMATION




14606S-15

3000K
White Finish


Optional accessory: 14610

For recessed housings without integral "C" clips



SPECIFICATIONS

The 5" / 6" Recessed LED Retrofit is a high output recessed retrofit downlight that delivers the performance of traditional downlights, while reducing energy and operating costs by up to 75%. Ideal for general lighting in residential and commercial applications, the wet listed Recessed LED Retrofit can also be used as a shower light.

Color Temperature	3000K
Light Output (lumens)	1100
Efficacy (lm/w)	55
Equivalent to	75 watt PAR38 Halogen
Power Consumption	20 watts
Color Rendering	80 CRI
Beam Spread	85°
Operating Life	40,000 hours
Dimmable	Yes (down to 10% on select dimmers)
Voltage	120V AC
Power Factor	> .9
Operating Temperature	-20°C to +40°C (25° C nominal)
Construction	Aluminum housing
Lens	White acrylic
Warranty	5 year limited
Installation	IC rated when used in approved IC housings
Certification	

ZONAL LUMEN SUMMARY

Zone	Lumens	% Total
0° - 30°	407	35%
0° - 40°	642	55.1%
0° - 60°	1008	86.5%
0° - 90°	1165	100%
0 - 180°	1165	100%

INSTALLATION


The Recessed LED Retrofit is incredibly easy to install with its included torsion springs and Edison base socket adapter. For recessed housings without integral "C" clips, use accessory part 14610.

Retrofits into 5" and 6" recessed housings with the minimum lamp compartment dimensions below:

Zone	Diameter	Height
5" Recessed Housing	5.5"	7.67"
6" Recessed Housing	6.9"	7.4"

* IC rated when used in IC approved recessed housings.

POLAR CANDELA DISTRIBUTION



DIMMER COMPATIBILITY / APPROVED DIMMERS*

While the 5" / 6" Recessed LED Retrofit can draw as few as 20 watts continuously, it could have an in-rush current spike and should therefore be treated as an 170 watt load when sizing incandescent dimmers.

Lutron	AY-600P, DV-603PG, DVCL-153PL, TT-300, CN-600P, S-600P, TG-600P, TGCL-153P, LGCL-153PL, GL-600H-DK, D-603PH, MA-600, DV-600P
LeGrand	DLV709-PLA, DCL453-PTC, D703-PTC, CD703-PW, CDLV703-PW

* Vendor approved housings and dimmers are subject to change without notice.

4" HOUSING

New Construction / Non-IC



1105

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.


Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box


Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.

Adjustable socket assembly provides flexibility in lamping options.



Quick Hit™ captive nails included and positioned for fast, easy installation. Tab to locate on bottom of joist.

Break-away bar hangers extend and will not fall out of plaster flange.



RECESSED LIGHTING



4" SHOWER TRIM
with white frosted glass



1152AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with clear fresnel glass



1153AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with white frosted dome glass



11092AT-15
(1) Medium Base PAR20 35w max.



4" BAFFLE TRIM
with white finish



1156AT-14
(1) Medium Base PAR20 50w max.



4" BAFFLE TRIM
with black baffle, white ring



1156AT-15
(1) Medium Base PAR20 50w max.



4" EYEBALL TRIM
with white finish



1166AT-15
(1) Medium Base PAR20 50w max.



4" WALL WASH TRIM
with white finish




11091AT-15
(1) Medium Base PAR20 35w max.



4" MULTIPLIER TRIM
with white finish



1162AT-14
(1) Medium Base PAR20 50w max.



1179

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



4" SHOWER TRIM
with white frosted glass
1152AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with clear fresnel glass
1153AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with white frosted dome glass
11092AT-15
(1) Medium Base PAR20 35w max.



4" BAFFLE TRIM
with white finish
1156AT-14
(1) Medium Base PAR20 50w max.



4" BAFFLE TRIM
with black baffle, white ring
1156AT-15
(1) Medium Base PAR20 50w max.



4" EYEBALL TRIM
with white finish
1166AT-15
(1) Medium Base PAR20 50w max.



4" WALL WASH TRIM
with white finish
11091AT-15
(1) Medium Base PAR20 35w max.



4" MULTIPLIER TRIM
with white finish
1162AT-14
(1) Medium Base PAR20 50w max.

RECESSED LIGHTING

4" LOW-VOLTAGE HOUSING

New Construction / Non-IC



1207

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Junction box



Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.

Trouble-Free 12V Transformer

Integral magnetic transformer offers years of trouble-free operation.

Easy access housing

Housing is removable for easy access to junction box.



RECESSED LIGHTING



4" BAFFLE TRIM

with white finish



1226AT-14
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" EYEBALL TRIM

with white finish



1236AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" ADJUSTABLE EYEBALL TRIM

with white finish



1237AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.




4" SHOWER TRIM

with white frosted glass



12041AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



1215

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.

Trouble-Free 12V Transformer

Integral magnetic transformer offers years of trouble-free operation.



4" BAFFLE TRIM
with white finish



1226AT-14
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" EYEBALL TRIM
with white finish



1236AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" ADJUSTABLE EYEBALL TRIM
with white finish



1237AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" SHOWER TRIM
with white frosted glass



12041AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.

RECESSED LIGHTING

4" FLUORESCENT HOUSING



New Construction / Non-IC

1174L

Safe – thermally protected, listed for damp location



Non-IC housings approved for use at least 3" away from insulation.

Junction box with integral Romex connector

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.

Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.



RECESSED LIGHTING



4" SHOWER TRIM

with white frosted glass



1152AT-15

(1) Gx24q-1 Base 4-Pin 13w max.



4" SHOWER TRIM

with clear fresnel glass



1153AT-15

(1) Gx24q-1 Base 4-Pin 13w max.



4" SHOWER TRIM

with white frosted dome glass



11092AT-15

(1) Gx24q-1 Base 4-Pin 13w max.




4" BAFFLE TRIM

with white finish



1156AT-14

(1) Gx24q-1 Base 4-Pin 13w max.



4" BAFFLE TRIM

with black baffle, white ring



1156AT-15

(1) Gx24q-1 Base 4-Pin 13w max.



4" MULTIPLIER TRIM

with white finish



1162AT-14

(1) Gx24q-1 Base 4-Pin 13w max.



4" WALL WASH TRIM

with white finish




11091AT-15

(1) Gx24q-1 Base 4-Pin 13w max.



4" FLUORESCENT HOUSING

New Construction / Non-IC



1170L

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Adjustable housing


Housing adjusts vertically for various ceiling thicknesses.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.

Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.



4" SHOWER TRIM
with white frosted glass



1152AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" SHOWER TRIM
with white clear fresnel glass



1153AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" SHOWER TRIM
with white frosted dome glass



11092AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" BAFFLE TRIM
with white finish



1156AT-14
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" BAFFLE TRIM
with black baffle, white ring



1156AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" MULTIPLIER TRIM
with white finish



1162AT-14
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" WALL WASH TRIM
with white finish



11091AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.

RECESSED LIGHTING

4" HOUSING



Remodel / Non-IC



1115

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



RECESSED LIGHTING



4" SHOWER TRIM
with white frosted glass
1152AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with clear fresnel glass
1153AT-15
(1) Medium Base PAR20 35w max.



4" SHOWER TRIM
with white frosted dome glass
11092AT-15
(1) Medium Base PAR20 35w max.



4" BAFFLE TRIM
with white finish
1156AT-14
(1) Medium Base PAR20 50w max.



4" BAFFLE TRIM
with black baffle, white ring
1156AT-15
(1) Medium Base PAR20 50w max.



4" EYEBALL TRIM
with white finish
1166AT-15
(1) Medium Base PAR20 50w max.



4" WALL WASH TRIM
with white finish
11091AT-15
(1) Medium Base PAR20 35w max.




4" MULTIPLIER TRIM
with white finish
1162AT-14
(1) Medium Base PAR20 50w max.



4" LOW-VOLTAGE HOUSING

Remodel / Non-IC



1216

Safe – thermally protected, listed for damp location


Non-IC housings approved for use at least 3" away from insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.

Trouble-free 12V transformer

Integral magnetic transformer offers trouble-free operation.



4" BAFFLE TRIM

with white finish



1226AT-14
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" EYEBALL TRIM

with white finish



1236AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" ADJUSTABLE EYEBALL TRIM

with white finish



1237AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.



4" SHOWER TRIM

with white frosted glass



12041AT-15
(1) GU5.3 Bi-Pin Base MR16
50w max.

RECESSED LIGHTING

4" FLUORESCENT HOUSING



Remodel / Non-IC

11082L

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.

Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.



RECESSED LIGHTING



4" SHOWER TRIM
with white frosted glass



1152AT-15
(1) Gx24q-1 Base 4-Pin 13w max.



4" SHOWER TRIM
with clear fresnel glass



1153AT-15
(1) Gx24q-1 Base 4-Pin 13w max.



4" SHOWER TRIM
with white frosted dome glass




11092AT-15
(1) Gx24q-1 Base 4-Pin 13w max.



4" BAFFLE TRIM
with white finish



1156AT-14
(1) Gx24q-1 Base 4-Pin 13w max.



4" BAFFLE TRIM
with black baffle, white ring



1156AT-15
(1) Gx24q-1 Base 4-Pin 13w max.



4" MULTIPLIER TRIM
with white finish



1162AT-14
(1) Gx24q-1 Base 4-Pin 13w max.



4" WALL WASH TRIM
with white finish



11091AT-15
(1) Gx24q-1 Base 4-Pin 13w max.



4" FLUORESCENT HOUSING

Remodel / Non-IC



11083L

Safe – thermally protected, listed for damp location

Non-IC housings approved for use at least 3" away from insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.

Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.



4" SHOWER TRIM
with white frosted glass

1152AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" SHOWER TRIM
with clear fresnel glass

1153AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" SHOWER TRIM
with white frosted dome glass

11092AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" BAFFLE TRIM
with white finish

1156AT-14
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" BAFFLE TRIM
with black baffle, white ring

1156AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" MULTIPLIER TRIM
with white finish

1162AT-14
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.



4" WALL WASH TRIM
with white finish

11091AT-15
(1) G24q-3 Base 4-Pin 26w max.
(1) Gx24q-3 Base 4-Pin 26w max.

RECESSED LIGHTING

5" HOUSING

New Construction / IC Airtight



11128 11128QC with "Quick Connects"

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing



Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Quick Connectors

QC models come with quick connect wire connectors for fast connections to house wire.



RECESSED LIGHTING



5" SHOWER TRIM

with white aluminum ring and white glass diffuser



11135AT-15
(1) Medium Base PAR30L 35w max.



5" SHOWER TRIM

with white aluminum ring and clear fresnel glass



11155AT-15
(1) Medium Base PAR30L 35w max.



5" OPEN SHOWER TRIM

with white deep cone baffle



11154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.



5" BAFFLE TRIM

with white finish



11151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



5" EYEBALL TRIM

with white finish



11136AT-15
(1) Medium Base PAR30S 75w max.




5" REGRESSED EYEBALL TRIM

with white finish



11137AT-15
(1) Medium Base PAR30S 75w max.



11119

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.



RECESSED LIGHTING



5" SHOWER TRIM

with white aluminum ring and white glass diffuser



11135AT-15
(1) Medium Base PAR30L 35w max.



5" SHOWER TRIM

with white aluminum ring and clear fresnel glass



11155AT-15
(1) Medium Base PAR30L 35w max.



5" OPEN SHOWER TRIM

with white deep cone baffle



11154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.



5" BAFFLE TRIM

with white finish



11151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



5" EYEBALL TRIM

with white finish



11136AT-15
(1) Medium Base PAR30S 75w max.



5" REGRESSED EYEBALL TRIM

with white finish



11137AT-15
(1) Medium Base PAR30S 50w max.



11118

Airtight construction



Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



5" SHOWER TRIM

with white aluminum ring and white glass diffuser



11135AT-15

(1) Medium Base PAR30L 35w max.



5" SHOWER TRIM

with white aluminum ring and clear fresnel glass



11155AT-15

(1) Medium Base PAR30L 35w max.



5" OPEN SHOWER TRIM

with white deep cone baffle



11154AT-14

(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.



5" BAFFLE TRIM

with white finish



11151AT-14

(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



5" EYEBALL TRIM

with white finish



11136AT-15

(1) Medium Base PAR30S 75w max.



5" REGRESSED EYEBALL TRIM

with white finish



11137AT-15

(1) Medium Base PAR30S 75w max.



11129

Airtight construction


Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



5" SHOWER TRIM
with white aluminum ring and white glass diffuser

11135AT-15
(1) Medium Base PAR30L 35w max.



5" SHOWER TRIM
with white deep cone baffle

11154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.



5" SHOWER TRIM
with white aluminum ring and clear fresnel glass

11155AT-15
(1) Medium Base PAR30L 35w max.



5" BAFFLE TRIM
with white finish

11151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



5" EYBALL TRIM
with white finish

11136AT-15
(1) Medium Base PAR30S 75w max.



5" REGRESSED EYBALL TRIM
with white finish

11137AT-15
(1) Medium Base PAR30S 75w max.

6" HOUSING

New Construction / IC Airtight



1128 1128QC with "Quick Connects"

Airtight Construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Quick Connectors

QC models come with quick connect wire connectors for fast connections to house wire.


Adjustable socket assembly provides flexibility in lamping options.

Hinged door allows full access for wiring.

Notch for T-Bar ceilings, no clips required.

Break-away bar hangers extend and will not fall out of plaster flange.

Quick Hit™ captive nails included and positioned for fast, easy installation. Tab to locate on bottom of joist.



RECESSED LIGHTING



6" OPEN TRIM
with white finish



1120-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM
with white finish



1125-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



6" SHOWER TRIM
with white aluminum ring and white glass diffuser



1133AT-15
(1) Medium Base 40w max.



6" SHOWER TRIM
with white aluminum ring and white drop plastic diffuser



1134-68
(1) Medium Base 40w max.



6" OPEN SHOWER TRIM
with white deep cone baffle



1154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base PAR38 90w max.



6" SHOWER TRIM
with white aluminum ring and clear fresnel glass



1155AT-15
(1) Medium Base 40w max.



6" EYEBALL TRIM
with white finish



1136-15, 1136AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM
with white finish




1126-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM
with white finish



1151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.
(1) Medium Base PAR38 90w max.



11028
11028QC with "Quick Connects"
11028BLE ENERGY STAR® qualified

Airtight Construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector


Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Quick Connectors

QC models come with quick connect wire connectors for fast connections to house wire.

RECESSED LIGHTING



6" EYEBALL TRIM 
with white finish
1136-15, 1136AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" REGRESSED EYEBALL TRIM 
with white finish
11037AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.




6" WALL WASH TRIM 
with white finish
11039AT-15
(1) Medium Base 40w max.



6" BAFFLE TRIM 
with white finish
1151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.
(1) Medium Base PAR38 90w max.



6" MULTIPLIER TRIM 
with white finish
11032AT-14
(1) Medium Base PAR30 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR40 90w max.
(1) Medium Base PAR38 90w max.




6" FLAT GLASS SHOWER TRIM 
with white aluminum ring and white glass diffuser
11033AT-15
(1) Medium Base 40w max.




6" SHOWER TRIM 
with white aluminum ring and clear fresnel glass
11055AT-15
(1) Medium Base 40w max.




6" OPEN SHOWER TRIM 
with white open cone baffle
1154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base PAR38 90w max.

APPROVED TRIMS FOR 11028BLE




6" OPEN SHOWER TRIM 
with white open cone baffle
1154AT-14
(1) GU24 Base Self Ballasted CFL 18w lamp included



6" BAFFLE TRIM 
with white finish
1151AT-14
(1) GU24 Base Self Ballasted CFL 18w lamp included



6" MULTIPLIER TRIM 
with white finish
11032AT-14
(1) GU24 Base Self Ballasted CFL 18w lamp included

6" HOUSING

New Construction / IC Airtight Fire Barrier Housing

1128FB Fire Barrier Housing

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.


One hour fire-rated barrier certified

Certified to ASTM E-119.

Features four knockouts for wiring flexibility.

Junction box with integral Romex connector, quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Heavy 24 gauge galvanized steel enclosure.



- Maximum two fixtures within 36 sq. ft. area.
- Minimum O.C. fixture spacing of 24" within same truss cavity.
- Minimum C.T.C. fixture spacing of 34" for adjacent truss cavity.
- Meets commercial building code safety standards for barriers.
- Replaces the need for time consuming construction of barriers on the job site.
- Meets following fire-rated specifications: UL263, UBC 7-1, NFPA 251, and ASI A2.1.
- Easy to install with 4 screws.
- Secure to framing prior to drywall.

RECESSED LIGHTING



6" OPEN TRIM

with white finish



1120-15

(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM

with white finish



1125-14

(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM

with white finish



1126AT-14

(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



6" EYEBALL TRIM

with white finish



1136-15, 1136AT-15

(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" SHOWER TRIM

with white aluminum ring and white glass diffuser



1133AT-15

(1) Medium Base 40w max.



6" SHOWER TRIM

with white aluminum ring and white drop plastic diffuser



1134-68

(1) Medium Base 40w max.



6" SHOWER TRIM

with white aluminum ring and clear fresnel glass



1155AT-15

(1) Medium Base 40w max.



1109

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector



Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Adjustable socket assembly provides flexibility in lamping options.

Quick Hit™ captive nails included and positioned for fast, easy installation.

Break-away bar hangers extend and will not fall out of plaster flange.

Designed to fit ceiling slopes of 15° to 45°.



6" SLOPED TRIM

with white finish



1121-14

(1) Medium Base PAR38 75w max.

6" FLUORESCENT HOUSING

New Construction / IC Airtight



1180L 1180LQC with "Quick Connects"

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location

IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.



Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.

Quick Connectors

QC models come with quick connect wire connectors for fast connections to house wire.

Adjustable socket assembly provides flexibility in lamping options.



Break-away bar hangers extend and will not fall out of plaster flange.


Quick Hit™ captive nails included and positioned for fast, easy installation. Tab to locate on bottom of joist.

RECESSED LIGHTING



6" BAFFLE TRIM 
with white deep cone baffle

1157AT-14
(1) Gx24q-3 Base 4-Pin 26w max.



6" BAFFLE TRIM 
with black baffle and white ring

1157AT-15
(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM 
with white finish and deep cone

1160AT-14
(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM 
with polished aluminum baffle and white ring

1160AT-22
(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM 
with satin nickel baffle and white ring

11061AT-861
(1) Gx24q-3 Base 4-Pin 26w max.



6" WALL WASH TRIM 
with white finish

11063AT-15
(1) Gx24q-3 Base 4-Pin 26w max.



6" SHOWER TRIM 
with white aluminum ring and white glass diffuser

11233AT-15
(1) Gx24q-3 Base 4-Pin 26w max.




6" SHOWER TRIM 
with white aluminum ring and clear fresnel glass

11255AT-15
(1) Gx24q-3 Base 4-Pin 26w max.



6" FLAT GLASS TRIM
with white glass diffuser

11235AT-15
(1) Gx24q-3 Base 4-Pin 26w max.



11019

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage..

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Adjustable housing

Housing adjusts vertically for various ceiling thicknesses.

Junction box with integral Romex connector

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.



6" EYEBALL TRIM
with white finish



1136AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM
with white deep cone baffle



1158AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.



6" REGRESSED EYEBALL TRIM
with white finish



11037AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" OPEN SHOWER TRIM
with white aluminum baffle



1159AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.



6" FLAT GLASS SHOWER TRIM



with white aluminum ring and white glass diffuser

11033AT-15
(1) Medium Base 40w max.



6" SHOWER TRIM
with white aluminum ring and clear fresnel glass



11055AT-15
(1) Medium Base 40w max.

11018

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Fast, easy installation

Provided with mounting clips.


Junction box

Features snap-on covers, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



Provided with mounting clips for fast, easy installation.

Housing removable for easy access to junction box.



Snap-in socket locates lamp in optimum position.

One piece sealed trims, no light leaks.



6" EYEBALL TRIM
with white finish



1136AT-15
(1) Medium Base PAR30L 75w max.
(1) Medium Base BR30 65w max.



6" BAFFLE TRIM
with white finish



1151AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base BR30 65w max.
(1) Medium Base PAR38 90w max.



6" OPEN SHOWER TRIM
with white deep cone baffle



1154AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base PAR38 90w max.



6" FLAT GLASS SHOWER TRIM



with white aluminum ring and white fresnel glass diffuser

11033AT-15
(1) Medium Base 40w max.



6" SHOWER TRIM
with white aluminum ring and clear fresnel glass



11055AT-15
(1) Medium Base 40w max.



6" REGRESSED EYEBALL TRIM
with white finish



11037AT-15
(1) Medium Base PAR30L 75w max.



6" WALL WASH TRIM
with white finish



11039AT-15
(1) Medium Base 40w max.



6" MULTIPLIER TRIM
with white finish



11032AT-14
(1) Medium Base PAR30L 75w max.
(1) Medium Base PAR30S 50w max.
(1) Medium Base PAR38 90w max.
(1) Medium Base BR30 65w max.
(1) Medium Base BR40 90w max.



Adjustable socket assembly provides flexibility in lamping options.

Housing removable for easy access to junction box.



Provided with mounting clips for fast, easy installation.

11088L

Airtight construction

Meets airtight requirements for 2.0 CFM or less air leakage.

Safe – thermally protected, listed for damp location


IC housings approved for use in direct contact with insulation.

Junction box with integral Romex connector

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

Trouble-free ballast

Integral 120V HPF Electronic ballast offers years of trouble-free operation.




6" BAFFLE TRIM

with white deep cone baffle



1157AT-14

(1) Gx24q-3 Base 4-Pin 26w max.



6" BAFFLE TRIM

with white ring and black deep cone baffle



1157AT-15

(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM

with white finish and deep cone



1160AT-14

(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM

with polished aluminum baffle and white ring



1160AT-22

(1) Gx24q-3 Base 4-Pin 26w max.



6" MULTIPLIER TRIM

with satin nickel baffle and white ring



11061AT-861

(1) Gx24q-3 Base 4-Pin 26w max.



6" WALL WASH TRIM

with white finish



11063AT-15

(1) Gx24q-3 Base 4-Pin 26w max.



6" SHOWER TRIM

with white aluminum ring and white glass diffuser



11233AT-15

(1) Gx24q-3 Base 4-Pin 26w max.



6" SHOWER TRIM

with white aluminum ring and clear fresnel glass



11255AT-15

(1) Gx24q-3 Base 4-Pin 26w max.



6" FLAT GLASS TRIM

with white glass diffuser

11235AT-15

(1) Gx24q-3 Base 4-Pin 26w max.

Product Shown: Urban Loft Three Light Directional Rail Kit, p.619



TRANSITIONS





TRANSITIONS

TRANSITIONS

Transitions is the easy-to-install, customizable, 120V rail lighting system. Choose from a variety of pendant and directional luminaires, including mono-point fixtures, to create dramatic lighting in any setting.



Product Shown: Butterscotch Glass [p.610] shown on Pendant Assembly in Antique Brushed Nickel [p.609]

CONFIGURING A CUSTOM SYSTEM

Transitions is the easy-to-install 120V rail lighting system. A variety of pendant and directional luminaire options are available including mono-point fixtures for stand-alone installation or addition to your rail system.

STEP

1A

CHOOSE PENDANT ASSEMBLIES & SHADES

Select from complete fixtures or pick your own pendant assembly and shade combination.

STEP

1B

CHOOSE DIRECTIONAL ASSEMBLIES & SHADES

Select from complete fixtures or pick your own directional assembly and shade combination.

STEP

2

SELECT RAIL & CONNECTORS

Determine length of rail needed based on number of luminaires and desired spacing per your specifications. Connect sections of rail with the flexible angle or regular connectors.

STEP

3

SELECT MOUNTING COMPONENTS

Identify desired power feed canopy and necessary support adapters based on length of rail and placement. Rail requires support every 2' to 3' depending on the number of luminaires and bend configuration.

ORDERING PRE-PACKAGED FIXTURES

DIRECTIONAL MONO-POINTS

Complete directional mono-point fixtures including glass, lamp and canopy for wall or ceiling installation.

COMPLETE RAIL KITS

Complete pendant and directional rail systems. Includes lamps, assemblies, shades, 4' of rail, power feed canopy adapter, field adjustable wire and all mounting hardware required for typical installation.

STEP 1A: PENDANT FIXTURES

Complete Pendant Fixtures

URBAN LOFT PENDANT FIXTURE

*with antique brushed nickel finish
and cased opal etched glass*

D: 4.375" H: 16.312"

Supplied with shade, canopy, hanging hardware and 8' of field adjustable wire.

94562-965

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems
or as a mono-point.



SARATOGA PENDANT FIXTURE

*with antique bronze finish
and ember glow glass*

D: 6.125" H: 19.593"

Supplied with shade, canopy, hanging hardware and 8' of field adjustable wire.

94560-71

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems
or as a mono-point.



TORRY PENDANT FIXTURE

*with antique brushed nickel finish
and satin etched glass*

D: 5.281" H: 15.312"

Supplied with shade, canopy, hanging hardware and 8' of field adjustable wire.

94563-965

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems
or as a mono-point.






lamp base


MEDIUM BASE TRADITIONAL PENDANT ASSEMBLY

D: 1.125" H: 12.625"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) Medium Base 100w max.

 **94554-71**
antique bronze finish

 **94554-965**
antique brushed nickel finish

Use on Transitions Rail Systems
or as a mono-point.




lamp base


MEDIUM BASE CONTEMPORARY PENDANT ASSEMBLY

D: 1.062" H: 12.625"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) Medium Base 100w max.

 **94555-71**
antique bronze finish

 **94555-965**
antique brushed nickel finish

Use on Transitions Rail Systems
or as a mono-point.



lamp base

G9 BASE TRADITIONAL PENDANT ASSEMBLY

D: 1" H: 12.156"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) G9 Base T4 40w lamp included

94570-71
antique bronze finish

94570-965
antique brushed nickel finish

Use on Transitions Rail Systems
or as a mono-point.



lamp base

G9 BASE CONTEMPORARY PENDANT ASSEMBLY

D: 1" H: 12.156"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) G9 Base T4 40w lamp included

94571-965
antique brushed nickel finish

Use on Transitions Rail Systems
or as a mono-point.




lamp base

GU10 BASE TRADITIONAL PENDANT ASSEMBLY

D: 1.125" H: 11.75"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) GU10 Base MR/MRC16 50w max.

 **94553-71**
antique bronze finish

Use on Transitions Rail Systems
or as a mono-point.




lamp base

GU24 BASE CONTEMPORARY PENDANT ASSEMBLY

D: 1" L: 12.125"

Supplied with optional canopy, hanging hardware and 8' of field adjustable wire.

(1) GU24 Base Self Ballasted CFL 13w lamp included

 **94621-965**
antique brushed nickel finish

Use on Transitions Rail Systems
or as a mono-point.

STEP 1A: PENDANT SHADES

Build Your Own Fixtures



PART NUMBER	NAME	MATERIAL	DIMENSIONS	COMPATIBLE WITH
94223-699	Amber Onyx	Amber Onyx Stone	D: 5.687" H: 5.812"	All
94227-6011	Molten Red	Red/Black Gravel Glass	D: 6.25" H: 9.375"	All
94228-6026	Opal Rain	Opal Rain Glass	D: 6.3125" H: 11"	All
94229-6028	Caramel Swirl	Caramel Swirl Glass	D: 4.5" H: 9.687"	All
94229-6029	Vanilla Creme	Vanilla Creme Glass	D: 4.5" H: 9.687"	All
94229-6030	Fuego	Fuego Glass	D: 4.5" H: 9.687"	All
94230-6032	Fireball	Cased Fireball Glass	D: 7.687" H: 7.375"	All
94233-6035	Stargazer	Cased Starlight Blue Glass	D: 5.187" H: 7.875"	All
94235-6037	Butterscotch	Butterscotch Glass	D: 4.312" H: 9.812"	GU10, G9 and GU24
94290-6066	Mystique	Blown Mystique Glass	D: 8.25" H: 6.75"	All
94353-645	White Rhapsody	Cased White Rhapsody Glass	D: 4.5" H: 10.5"	All
94353-648	Blue Rhapsody	Blue Swirl Glass	D: 4.5" H: 10.5"	All
94371-6121	Honey Drop	Honey Cased Glass	D: 6.187" H: 6.562"	All
94372-6125	Conner	Cased Opal Ribbed Glass	D: 2.75" H: 7.625"	GU10 and G9
94373-6123	Glacier Blue	Glacier Blue Crackle Glass	D: 2.75" H: 7.5"	GU10 and G9
94373-6124	Bamboo Green	Bamboo Green Crackle Glass	D: 2.75" H: 7.5"	GU10 and G9
94374-6137	Fossil	Cased Amber Glass with Fossil Pattern	D: 4.5" H: 7.75"	All
94375-6135	Bianca	Cased White and Amber Glass with Engraved Pattern	D: 5.375" H: 8.375"	All
94377-6131	Andorra	Cased Amber Ribbed Glass	D: 4.625" H: 4.625"	GU10 and G9
94380-841	Space Ball	Polished Nickel Shade over Cased Opal Etched Glass	D: 4.562" H: 5.812"	GU10 and G9
94380-962	Space Ball	Brushed Nickel Shade over Cased Opal Etched Glass	D: 4.562" H: 5.812"	GU10 and G9



URBAN LOFT DIRECTIONAL FIXTURE

*with antique brushed nickel finish
and cased opal etched glass*

D: 3.468" W: 3.937" H: 4.875"
Supplied with shade.

94537-965

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems.



SARATOGA DIRECTIONAL FIXTURE

*with antique bronze finish
and ember glow glass*

D: 3.75" W: 6.125" H: 5.687"
Supplied with shade.

94535-71

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems.



TRENTON DIRECTIONAL FIXTURE

*with antique bronze finish
and dusted ivory glass*

D: 3.437" W: 4" H: 6.906"
Supplied with shade.

94536-71

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems.



TORRY DIRECTIONAL FIXTURE

*with antique brushed nickel finish
and satin etched glass*

D: 3.437" W: 4.187" H: 5.156"
Supplied with shade.

94538-965

(1) G9 Base T4 40w lamp included

Use on Transitions Rail Systems.



MRC16 CONTEMPORARY DIRECTIONAL FIXTURE

D: 3.187" W: 4.437" H: 4.437"
Supplied with shade.

(1) GU10 Base MR/MRC16 50w max.

94895-71 (*shown*)
antique bronze finish

94895-965
antique brushed nickel finish

Use on Transitions Rail Systems.



MRC16 TRADITIONAL DIRECTIONAL FIXTURE

D: 3.375" W: 4.75" H: 5.062"
Supplied with shade.

(1) GU10 Base MR/MRC16 50w max.

94896-71 (*shown*)
antique bronze finish

94896-965
antique brushed nickel finish

Use on Transitions Rail Systems.



PAR30 CONTEMPORARY DIRECTIONAL FIXTURE

D: 4.5" W: 6.187" H: 6.718"
Supplied with shade.

(1) Medium Base PAR30L 75w max.

94731-965
antique brushed nickel finish

Use on Transitions Rail Systems.



PAR20 TRANSITIONAL DIRECTIONAL FIXTURE

D: 3.25" W: 5.25" H: 4.5"
Supplied with shade.

(1) Medium Base PAR20 50w max.

94729-71 (*shown*)
antique bronze finish

94729-965
antique brushed nickel finish

Use on Transitions Rail Systems.



PAR20 TRADITIONAL DIRECTIONAL FIXTURE

D: 3.437" W: 5.375" H: 4.875"
Supplied with shade.

(1) Medium Base PAR20 50w max.

94730-71
antique bronze finish

94730-965 (*shown*)
antique brushed nickel finish

Use on Transitions Rail Systems.

STEP 1B: DIRECTIONAL FIXTURES & SHADES

Build Your Own Fixtures



G9 CONTEMPORARY DIRECTIONAL ASSEMBLY

W: 3.687" H: 4.312"

(1) G9 Base T4 40w lamp included

94726-71
antique bronze finish

94726-965
antique brushed nickel finish

Use on Transitions Rail Systems.



GU10 TRANSITIONAL DIRECTIONAL ASSEMBLY

W: 4.125" H: 5.718"

(1) GU10 Base MRC16 50w lamp included

94720-71
antique bronze finish

94720-965
antique brushed nickel finish

Use on Transitions Rail Systems.

TRANSITIONS



94363-645



94363-649



94364-71



94364-98



94385-6121



94387-607



94391-6125



94392-6135



94395-6123



94395-6124



94398-6137

PART NUMBER	NAME	MATERIAL	DIMENSIONS	COMPATIBLE WITH
94363-645	Glass Dome Shade	Cased Opal Etched Glass	D: 3.062" H: 2.625"	G9
94363-649	Glass Dome Shade	Amber Rhapsody Glass	D: 3.062" H: 2.625"	G9
94364-71	Metal Dome Shade	Antique Bronze Finish	D: 3.062" H: 2.593"	G9
94364-98	Metal Dome Shade	Brushed Stainless Finish	D: 3.062" H: 2.593"	G9
94385-6121	Honey Drop	Honey Cased Glass	D: 3.437" H: 3"	All
94387-607	Bristol	Cased Opal Etched Glass	D: 3.281" H: 2.937"	All
94391-6125	Andorra	Cased Opal Ribbed Glass	D: 3.656" H: 2.812"	All
94392-6135	Bianca	Cased White and Amber Glass with Engraved Pattern	D: 3.625" H: 2.968"	All
94395-6123	Glacier Blue	Glacier Blue Crackle Glass	D: 3" H: 3.031"	All
94395-6124	Bamboo Green	Bamboo Green Crackle Glass	D: 3" H: 3.031"	All
94398-6137	Fossil	Cased Amber Glass with Fossil Pattern	D: 3.625" H: 3.125"	All



4' SINGLE CIRCUIT RAIL

W: .312" H: .875"

94840-71 (shown)
antique bronze finish

94840-965
antique brushed nickel finish

Field cuttable and bendable rail accommodates 20 amps at 120V. Rail is bendable by hand or with bending tool. Two 12 AWG conductors in thermoplastic insulators. Complete with two end caps. Minimum bending radius is 12".



8' SINGLE CIRCUIT RAIL

W: .312" H: .875"

94841-71
antique bronze finish

94841-965 (shown)
antique brushed nickel finish

Field cuttable and bendable rail accommodates 20 amps at 120V. Rail is bendable by hand or with bending tool. Two 12 AWG conductors in thermoplastic insulators. Complete with two end caps. Minimum bending radius is 12".



RAIL CONNECTOR

L: 1.375" W: 1.625" H: 1.062"

94842-71 (shown)
antique bronze finish

94842-965
antique brushed nickel finish

Electrically or mechanically connects two sections of rail. Remove contacts for mechanical, non-conductive joiner. 20 amp max. at 120V. Phillips head grounding set screw holds rail in place, no disassembly required.



FLEXIBLE ANGLE RAIL CONNECTOR

L: 4.375" W: 1.062" H: 1"

94847-71
antique bronze finish

94847-965 (shown)
antique brushed nickel finish

Flexible, conductive joiner. Electrically connect two sections of rail. Rotates 100 degrees both directions. 20 amp max. at 120V. Phillips head grounding set screw holds rail in place, no disassembly required.



RAIL FIELD BENDING KIT

with black finish

L: 7.75" W: 6" H: 9.75"

94130-12

For field bending 94840 and 94841 rails. Adjust roller to bend rail to desired radius. Use multiple "pass throughs" to achieve smooth bend. Minimum bending radius is 12".

STEP 3: MOUNTING COMPONENTS

Build Your Rail System



94843-xxx
traditional style



94844-xxx
contemporary style

POWER FEED CANOPY ADAPTER

D: 5.125" H: 5.687"

94843-71 (shown)
antique bronze finish

94843-965
antique brushed nickel finish

D: 5" H: 5.875"

94844-71
antique bronze finish

94844-965 (shown)
antique brushed nickel finish

Ceiling mount and attach at any point along the rail. Mounts to a standard 4" junction box. Single circuit with 6' long 12 AWG supply wires. Use with stem extensions if desired. 20 amps at 120V.



94850-xxx
traditional style



94851-xxx
contemporary style

SUPPORT ADAPTER

D: 1.812" H: 5.687"

94850-71 (shown)
antique bronze finish

94850-965
antique brushed nickel finish

D: 1.812" H: 5.875"

94851-71
antique bronze finish

94851-965 (shown)
antique brushed nickel finish

Non-electrified adapter attaches at any point along the rail. Use with stem extensions if desired. Complete with mounting hardware. Use with optional power feeds when rail is ceiling mounted. Support rail every 2' to 3' depending on the quantity of fixtures and bend configuration of the rail.



94856-xxx
traditional style



94857-xxx
contemporary style

FLEXIBLE POWER FEED CANOPY ADAPTER

D: 5.125"

94856-71 (shown)
antique bronze finish

94856-965
antique brushed nickel finish

D: 5"

94857-71
antique bronze finish

94857-965 (shown)
antique brushed nickel finish

Single circuit 10', 12 AWG supply wires. Use for feeding from remote standard 4" junction box. Field cuttable 10' wire and flexible cover. 20 amps at 120V.



94846-xxx
traditional style



94845-xxx
contemporary style

CABLE SUPPORT ADAPTER

D: 1.812"

94846-71 (shown)
antique bronze finish

94846-965
antique brushed nickel finish

D: 1.812"

94845-71
antique bronze finish

94845-965 (shown)
antique brushed nickel finish

10' field adjustable aircraft cable. Use where non-visible floating rail support look is desired. Complete with mounting hardware and non-electrified adapter. Support rails every 2' to 3' depending on the quantity of fixtures and bend configuration of the rail.



94854-xxx
traditional style



94855-xxx
contemporary style

SWIVEL POWER FEED CANOPY ADAPTER

D: 5.125" H: 9.562"

94854-71 (shown)
antique bronze finish

94854-965
antique brushed nickel finish

D: 5" H: 9.562"

94855-71
antique bronze finish

94855-965 (shown)
antique brushed nickel finish

Cathedral ceiling mount, attach at any point along rail. Mounts to standard 4" junction box. Single circuit with 6' long 12 AWG supply wires. Use with stem extensions if desired. Supports vertical to 90 degrees. 20 amps at 120V.



94860-xxx
traditional style



94861-xxx
contemporary style

SWIVEL SUPPORT ADAPTER

D: 1.812" H: 9.562"

94860-71 (shown)
antique bronze finish

94860-965
antique brushed nickel finish

D: 1.812" H: 9.562"

94861-71
antique bronze finish

94861-965 (shown)
antique brushed nickel finish

Mechanically supports rail on cathedral ceilings. Use interconnecting stems if desired. Supports vertical to 90 degrees. Complete with mounting hardware and non-electrified adapter.



94848-xxx
traditional style



94849-xxx
contemporary style

WALL POWER FEED / SUPPORT

W: 5.125" E: 8" - 30"

94848-71 (shown)
antique bronze finish

94848-965
antique brushed nickel finish

W: 5" E: 8" - 30"

94849-71
antique bronze finish

94849-965 (shown)
antique brushed nickel finish

Wall mount power feed with field adjustable aircraft cable support. Single circuit 30" long 12 AWG supply wires. Use with stem extensions if desired (max. distance from wall is 30"). Complete with canopy and mounting hardware. Mounts to standard junction box. 20 amps at 120V.



94858-xxx
traditional style



94859-xxx
contemporary style

WALL SUPPORT

W: 1.812" E: 8" - 30"

94858-71 (shown)
antique bronze finish

94858-965
antique brushed nickel finish

W: 1.812" E: 8" - 30"

94859-71
antique bronze finish

94859-965 (shown)
antique brushed nickel finish

Mechanically supports rail from wall. Use with stem extensions if desired (max. distance from wall is 30"). Field adjustable aircraft cable support. Complete with mounting hardware and non-electrified adapter. Use with optional power feeds when wall mounting is desired.



94852-xxx
traditional style



94853-xxx
contemporary style

FLEXIBLE WALL POWER FEED CANOPY

D: 5" E: 2.875"

94852-71 (shown)
antique bronze finish

94852-965
antique brushed nickel finish

D: 5.125" E: 3.5"

94853-71
antique bronze finish

94853-965 (shown)
antique brushed nickel finish

Electrically feeds from end of the rail. Complete with canopy and mounting hardware. Mounts to a standard 4" junction box. Rotates 50 degrees both directions. 20 amps at 120V. Phillips head grounding set screw holds rail in place, no disassembly required.



94862-xxx
traditional style



94863-xxx
contemporary style

SUPPORT CONNECTOR

W: 4.625" H: 5.687"

94862-71 (shown)
antique bronze finish

94862-965
antique brushed nickel finish

W: 4.625" H: 5.687"

94863-71
antique bronze finish

94863-965 (shown)
antique brushed nickel finish

Electrically feeds, supports and connects two sections of rail (or) remove contacts for mechanical, non-conductive joiner. Use with stem extensions if desired. 20 amps at 120V.



6" STEM EXTENSION

D: .5" L: 6"

94806-71
antique bronze finish

94806-965
antique brushed nickel finish

Use in conjunction with rail feed and support adapters. Stems interconnect with internal threads.



12" STEM EXTENSION

D: .5" L: 12"

94807-71
antique bronze finish

94807-965
antique brushed nickel finish

Use in conjunction with rail feed and support adapters. Stems interconnect with internal threads.

DIRECTIONAL MONO-POINTS

Complete Directional Fixtures



TRENTON DIRECTIONAL MONO-POINT FIXTURE

with antique bronze finish and dusted ivory glass

D: 3.437" W: 5.687" H: 6.625"
Supplied with shade.

94883-71

(1) G9 Base T4 40w lamp included


Mounts on wall or ceiling.




TRADITIONAL DIRECTIONAL MONO-POINT FIXTURE

D: 3.5" W: 6.5" H: 5"
Supplied with shade.

(1) GU10 Base MR/MRC16 35w max.

 **94898-71** *(shown)*
antique bronze finish

 **94898-965**
antique brushed nickel finish


Mounts on wall or ceiling.




CONTEMPORARY DIRECTIONAL MONO-POINT FIXTURE

D: 3.187" W: 6.25" H: 4.25"
Supplied with shade.

(1) GU10 Base MR/MRC16 50w max.

 **94897-71**
antique bronze finish

 **94897-965** *(shown)*
antique brushed nickel finish

Mounts on wall or ceiling.



TRANSITIONS

Product Shown: Saratoga Three Light Pendant Rail Kit, p.618

RAIL KITS

Complete Three Light Pendant Rail Kits

URBAN LOFT PENDANT KIT

*with antique brushed nickel finish
and cased opal etched glass*

Adapter/Rail: L: 47.625" H: 5.875"
Pendant: D: 4.375" H: 16.312"

Supplied with pendants, lamps, 4' rail
with 12 gauge connectors and two ends,
power feed canopy adapter, mounting
hardware and 8' of adjustable wire.

94516-965

(3) G9 Base T4 40w lamps included



SARATOGA PENDANT KIT

*with antique bronze finish
and ember glow glass*

Adapter/Rail: L: 47.625" H: 5.687"
Pendant: D: 6.125" H: 19.593"

Supplied with pendants, lamps, 4' rail
with 12 gauge connectors and two ends,
power feed canopy adapter, mounting
hardware and 8' of adjustable wire.

94512-71

(3) G9 Base T4 40w lamps included



TRENTON PENDANT KIT

*with antique bronze finish
and dusted ivory glass*

Adapter/Rail: L: 47.625" H: 5.687"
Pendant: D: 5.219" H: 14.656"

Supplied with pendants, lamps, 4' rail
with 12 gauge connectors and two ends,
power feed canopy adapter, mounting
hardware and 8' of adjustable wire.

94514-71

(3) G9 Base T4 40w lamps included



TORRY PENDANT KIT

*with antique brushed nickel finish
and satin etched glass*

Adapter/Rail: L: 47.625" H: 5.687"
Pendant: D: 5.281" H: 15.312"

Supplied with pendants, lamps, 4' rail
with 12 gauge connectors and two ends,
power feed canopy adapter, mounting
hardware and 8' of adjustable wire.

94518-965

(3) G9 Base T4 40w lamps included



**URBAN LOFT
DIRECTIONAL KIT**

*with antique brushed nickel finish
and cased opal etched glass*

Adapter/Rail: L: 47.625" H: 5.875"
Directionals: L: 3.468" W: 3.927" H: 4.875"

Supplied with directionals, lamps, 4' rail with 12 gauge connectors and two ends, power feed canopy adapter, mounting hardware and 8' of adjustable wire.

94515-965
(3) G9 Base T4 40w lamps included

**SARATOGA
DIRECTIONAL KIT**

*with antique bronze finish
and ember glow glass*

Adapter/Rail: L: 47.625" H: 5.687"
Directionals: L: 3.75" W: 6.125" H: 5.687"

Supplied with directionals, lamps, 4' rail with 12 gauge connectors and two ends, power feed canopy adapter, mounting hardware and 8' of adjustable wire.

94511-71
(3) G9 Base T4 40w lamps included

**TRENTON
DIRECTIONAL KIT**

*with antique bronze finish
and dusted ivory glass*

Adapter/Rail: L: 47.625" H: 5.687"
Directionals: L: 3.437" W: 4" H: 6.906"

Supplied with directionals, lamps, 4' rail with 12 gauge connectors and two ends, power feed canopy adapter, mounting hardware and 8' of adjustable wire.

94513-71
(3) G9 Base T4 40w lamps included

**TORRY
DIRECTIONAL KIT**

*with antique brushed nickel finish
and satin etched glass*
















Adapter/Rail: L: 47.625" H: 5.687"
Directionals: L: 3.437" W: 4.187" H: 5.156"

Supplied with directionals, lamps, 4' rail with 12 gauge connectors and two ends, power feed canopy adapter, mounting hardware and 8' of adjustable wire.

94517-965
(3) G9 Base T4 40w lamps included



LAMP REFERENCE CHART

	ITEM NUMBER	WATTAGE	VOLTAGE	LIGHT OUTPUT (LUMENS)	EFFICACY (LM/W)	LAMP TYPE	BASE TYPE	LIGHT SOURCE	COLOR TEMPERATURE
	97102	13	120V	900	69.2	Self Ballasted CFL	GU24	Fluorescent	2700K
	97107	18	120V	1100	61.1	Self Ballasted CFL	GU24	Fluorescent	2700K
	97106	26	120V	1800	69.2	Self Ballasted CFL	GU24	Fluorescent	2700K
	90028	13	120V	—	—	PL13	GU24	Fluorescent	—
	97040	13	120V	860	66.2	PL13	GX24q-1	Fluorescent	2700K
	97045	26	120V	1600	61.5	PL26	GX24q-3	Fluorescent	2700K
	97047	13	120V	860	66.2	PLT Quad Tube	GX24q-1	Fluorescent	2700K
	97046	26	120V	1600	61.5	PLT Triple Twin Tube	G24q-3	Fluorescent	2700K
	9742	32	120V	2120	66.3	Circline	G10Q	Fluorescent	3000K
	9743	40	120V	3070	76.8	Circline	G10Q	Fluorescent	3000K
	97043	55	120V	3900	70.9	Double Circline	G10Q	Fluorescent	2700K
	97340S	4.5	120V	240	53.3	Clear B10	Candelabra	LED	2700K
	97440S	4.5	120V	240	53.3	Clear B10	Candelabra	LED	3000K
	97341S	4.5	120V	240	53.3	Frosted B10	Candelabra	LED	2700K
	97441S	4.5	120V	240	53.3	Frosted B10	Candelabra	LED	3000K
	97343S	4.5	120V	230	51.1	A19	Medium	LED	2700K
	97443S	4.5	120V	230	51.1	A19	Medium	LED	3000K
	97344S	7	120V	580	82.9	A19	Medium	LED	2700K
	97444S	7	120V	580	82.9	A19	Medium	LED	3000K
	97345S	6.5	120V	690	106.2	A19	Medium	LED	2700K
	97445S	6.5	120V	690	106.2	A19	Medium	LED	3000K
	97347S	7	120V	500	71.4	BR20	Medium	LED	2700K
	97447S	7	120V	500	71.4	BR20	Medium	LED	3000K
	97348S	12	120V	850	70.8	BR30	Medium	LED	2700K
	97448S	12	120V	850	70.8	BR30	Medium	LED	3000K
	97349S	15	120V	1100	73.3	BR40	Medium	LED	2700K
	97449S	15	120V	1100	73.3	BR40	Medium	LED	3000K


FL Flood
NFL Narrow Flood

* When dimming LED light sources, derate your dimmer to 25% of its rated capacity. For example, a 600 watt dimmer should be derated to 150 watt capacity. Consult your dimmer manufacturer for more information and restrictions.










** An electronic low voltage (ELV) dimmer is recommended when dimming low voltage lamps. Follow the de-rating recommendations above for optimal performance.

LAMPS & ACCESSORIES

LAMP REFERENCE CHART

BEAM SPREAD	CRI	RATED LIFE (HOURS)	COMPARABLE EQUIVALENT	WARRANTY	DIMMABLE	CERTIFICATION	DIMENSIONS	ENERGY STAR	LOCATION RATING
—	81	10,000	—	1-Year	No	—	D: 2.5" L: 5.062"		Damp
—	82	10,000	—	1-Year	No	—	D: 2.5" L: 4.5"		Damp
—	81	10,000	—	1-Year	No	—	D: 2.375" L: 4.75"		Damp
—	—	—	—	1-Year	No	—	D: 1.656" L: 2.187"		Damp
—	82	10,000	—	1-Year	No	—	D: 2" L: 3.687"		Damp
—	82	10,000	—	1-Year	No	—	D: 2.562" L: 4.812"		Damp
—	81	10,000	—	1-Year	No	—	D: 1.937" L: 5.187"		Damp
—	82	10,000	—	1-Year	No	—	D: 1.937" L: 5"		Damp
—	82	10,000	—	1-Year	No	—	D: 11.937"		Damp
—	82	10,000	—	1-Year	No	—	D: 16"		Damp
—	82	10,000	—	1-Year	No	—	D: 8.375"		Damp
250°	80	30,000	25w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 1.5" L: 4.5"		Damp
250°	80	30,000	25w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 1.5" L: 4.5"		Damp
250°	80	30,000	25w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 1.5" L: 4.5"		Damp
250°	80	30,000	25w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 1.5" L: 4.5"		Damp
120°	75	40,000	40w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.375" L: 4"		Damp
120°	75	40,000	40w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.375" L: 4"		Damp
120°	80	50,000	60w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.75" L: 5"		Damp
120°	80	50,000	60w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.75" L: 5"		Damp
120°	80	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.25" L: 4.125"		Damp
120°	80	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.25" L: 4.125"		Damp
FL 120°	82	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.5" L: 3.875"		Damp
FL 120°	82	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.5" L: 3.875"		Damp
FL 120°	82	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 3.75" L: 5.375"		Damp
FL 120°	82	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 3.75" L: 5.375"		Damp
FL 120°	82	50,000	100w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 5" L: 6.4"		Damp
FL 120°	82	50,000	100w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 5" L: 6.4"		Damp

LAMP REFERENCE CHART

	ITEM NUMBER	WATTAGE	VOLTAGE	LIGHT OUTPUT (LUMENS)	EFFICACY (LM/W)	LAMP TYPE	BASE TYPE	LIGHT SOURCE	COLOR TEMPERATURE
	97351S	7	120V	500	71.4	PAR20	Medium	LED	2700K
	97451S	7	120V	500	71.4	PAR20	Medium	LED	3000K
	97352S	12	120V	750	62.5	PAR30	Medium	LED	2700K
	97452S	12	120V	750	62.5	PAR30	Medium	LED	3000K
	97353S	17	120V	1100	64.7	PAR38	Medium	LED	2700K
	97453S	17	120V	1100	64.7	PAR38	Medium	LED	3000K
	97356S	7	12V	450	64.3	MR16	GU5.3 Bi-Pin	LED	2700K
	97456S	7	12V	450	64.3	MR16	GU5.3 Bi-Pin	LED	3000K
	97357S	7	12V	450	64.3	MR16	GU5.3 Bi-Pin	LED	2700K
	97457S	7	12V	450	64.3	MR16	GU5.3 Bi-Pin	LED	3000K
	97359S	5	120V	300	60	MR16	GU10	LED	2700K
	97459S	5	120V	300	60	MR16	GU10	LED	3000K
	97360S	7	120V	450	64.3	MR16	GU10	LED	2700K
	97460S	7	120V	450	64.3	MR16	GU10	LED	3000K
	97032-32	35	120V	420	12	T4	G9	Halogen	2550K
	97037-32	40	120V	520	13	T4	G9	Halogen	2600K
	97190-32	35	120V	420	12	T4	G9	Xenon	2550K
	97170	20	120V	160	8	Clear MRC16	GU10	Halogen	2700K
	97171	20	120V	160	8	Clear MRC16	GU10	Halogen	2700K
	97175	35	120V	240	6.9	Clear MRC16	GU10	Halogen	2700K
	97176	35	120V	240	6.9	Clear MRC16	GU10	Halogen	2700K
	97180	50	120V	450	9	Clear MRC16	GU10	Halogen	2800K
	97181	50	120V	450	9	Clear MRC16	GU10	Halogen	2800K
	97185	20	120V	140	7	Frosted MRC16	GU10	Halogen	2700K
	97186	35	120V	210	6	Frosted MRC16	GU10	Halogen	2700K
	97187	50	120V	400	8	Frosted MRC16	GU10	Halogen	2800K

FL Flood
NFL Narrow Flood

* When dimming LED light sources, derate your dimmer to 25% of its rated capacity. For example, a 600 watt dimmer should be derated to 150 watt capacity. Consult your dimmer manufacturer for more information and restrictions.

** An electronic low voltage (ELV) dimmer is recommended when dimming low voltage lamps. Follow the de-rating recommendations above for optimal performance.

LAMP REFERENCE CHART

BEAM SPREAD	CRI	RATED LIFE (HOURS)	COMPARABLE EQUIVALENT	WARRANTY	DIMMABLE	CERTIFICATION	DIMENSIONS	ENERGY STAR	LOCATION RATING
FL 40°	82	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.5" L: 3.375"		Damp
FL 40°	82	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.5" L: 3.375"		Damp
FL 40°	81	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 3.5" L: 4.5"		Damp
FL 40°	81	50,000	75w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 3.5" L: 4.5"		Damp
FL 40°	81	50,000	120w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 4.625" L: 5.25"		Damp
FL 40°	81	50,000	120w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 4.625" L: 5.25"		Damp
NFL 30°	80	50,000	50w Incandescent	5-Year Ltd.	Yes**	RoHS	D: 2.25" L: 2.25"		Damp
NFL 30°	80	50,000	50w Incandescent	5-Year Ltd.	Yes**	RoHS	D: 2.25" L: 2.25"		Damp
FL 45°	80	50,000	50w Incandescent	5-Year Ltd.	Yes**	RoHS	D: 2.25" L: 2.25"		Damp
FL 45°	80	50,000	50w Incandescent	5-Year Ltd.	Yes**	RoHS	D: 2.25" L: 2.25"		Damp
FL 40°	84	50,000	35w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2" L: 2.125"		Damp
FL 40°	84	50,000	35w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2" L: 2.125"		Damp
FL 45°	80	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.25" L: 2.5"		Damp
FL 45°	80	50,000	50w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.25" L: 2.5"		Damp
—	90	2,000	—	1-Year	Yes	—	D: 0.5" L: 1.75"		Damp
—	90	2,000	—	1-Year	Yes	—	D: 0.5" L: 2.031"		Damp
—	90	2,000	—	1-Year	Yes	—	D: 0.5" L: 2.063"		Damp
NFL 24°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
NFL 24°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
NFL 24°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp
FL 38°	90	2,000	—	1-Year	Yes	—	D: 2" L: 2.25"		Damp

TO ORDER ADDITIONAL CHAIN OR STEM:

1. Locate the row for your collection and fixture.
2. Write down the style number in the chain or stem column.
3. Replace the "xxx" with the desired finish code from Finishes Available column.

COLLECTION	CHAIN	STEMS	FINISHES AVAILABLE
Academy	9100-xxx	9199-xxx	Brushed Nickel (-962), Heirloom Bronze (-782)
Acadia	9101-xxx	9199-xxx	Misted Bronze (-814)
Albany	9100-xxx	9199-xxx	Brushed Nickel (-962), Heirloom Bronze (-782)
Ardsley Court	9100-xxx	—	Textured Rust Patina (-08)
Bakersville	9100-xxx	—	Black (-12)
Bancroft	9100-xxx	—	Black (-12)
Beacon Street	9100-xxx	9199-xxx	Brushed Nickel (-962), Burnt Sienna (-710)
Blayne	9103-xxx	9199-xxx	Platinum Oak (-736)
Brayden	9100-xxx	9199-xxx	Burnt Sienna (-710)
Brentwood	9103-xxx	—	Black (-12), White (-15)
Bretton (5233-xxx)	9100-xxx	—	Polished Brass (-02), Brushed Nickel (-962), Heirloom Bronze (-782)
Bretton (all others)	9103-xxx	—	Polished Brass (-02), Brushed Nickel (-962), Heirloom Bronze (-782)
Brockton	9100-xxx	9199-xxx	Brushed Nickel (-962), Burnt Sienna (-710)
Bucktown	9100-xxx	—	Black (-12), Weathered Pewter (-57)
Cape May	9103-xxx	—	Burled Iron (-780)
Centra	9103-xxx	—	Brushed Stainless (-98)
Chatham	9103-xxx	—	Oxidized Bronze (-46), Weathered Copper (-44)
Classico	9100-xxx	—	Polished Brass (-02), Sienna (-26), Black (-12)
Corbeille	9100-xxx	9199-xxx	Stardust (-846)
Dayna	9100-xxx	9199-xxx	Brushed Nickel (-962), Burnt Sienna (-710)
Del Prato	9116-xxx	9199-xxx	Chestnut Bronze (-820)
Denhelm	9103-xxx	9199-xxx	Brushed Nickel (-962), Burnt Sienna (-710)
Driscoll	9100-xxx	9199-xxx	Brushed Nickel (-962), Satin Bronze (-848)
Ellington	9100-xxx	9199-xxx	Burnt Sienna (-710)
Englehorn	9100-xxx	9199-xxx	Chrome (-05)
Gillmore	9100-xxx	—	Brushed Nickel (-962), Heirloom Bronze (-782)
Gladstone (31852-xxx)	9116-xxx	—	Antique Brushed Nickel (-965), Heirloom Bronze (-782)
Gladstone (all others)	9100-xxx	9199-xxx	Antique Brushed Nickel (-965), Heirloom Bronze (-782)
Hermitage	9103-xxx	—	Antique Bronze (-71), Antique Brushed Nickel (-965)
Herrington	9103-xxx	—	Black (-12)
Highlands (61251-xxx)	9103-xxx	—	Palladium (-824), Regal Bronze (-758)
Highlands (all others)	9114-xxx	9199-xxx	Palladium (-824), Regal Bronze (-758)

COLLECTION	CHAIN	STEMS	FINISHES AVAILABLE
Hill Gate	9103-xxx	—	Black (-12), Textured Rust Patina (-08)
Holman	9100-xxx	9199-xxx	Bell Metal Bronze (-827), Brushed Nickel (-962)
HSS Co-op	9103-xxx	—	Weathered Copper (-44)
Hunnington	9100-xxx	—	Black (-12), Weathered Pewter (-57)
Jordyn	9100-xxx	9199-xxx	Brushed Nickel (-962)
Kent	9103-xxx	—	Black (-12), Oxford Bronze (-746)
Lambert Hill	9103-xxx	9199-xxx	Black (-12), Oxford Bronze (-746)
Lancaster	9100-xxx	—	Antique Bronze (-71), Antique Brushed Nickel (-965), Black (-12), Polished Brass (-02)
Largo	9101-xxx	—	Antique Bronze (-71)
Laurel Leaf (31352-xxx)	9107-xxx	—	Antique Brushed Nickel (-965), Estate Bronze (-708)
Laurel Leaf (all others)	9103-xxx	9199-xxx	Antique Brushed Nickel (-965), Estate Bronze (-708)
Lazlo	9100-xxx	9199-xxx	Heirloom Bronze (-782)
Lemont	9100-xxx	9199-xxx	Antique Brushed Nickel (-965), Burnt Sienna (-710)
Lockheart	9100-xxx	9199-xxx	Blacksmith (-839), Heirloom Bronze (-782)
Manor House (3405-xxx)	9111-xxx	—	Weathered Iron (-07)
Manor House (all others)	9101-xxx	9199-xxx	Weathered Iron (-07)
Medford Lakes	9103-xxx	—	Statuary Bronze (-51)
Metropolis	9100-xxx	9199-xxx	Brushed Nickel (-962)
Montreal	9103-xxx	9199-xxx	Antique Brushed Nickel (-965), Burnt Sienna (-710)
Northbrook	9100-xxx	9199-xxx	Brushed Nickel (-962), Roman Bronze (-191)
Oslo (66160-xxx)	—	9196-xxx	Blacksmith (-839), Chrome (-05)
Oslo (all others)	9100-xxx	9199-xxx	Blacksmith (-839), Chrome (-05)
Park West	9100-xxx	9199-xxx	Burnt Sienna (-710)
Parkview (31381-xxx) & (31382-xxx)	9107-xxx	—	Antique Brushed Nickel (-965), Russet Bronze (-829)
Parkview (all others)	9103-xxx	9199-xxx	Antique Brushed Nickel (-965), Russet Bronze (-829)
Pendants (6641-xxx)	9100-xxx	—	Brushed Nickel (-962), Polished Brass (-02)
Pendants (61283-xxx)	9100-xxx	9199-xxx	Antique Brushed Nickel (-965)
Plymouth (31293-xxx)	9116-xxx	—	Blacksmith (-839), Weathered Pewter (-57)
Plymouth (all others)	9100-xxx	9199-xxx	Blacksmith (-839), Weathered Pewter (-57)
Pratt Street Metal	9100-xxx	9199-xxx	Autumn Bronze (-715), Brushed Nickel (-962)
Pratt Street Prismatic	9100-xxx	9199-xxx	Autumn Bronze (-715), Brushed Nickel (-962)
Rialto	9116-xxx	9199-xxx	Antique Brushed Nickel (-965), Russet Bronze (-829)

COLLECTION	CHAIN	STEMS	FINISHES AVAILABLE
Roslyn (31523-xxx)	9107-xxx	—	Flemish Bronze (-845)
Roslyn (all others)	9103-xxx	9199-xxx	Flemish Bronze (-845)
Sauganash	9100-xxx	—	Antique Bronze (-71), Black (-12)
Sebring	9103-xxx	9199-xxx	Brushed Stainless (-98), Weathered Copper (-44)
Sfera	9100-xxx	9199-xxx	Autumn Bronze (-715)
Solana (31971-xxx)	9116-xxx	—	Polished Nickel (-841)
Solana (all others)	9100-xxx	9199-xxx	Polished Nickel (-841)
Somerton	9103-xxx	9199-xxx	Antique Brushed Nickel (-965), Blacksmith (-839)
Stirling (31952-xxx)	9116-xxx	—	Brushed Nickel (-962), Burnt Sienna (-710)
Stirling (all others)	9100-xxx	9199-xxx	Brushed Nickel (-962), Burnt Sienna (-710)
Sussex	9100-xxx	—	Brushed Nickel (-962), Heirloom Bronze (-782)
Traditional	9100-xxx	—	Polished Brass (-02), Brushed Nickel (-962), Heirloom Bronze (-782)
Trafalgar	9103-xxx	—	Oxidized Bronze (-46)
Turbinio	9100-xxx	—	Blacksmith (-839)
Uptown (31272-xxx)	9116-xxx	—	Blacksmith (-839)
Uptown (all others)	9100-xxx	9199-xxx	Blacksmith (-839)
Vitelli	9100-xxx	9199-xxx	Weathered Pewter (-57), Autumn Bronze (-715)
Warwick	9103-xxx	9199-xxx	Autumn Bronze (-715)
Westminster	9100-xxx	—	Autumn Bronze (-715)
Wheaton	9100-xxx	9199-xxx	Brushed Nickel (-962), Heirloom Bronze (-782)
Windgate	9100-xxx	9199-xxx	Brushed Nickel (-962), Heirloom Bronze (-782)
Winnetka (31663-xxx)	9107-xxx	—	Blacksmith (-839), Brushed Nickel (-962)
Winnetka (all others)	9103-xxx	9199-xxx	Blacksmith (-839), Brushed Nickel (-962)
Winnetka Outdoor	9103-xxx	—	Misted Bronze (-814), Forged Iron (-185)
Wynfield	9103-xxx	—	Black (-12)
Yorktown	9103-xxx	—	Black (-12), Forged Iron (-185)

DECORATIVE WIRE EXTENDER

L: 0.812" W: 0.562" H: 0.5"

Wattage: 600w max.

Snap together splicer/wire extender for 18/2 SPT 11/2 and ground wire. Corrosion resistant contacts simply pierce the conductors for the electrical connection. Fits into a link of chain. Must be used with approved chain only.



9032-12
black finish



9032-15
white finish



9032-18
gold finish



9032-24
grey finish

COLLECTION	PAGES								
INDOOR	26 227								
Academy	126 129	Lockheart	238 239	Newport	318 318	Chatham	498 501		
Acadia	200 205	Pendants (Miscellaneous)	264 265	Northbrook	376 378	Classico	539 541		
Albany	140 145	Pratt Street Metal	256 257	Oaklyn	412 413	Colony	542 542		
Blayne	164 167	Pratt Street Prismatic	258 259	Oslo	302 305	Eternity	474 474		
Brockton	120 125	Sebring	262 263	Park West	362 363	Garfield Park	564 564		
Centra	68 69	Turbinio	236 237	Parkview	410 411	Harbor Point	548 549		
Corbeille	108 111	Westminster	234 235	Plymouth	402 405	Hermitage	494 497		
Del Prato	186 189	CEILING	268 295	Rialto	380 383	Herrington	514 515		
Denhelm	82 87	77063 Series	278 281	Roslyn	330 331	Hill Gate	502 505		
Driscoll	28 33	Bretton	272 272	Sagemore	375 375	HSS Co-op	475 475		
Ellington	78 81	Ceiling (Miscellaneous)	282 285	Sfera	322 323	Humboldt Park	565 565		
Englehorn	34 37	Denhelm	273 273	Solana	319 319	Hunnington	460 465		
Gladstone	130 135	Drop Lens Fluorescent	288 289	Somerton	328 329	Irving Park	566 566		
Highlands	210 217	Eternity	273 273	Stirling	309 311	Jamestowne	532 538		
Holman	112 119	Fixed Track	286 287	Sussex	332 335	Kent	526 527		
Laurel Leaf	180 185	Grandover	270 271	Uptown	320 321	Lambert Hill	528 529		
Lemont	146 151	Linear Fluorescents	290 293	Vitelli	306 308	Lancaster	518 525		
Manor House	196 199	Nash	276 277	Wall / Bath (Miscellaneous)	427 433	Landscape Lighting	571 571		
Metropolis	56 59	Nexus	273 273	Warwick	336 337	Largo	480 481		
Montreal	152 157	Webster	274 275	Westmont	387 387	Medford Lakes	482 483		
Northbrook	158 163	WALL / BATH	296 435	Wheaton	396 399	Mullberry Hill	550 551		
Oslo	44 49	Academy	350 353	Windgate	384 386	New Castle	516 517		
Park West	136 139	Acadia	400 401	Winnetka	314 317	Outdoor (Miscellaneous)	555 561		
Parkview	218 223	ADA Sconces	423 426	CEILING FANS	436 457	Outdoor Bullets	562 563		
Plymouth	206 209	Albany	364 365	Bayou	453 453	Outdoor Ceiling Flush Mounts (Miscellaneous)	567 568		
Rialto	168 173	Alexandria	374 374	Ceiling Fan Accessories	457 457	Outdoor Posts	569 569		
Roslyn	94 97	Blayne	379 379	Ceiling Fan Controls	456 456	Prairie	490 491		
Sfera	74 77	Bliss	313 313	Ceiling Fan Fitters & Glass	455 455	Riverside	554 554		
Solana	66 67	Brockton	346 349	Ceiling Fan Light Kits	454 454	Sauganash	468 470		
Somerton	88 93	Brookchester	414 415	Highlands	438 439	Sebring	471 473		
Stirling	38 43	Center Stage	416 419	Long Beach	450 451	Trafalgar	488 489		
Sussex	98 103	Corbeille	339 339	Panorama	452 452	Winnetka	492 493		
Traditional	224 227	Del Prato	392 393	Quality Max	444 449	Wynfield	476 479		
Uptown	70 73	Delovely	420 421	Quality Pro Deluxe	442 443	Yorktown	530 531		
Vitelli	50 55	Denhelm	324 327	Somerton	440 441	RECESSED	572 603		
Warwick	104 107	Driscoll	298 300	OUTDOOR	458 571	Traverse	576 579		
Wheaton	190 195	Englehorn	301 301	Address Lights	570 570	4" Housings	582 591		
Windgate	174 179	Gattalin	338 338	Ardsley Court	506 507	5" Housings	592 595		
Winnetka	60 65	Gladstone	354 361	Bakersville	545 547	6" Housings	596 603		
PENDANTS	228 267	Highlands	406 409	Bancroft	511 513	TRANSITIONS	604 619		
Beacon Street	260 261	Holman	340 345	Bayside	552 553	LAMPS & ACCESSORIES	620 626		
Brayden	252 253	Laurel Leaf	388 391	Belmar	543 543	Lamp	620 623		
Bretton	242 245	Lemont	366 369	Branford	486 487	Reference Chart	624 626		
Dayna	246 249	Melody	394 395	Brentwood	508 510	Chains and Stems			
Gillmore	240 241	Metropolis	312 312	Bucktown	466 467				
Jaymes	254 255	Midland	422 422	Cape May	484 485				
Jordyn	250 251	Montreal	370 373						
Lazlo	230 233								

1000		1611-758	457	1630-191	457	4739-05	417	6039-02	520
1105	582	1611-782	457	1630-255	457	4739-98	419	6039-12	524
1109	599	1611-814	457	1630-758	457	4740-05	417	6039-71	522
1115	588	1611-824	457	1630-782	457	4740-98	419	6039-965	518
1120-15	596,598	1611-829	457	1630-814	457	4871-02	415	6041-44	475
1121-14	599	1611-839	457	1630-824	457	4871-05	414	6059-46	489
1125-14	596,598	1611-962	457	1630-829	457	4872-02	415	6062-44	499
1126-14	596	1611-965	457	1630-839	457	4872-05	414	6062-46	501
1128	596	1612-02	457	1630-962	457	4873-02	415	6145-07	199
1128FB	598	1612-05	457	1630-965	457	4873-05	414	6150-44	263
1128QC	596	1612-07	457	1631-05	457	4908LE-68	432	6150-98	263
1133AT-15	596,598	1612-10	457	1631-07	457	4910LE-68	433	6501-07	198
1134-68	596,598	1612-15	457	1631-15	457	4936BLE-962	425	6519-15	264
1136-15	596,597,598	1612-191	457	1631-191	457	4938BLE-15	426	6519-21	264
1136AT-15	596,597,598, 601,602	1612-255	457	1631-758	457	4939BLE-68	432	6519-63	265
		1612-758	457	1631-782	457	4940BLE-68	432	6519-65	265
1151AT-14	596,597,602	1612-782	457	1631-814	457	4974BLE-15	426	6519-66	265
1152AT-15	582,583,586,587, 588,590,591	1612-814	457	1631-824	457	4989LE-68	433	6519-95	264
		1612-824	457	1631-829	457			6519-98	264
1153AT-15	582,583,586,587, 588,590,591	1612-829	457	1631-839	457	5000		6637-08	503
		1612-839	457	1631-962	457	5101-07	198	6637-12	505
1154AT-14	596,597,602	1612-962	457	1631-965	457	5102-07	199	6641-02	265
1155AT-15	596,598	1612-965	457	1633-681	455	5104-07	198	6641-962	265
1156AT-14	582,583,586,587, 588,590,591	1613-02	457	1664-692	455	5231-02	244	6658-44	263
		1613-05	457	1665-6058	455	5231-782	245	6658-98	263
1156AT-15	582,583,586,587, 588,590,591	1613-07	457	1665-619	455	5231-962	243		
		1613-10	457	1666-33	455	5232-02	244	7000	
1157AT-14	600,603	1613-15	457	1676-32	455	5232-782	245	7353-15	285
1157AT-15	600,603	1613-191	457	1676-33	455	5232-962	243	7355-15	285
1158AT-14	601	1613-255	457			5233-02	244	7567-15	567
1159AT-14	601	1613-758	457	2000		5233-782	245	7567-32	567
1160AT-14	600,603	1613-782	457	2670-15	286	5233-962	243	7569-15	567
1160AT-22	600,603	1613-814	457	2674-15	287	5321-15	284	7569-32	567
1162AT-14	582,583,586,587, 588,590,591	1613-824	457			5322-15	284	7638-15	283
		1613-829	457	3000		5323-15	284	7639-15	283
1166AT-15	582,583,588	1613-839	457	3313-02	227	5326-02	274	7640-15	283
1170L	587	1613-962	457	3313-962	226	5326-15	274	7647-02	272
1174L	586	1613-965	457	3401-07	198	5326-782	274	7647-782	272
1179	583	1614-02	457	3405-07	197	5326-962	274	7647-962	272
1180L	600	1614-05	457	3410-02	227	5328-02	275	7648-02	272
1180LQC	600	1614-07	457	3410-962	226	5328-15	275	7648-782	272
1207	584	1614-10	457	3411-02	227	5328-782	275	7648-962	272
1215	585	1614-15	457	3411-962	226	5328-814	275	7661-02	271
1216	589	1614-191	457	3413-02	227	5328-829	275	7661-962	271
1226AT-14	584,585,589	1614-255	457	3413-962	226	5328-962	275	7662-02	271
1236AT-15	584,585,589	1614-758	457	3414-02	225	5366-15	284	7662-962	271
1237AT-15	584,585,589	1614-782	457	3916-02	225	5366-782	284	7700-07	199
1525-15	453	1614-814	457	3916-782	225	5366-962	284	7916BLE-68	568
1540-10	451	1614-824	457	3916-962	225	5367PC-15	284	7925BLE-15	282
1540-15	451	1614-829	457			5901BLE-15	282	7926BLE-15	282
1601-15	456	1614-839	457	4000		5902BLE-15	282		
1610-02	457	1614-962	457	4000-07	199	5920BLE-15	283	8000	
1610-05	457	1614-965	457	4108-71	427	5921BLE-15	283	8037-02	520
1610-07	457	1617-02	457	4123-15	427	5921BLE-962	283	8037-12	524
1610-10	457	1617-05	457	4135-962	425	5931BLE-15	282	8037-71	522
1610-15	457	1617-07	457	4138-15	427	5962LE-98	290	8037-965	518
1610-191	457	1617-10	457	4148-15	426	5976BLE-15	285	8038-02	520
1610-255	457	1617-15	457	4325-68	568	5986LE-15	291	8038-12	524
1610-758	457	1617-191	457	4449-15	430	5990BLE-15	284	8038-71	522
1610-782	457	1617-255	457	4453-15	430	5997BLE-15	284	8038-965	518
1610-814	457	1617-758	457	4455-15	430	5998BLE-15	285	8039-02	521
1610-824	457	1617-782	457	4701-05	420			8039-12	525
1610-829	457	1617-814	457	4701-962	421	6000		8039-71	523
1610-839	457	1617-824	457	4702-05	420	6008-02	539	8039-965	519
1610-962	457	1617-829	457	4702-962	421	6008-12	541	8040-02	520
1610-965	457	1617-839	457	4703-05	420	6008-26	540	8040-12	524
1611-02	457	1617-962	457	4703-962	421	6016-12	512	8040-71	522
1611-05	457	1617-965	457	4735-05	416	6018-15	264	8040-965	518
1611-07	457	1630-02	457	4735-98	418	6020-15	264	8056-71	542
1611-10	457	1630-05	457	4737-05	416	6022-15	264	8057-71	542
1611-15	457	1630-07	457	4737-98	418	6024-15	264	8058-71	542
1611-191	457	1630-10	457	4738-05	416	6025-12	508	8067-02	521
1611-255	457	1630-15	457	4738-98	418	6025-15	510	8067-12	525

8067-71	523	8456-965	533	8825-15	510	9100-848	624,625,626
8067-965	519	8457-12	538	8834-08	503	9100-962	624,625,626
8102-12	569	8457-15	532	8834-12	505	9100-965	624,625,626
8102-15	569	8457-71	535	8835-08	502	9101-07	624,625,626
8105-12	569	8457-965	533	8835-12	504	9101-185	624,625,626
8106-12	569	8458-12	538	8838-08	502	9101-71	624,625,626
8114-12	569	8458-15	532	8838-12	504	9101-814	624,625,626
8118-12	569	8458-71	535	8839-08	502	9103-02	624,625,626
8130-12	569	8458-965	533	8839-12	504	9103-08	624,625,626
8202-12	516	8459-46	489	8840-08	502	9103-12	624,625,626
8207-71	491	8460-46	489	8840-12	504	9103-15	624,625,626
8209-02	539	8461-46	489	8841-08	502	9103-185	624,625,626
8209-12	541	8462-44	499	8841-12	504	9103-44	624,625,626
8209-26	540	8462-46	501	8842-08	503	9103-46	624,625,626
8216-12	513	8462D-44	499	8842-12	505	9103-51	624,625,626
8229-02	521	8463-44	499	8869-12	471	9103-708	624,625,626
8229-12	525	8463-46	501	8869-44	473	9103-71	624,625,626
8229-71	523	8463D-44	498	8869-98	472	9103-710	624,625,626
8229-965	519	8468-12	538	8870-12	471	9103-715	624,625,626
8231-12	508	8468-15	532	8870-44	473	9103-736	624,625,626
8231-15	510	8468-71	534	8870-98	472	9103-746	624,625,626
8238-08	503	8468-965	533	8871-12	471	9103-758	624,625,626
8238-12	505	8503-12	516	8871-44	473	9103-780	624,625,626
8239-02	521	8504-12	516	8871-98	472	9103-782	624,625,626
8239-12	525	8507-02	539	8880-08	537	9103-814	624,625,626
8239-71	523	8507-12	541	8881-08	537	9103-820	624,625,626
8239-965	519	8507-26	540	8882-08	537	9103-824	624,625,626
8241-44	475	8508-71	491	8883-08	537	9103-825	624,625,626
8252-68	560	8509-02	539	8909PBLE-12	558	9103-829	624,625,626
8254-68	560	8509-12	541	8923BLE-15	554	9103-839	624,625,626
8255-12	560	8509-26	540	8924BLE-15	554	9103-845	624,625,626
8255-15	560	8510-02	539	8925BLE-15	554	9103-85	624,625,626
8257-12	538	8510-12	541	8927BLE-15	554	9103-962	624,625,626
8257-15	532	8510-26	540	8938DBLE-10	563	9103-965	624,625,626
8257-71	535	8513-71	491	8938DBLE-15	562	9103-98	624,625,626
8257-965	533	8550-12	559	8955BLE-12	559	9107-708	624,625,626
8258-71	542	8550-71	559	8972BLE-12	511	9107-710	624,625,626
8259-46	489	8588-10	551	8972PBLE-12	511	9107-782	624,625,626
8262-44	499	8588-12	551	8980BLE-08	536	9107-829	624,625,626
8262-46	501	8588-15	550	8981BLE-08	536	9107-839	624,625,626
8269-12	471	8588-155	550	8988BLE-10	551	9107-845	624,625,626
8269-44	473	8592-02	517	8988BLE-12	551	9107-962	624,625,626
8269-98	472	8592-12	517	8988BLE-15	550	9107-965	624,625,626
8275-32	560	8592-15	517	8988BLE-155	550	9109-782	624,625,626
8286-08	537	8592-26	517			9109-962	624,625,626
8301-04	558	8592-71	517	9000		9111-07	624,625,626
8301-12	558	8592-965	517	9002-12	563	9114-758	624,625,626
8319-15	554	8607-12	561	9003-12	563	9114-824	624,625,626
8323-15	554	8607-15	561	9008-12	563	9116-07	624,625,626
8324-15	554	8642-12	561	9009-12	563	9116-57	624,625,626
8325-15	554	8642-15	561	9014-12	569	9116-71	624,625,626
8326-15	554	8720-15	556	9032-12	626	9116-710	624,625,626
8327-15	554	8720-32	556	9032-15	626	9116-782	624,625,626
8335-12	553	8750-12	559	9032-18	626	9116-799	624,625,626
8335-15	552	8750-15	559	9032-24	626	9116-820	624,625,626
8335BLE-12	553	8753-15	558	9100-02	624,625,626	9116-829	624,625,626
8335BLE-15	552	8753-34	558	9100-05	624,625,626	9116-839	624,625,626
8338-10	563	8753-68	558	9100-08	624,625,626	9116-841	624,625,626
8338-15	562	8755-34	558	9100-12	624,625,626	9116-962	624,625,626
8339-10	563	8765-12	556	9100-185	624,625,626	9116-965	624,625,626
8339-15	562	8765-15	556	9100-191	624,625,626	9196-05	624,625,626
8340-10	563	8812-12	512	9100-26	624,625,626	9196-839	624,625,626
8340-15	562	8813-12	512	9100-57	624,625,626	9199-02	624,625,626
8341-10	563	8814-12	512	9100-71	624,625,626	9199-05	624,625,626
8341-15	562	8815-12	513	9100-710	624,625,626	9199-07	624,625,626
8408-71	491	8816-12	513	9100-715	624,625,626	9199-185	624,625,626
8438-15	562	8822-12	508	9100-753	624,625,626	9199-191	624,625,626
8439-15	562	8822-15	510	9100-782	624,625,626	9199-44	624,625,626
8440-44	475	8823-12	509	9100-814	624,625,626	9199-57	624,625,626
8441-44	475	8823-15	510	9100-827	624,625,626	9199-708	624,625,626
8456-12	538	8824-12	509	9100-839	624,625,626	9199-71	624,625,626
8456-15	532	8824-15	510	9100-841	624,625,626	9199-710	624,625,626
8456-71	535	8825-12	508	9100-846	624,625,626	9199-715	624,625,626

INDEX

9199-736	624,625,626	12041AT-15	584,585,589	31062-782	102	31294-839	209	31577-782	141
9199-758	624,625,626	14600S-15	579	31062-962	100	31295-57	207	31577-962	141
9199-782	624,625,626	14601S-15	577	31122-820	188	31295-839	207	31585-710	79
9199-799	624,625,626	14602S-15	577	31123-820	188	31316-710	150	31585BLE-710	79
9199-814	624,625,626	14603S-15	579	31145-814	204	31316-965	148	31586-710	80
9199-820	624,625,626	14604S-15	579	31145BLE-814	204	31316BLE-710	150	31586BLE-710	80
9199-824	624,625,626	14606S-15	581	31146-814	202	31316BLE-965	148	31587-710	80
9199-825	624,625,626	14607S-15	577	31146BLE-814	202	31317-710	150	31587BLE-710	80
9199-827	624,625,626	14610	579	31147-814	202	31317-965	148	31588-710	81
9199-829	624,625,626	15030-02	445	31147BLE-814	202	31317BLE-710	150	31588BLE-710	81
9199-839	624,625,626	15030-05	445	31160-05	46	31317BLE-965	148	31625-782	194
9199-841	624,625,626	15030-07	445	31160-839	48	31318-710	147	31625-962	192
9199-845	624,625,626	15030-15	445	31160BLE-05	46	31318-965	147	31625BLE-782	194
9199-846	624,625,626	15030-782	446	31160BLE-839	48	31319-710	147	31625BLE-962	192
9199-962	624,625,626	15030-829	445	31161-05	45	31319-965	147	31626-782	194
9199-965	624,625,626	15030-839	445	31161-839	45	31330-715	106	31626-962	192
9199-98	624,625,626	15030-962	446	31161BLE-05	45	31331-715	105	31626BLE-782	194
9226-12	571	15030BLE-07	448	31161BLE-839	45	31332-715	105	31626BLE-962	192
9226-95	571	15030BLE-15	448	31162-05	46	31333-715	106	31627-782	191
9241-12	571	15030BLE-782	448	31162-839	48	31347-814	201	31627-962	191
9242-12	571	15030BLE-814	448	31162BLE-05	46	31347BLE-814	201	31627BLE-782	191
9312-12	571	15030BLE-829	448	31162BLE-839	48	31349-708	184	31627BLE-962	191
9312-40	571	15030BLE-962	448	31173-710	124	31349-965	182	31660-839	64
9313-12	571	15030BLE-965	448	31173-962	122	31350-708	184	31660-962	62
9313-40	571	15040-782	446	31173BLE-710	124	31350-965	182	31660BLE-839	64
9341-12	571	15040-962	446	31173BLE-962	122	31351-708	181	31660BLE-962	62
9341-40	571	15040BLE-782	448	31174-710	121	31351-965	181	31661-839	64
9364-12	571	15040BLE-962	448	31174-962	121	31352-708	181	31661-962	62
9369-12	571	15045-191	452	31174BLE-710	121	31352-965	181	31661BLE-839	64
9370-12	571	15046-191	452	31174BLE-962	121	31360-829	172	31661BLE-962	62
9372-12	571	15160B-255	442	31175-710	124	31360-965	170	31662-839	61
9381-12	571	15161B-191	443	31175-962	122	31361-829	172	31662-962	61
9600-12	570	15162B-15	442	31175BLE-710	124	31361-965	170	31662BLE-839	61
9600-15	570	15163B-191	443	31175BLE-962	122	31362-829	169	31662BLE-962	61
9600-71	570	15170B-839	441	31180-710	156	31362-965	169	31663-839	61
9647	570	15170B-965	441	31180-965	154	31363-829	169	31663-962	61
9742	620	15358B-758	439	31180BLE-710	156	31363-965	169	31663BLE-839	61
9743	620	15358B-824	439	31180BLE-965	154	31375-839	92	31663BLE-962	61
		16002-15	456	31181-710	156	31375-965	90	31751-758	216
		16005-15	456	31181-965	154	31375BLE-839	92	31751-824	213
		16006-15	456	31181BLE-710	156	31375BLE-965	90	31806-827	116
		16021BLE-33	454	31181BLE-965	154	31376-839	89	31806-962	114
		16120B-33	454	31182-710	153	31376-965	89	31807-827	116
		16148BL-02	454	31182-965	153	31376BLE-839	89	31807-962	114
		16148BL-05	454	31182BLE-710	153	31376BLE-965	89	31808-827	113
		16148BL-15	454	31182BLE-965	153	31377-839	89	31808-962	113
		16148BL-782	454	31251-758	211	31377-965	89	31809-827	116
		16148BL-829	454	31251-824	211	31377BLE-839	89	31809-962	114
		16148BL-839	454	31252-758	211	31377BLE-965	89	31850-782	134
		16148BL-962	454	31252-824	211	31380-829	222	31850-965	132
		16149BL-10	454	31253-758	215	31380-965	220	31850BLE-782	134
		16149BL-15	454	31253-824	212	31381-829	219	31850BLE-965	132
		16149BL-191	454	31270-839	72	31381-965	219	31851-782	134
		16150B-02	455	31270BLE-839	72	31382-829	219	31851-965	132
		16150B-15	455	31271-839	72	31382-965	219	31851BLE-782	134
		16150B-962	455	31271BLE-839	72	31496-710	138	31851BLE-965	132
		16151B-02	455	31272-839	71	31496BLE-710	138	31852-782	131
		16151B-05	455	31272BLE-839	71	31497-710	138	31852-965	131
		16151B-15	455	31290-57	208	31497BLE-710	138	31852BLE-782	131
		16151B-782	455	31290-839	209	31498-710	137	31852BLE-965	131
		16151B-829	455	31291-57	208	31498BLE-710	137	31932-710	42
		16151B-839	455	31291-839	209	31520-845	96	31932-962	40
		16151B-962	455	31291BLE-57	208	31520BLE-845	96	31942-710	42
				31291BLE-839	209	31521-845	96	31942-962	40
				31292-57	208	31521BLE-845	96	31951-841	66
				31292-839	209	31522-845	95	31951BLE-841	66
				31292BLE-57	208	31522BLE-845	95	31952-710	39
				31292BLE-839	209	31523-845	95	31952-962	39
				31293-57	207	31523BLE-845	95	31961-841	66
				31293-839	207	31575-782	144	31961BLE-841	66
				31293BLE-57	207	31575-962	142	31971-841	66
				31293BLE-839	207	31576-782	144	31971BLE-841	66
				31294-57	208	31576-962	142	35939-782	178

35939-962	176	41180BLE-965	155,371	44176-962	348	44438BLE-962	352	44663-839	317
35939BLE-782	178	41181-710	371	44176BLE-710	349	44439-05	351	44663-962	316
35939BLE-962	176	41181-965	371	44176BLE-962	348	44439-782	353	44663BLE-839	317
35940-782	175	41181BLE-710	371	44177-710	349	44439-962	352	44663BLE-962	316
35940-962	175	41181BLE-965	371	44177-962	348	44439BLE-05	351	44705-05	394
35940BLE-782	175	41182-710	373	44177BLE-710	349	44439BLE-782	353	44705-962	395
35940BLE-962	175	41182-965	372	44177BLE-962	348	44439BLE-962	352	44706-05	394
35949-782	178	41182BLE-710	373	44316-710	151,367	44470-839	73,321	44706-962	395
35949-962	176	41182BLE-965	372	44316-965	149,367	44470BLE-839	73,321	44707-05	394
35949BLE-782	178	41183-710	373	44316BLE-710	151,367	44471-839	321	44707-962	395
35949BLE-962	176	41183-965	372	44316BLE-965	149,367	44471BLE-839	321	44708-05	394
35950-782	178	41183BLE-710	373	44317-710	367	44472-839	321	44708-962	395
35950-962	176	41183BLE-965	372	44317-965	367	44472BLE-839	321	44760-782	413
35950BLE-782	178	41260-710	43	44317BLE-710	367	44473-839	321	44760-962	412
35950BLE-962	176	41260-962	41	44317BLE-965	367	44473BLE-839	321	44761-782	413
39035BLE-962	58	41330-715	107,337	44318-710	369	44482-965	318	44761-962	412
39036BLE-962	57	41350-708	185,389	44318-965	368	44482BLE-965	318	44762-782	413
39061BLE-782	102	41350-965	183,389	44318BLE-710	369	44483-965	318	44762-962	412
39061BLE-962	100	41360-829	173,381	44318BLE-965	368	44483BLE-965	318	44763-782	413
39062BLE-782	99	41360-965	171,381	44319-710	369	44484-965	318	44763-962	412
39062BLE-962	99	41375-839	93,329	44319-965	368	44484BLE-965	318	44806-827	343
39063BLE-782	102	41375-965	91,328	44319BLE-710	369	44485-965	318	44806-962	342
39063BLE-962	100	41375BLE-839	93,329	44319BLE-965	368	44485BLE-965	318	44807-827	343
39380BLE-829	222	41375BLE-965	91,328	44330-715	337	44496-710	363	44807-962	342
39380BLE-965	220	41380-829	223,411	44331-715	337	44496BLE-710	363	44808-827	343
39381BLE-829	219	41380-965	221,410	44332-715	337	44497-710	363	44808-962	342
39381BLE-965	219	41585-710	81	44350-708	389	44497BLE-710	363	44850-782	135,355
39382BLE-829	219	41585-962	81	44350-965	389	44498-710	363	44850-965	133,355
39382BLE-965	219	41585BLE-710	81	44351-708	391	44498BLE-710	363	44850-05	355
39806BLE-827	119	41585BLE-962	81	44351-965	390	44520-845	97,331	44851-05	356
39806BLE-962	118	41640-839	427	44352-708	391	44520BLE-845	97,331	44851-782	360
39808BLE-827	119	41806-827	117,341	44352-965	390	44521-845	331	44851-965	358
39808BLE-962	118	41806-962	115,341	44360-829	381	44521BLE-845	331	44852-05	356
		41939-782	179,386	44360-965	381	44522-845	331	44852-782	360
		41939-962	177,385	44361-829	383	44522BLE-845	331	44852-965	358
		41939BLE-782	179,386	44361-965	382	44523-845	331	44853-05	356
		41939BLE-962	177,385	44362-829	383	44523BLE-845	331	44853-782	360
		41939-05	384	44362-965	382	44575-782	145,365	44853-965	358
		41939BLE-05	384	44375-839	329	44575-962	143,364	44854-05	357
		42251-758	217,407	44375-965	328	44576-782	365	44854-782	361
		42251-824	214,407	44375BLE-839	329	44576-962	364	44854-965	359
		44019-962	387	44375BLE-965	328	44577-782	365	44854BLE-05	357
		44020-962	387	44376-839	329	44577-962	364	44854BLE-782	361
		44021-962	387	44376-965	328	44578-782	365	44854BLE-965	359
		44035-962	312	44376BLE-839	329	44578-962	364	44855-05	357
		44036-962	312	44376BLE-965	328	44625-782	195,397	44855-782	361
		44037-962	312	44377-839	329	44625-962	193,397	44855-965	359
		44060-782	103,335	44377-965	328	44625BLE-782	195,397	44855BLE-05	357
		44060-962	101,334	44377BLE-839	329	44625BLE-962	193,397	44855BLE-782	361
		44060-05	333	44377BLE-965	328	44626-782	397	44855BLE-965	359
		44061-05	333	44380-829	411	44626-962	397	44891-57	208,403
		44061-782	335	44380-965	410	44626BLE-782	397	44891-839	209,403
		44061-962	334	44381-829	411	44626BLE-962	397	44891BLE-57	208,403
		44062-05	333	44381-965	410	44627-782	399	44891BLE-839	209,403
		44062-782	335	44382-829	411	44627-962	398	44892-57	403
		44062-962	334	44382-965	410	44627BLE-782	399	44892-839	403
		44063-05	333	44436-782	129,353	44627BLE-962	398	44892BLE-57	403
		44063-782	335	44436-962	128,352	44628-782	399	44892BLE-839	403
		44063-962	334	44436BLE-782	129,353	44628-962	398	44893-57	405
		44122-820	393	44436BLE-962	128,352	44628BLE-782	399	44893-839	404
		44123-820	393	44436-05	351	44628BLE-962	398	44893BLE-57	405
		44124-820	393	44436BLE-05	351	44660-839	65,315	44893BLE-839	404
		44145-814	401	44437-05	351	44660-962	63,315	44894-57	405
		44145BLE-814	401	44437-782	353	44660BLE-839	65,315	44894-839	404
		44146-814	401	44437-962	352	44660BLE-962	63,315	44894BLE-57	405
		44146BLE-814	401	44437BLE-05	351	44661-839	315	44894BLE-839	404
		44147-814	401	44437BLE-782	353	44661-962	315	44940-05	384
		44147BLE-814	401	44437BLE-962	352	44661BLE-839	315	44940-782	386
		44175-710	347	44438-05	351	44661BLE-962	315	44940-962	385
		44175-962	347	44438-782	353	44662-839	317	44940BLE-05	384
		44175BLE-710	347	44438-962	352	44662-962	316	44940BLE-782	386
		44175BLE-962	347	44438BLE-05	351	44662BLE-839	317	44940BLE-962	385
		44176-710	349	44438BLE-782	353	44662BLE-962	316	44941-05	384

40000

INDEX

44941-782	386	49380BLE-829	223,411	59022LE-15	293	61316BLE-710	150	65145BLE-814	205
44941-962	385	49380BLE-965	221,410	59023L-15	293	61316BLE-965	148	65146-814	204
44941BLE-05	384	49381BLE-829	411	59035BLE-962	58	61330-715	106	65146BLE-814	204
44941BLE-782	386	49381BLE-965	410	59038LE-15	429	61350-708	184	65160-05	47
44941BLE-962	385	49382BLE-829	411	59039LE-15	429	61350-965	182	65160-839	49
44942-05	384	49382BLE-965	410	59055BLE-15	282	61360-829	173	65160BLE-05	47
44942-782	386	49383BLE-829	411	59132LE-15	291	61360-965	171	65160BLE-839	49
44942-962	385	49383BLE-965	410	59136LE-15	291	61375-839	92	65174-710	125
44942BLE-05	384	49435BLE-962	312	59152BLE-962	273	61375-965	90	65174-962	123
44942BLE-782	386	49436BLE-962	312	59216LE-962	290	61375BLE-839	92	65174BLE-710	125
44942BLE-962	385	49437BLE-962	312	59232BLE-15	282	61375BLE-965	90	65174BLE-962	123
44952-710	43,311	49439L-962	423	59250BLE-962	273	61380-829	223	65175-710	125
44952-962	41,310	49535L-962	423	59251BLE-962	273	61380-965	221	65175-962	123
44952-05	309	49806BLE-827	119,341	59270LE-15	292	61497-710	139	65175BLE-710	125
44953-05	309	49806BLE-962	118,341	59271LE-15	292	61497BLE-710	139	65175BLE-962	123
44953-710	311	49807BLE-827	345	59360LE-15	288	61520-845	96	65180-710	157
44953-962	310	49807BLE-962	344	59360LE-831	288	61520BLE-845	96	65180-965	155
44954-05	309	49808BLE-827	345	59360LE-881	288	61575-782	145	65180BLE-710	157
44954-710	311	49808BLE-962	344	59361LE-15	288	61575-962	143	65180BLE-965	155
44954-962	310	49809BLE-827	345	59361LE-831	289	61625-782	195	65181-710	156
44955-05	309	49809BLE-962	344	59361LE-881	289	61625-962	193	65181-965	154
44955-710	311	49850BLE-782	135,355	59362LE-15	288	61625BLE-782	195	65181BLE-710	156
44955-962	310	49850BLE-965	133,355	59362LE-790	288	61625BLE-962	193	65181BLE-965	154
44971-841	67,319	49850BLE-05	355	59363LE-15	289	61660-839	64	65251-758	217
44971BLE-841	67,319	49851BLE-05	356	59363LE-790	289	61660-962	62	65251-824	214
44972-841	319	49851BLE-782	360	59380BLE-829	222	61660BLE-839	64	65252-758	217
44972BLE-841	319	49851BLE-965	358	59380BLE-965	220	61660BLE-962	62	65252-824	214
44973-841	319	49852BLE-05	356	60000		61791-841	67	65262-710	249
44973BLE-841	319	49852BLE-782	360	60010-71	480	61791BLE-841	67	65262-962	248
44974-841	319	49852BLE-965	358	60029-12	527	61806-827	117	65262BLE-710	249
44974BLE-841	319	49853BLE-05	356	60029-746	526	61806-962	115	65262BLE-962	248
47142-98	69	49853BLE-782	360	60048-185	531	61850-782	134	65263-710	249
47251-758	407	49853BLE-965	358	60068-12	529	61850-965	132	65263-962	248
47251-824	407	50000		60068-746	528	61850BLE-782	134	65263BLE-710	249
47252-758	409	51035-962	58	60081-71	496	61850BLE-965	132	65263BLE-962	248
47252-824	408	51120-820	188	60081-965	497	61940-782	179	65264-710	249
47253-758	409	51121-820	187	60131-12	515	61940-962	177	65264-962	248
47253-824	408	51146-814	203	60136-08	507	61940BLE-782	179	65264BLE-710	249
49013LE-05	431	51146BLE-814	203	60240-780	485	61940BLE-962	177	65264BLE-962	248
49014LE-05	431	51251-758	216	60400-12	478	61952-710	42	65266-710	247
49015LE-05	431	51251-824	213	60660-185	492	61952-962	40	65266-962	247
49024LE-15	428	51257-758	216	60660-814	493	62027-12	461	65266BLE-710	247
49025LE-15	428	51257-824	213	60880-51	483	62027-57	461	65266BLE-962	247
49026LE-15	428	51316-710	150	60880-51	483	65035-962	58	65271-710	253
49035BLE-962	59,312	51316-965	148	60880BLE-51	483	65046-715	235	65271BLE-710	253
49036BLE-999	58	51317-710	150	60938-12	547	65047-715	235	65291-962	251
49063BLE-782	103,335	51317-965	148	60938BLE-12	545	65060-715	259	65291BLE-962	251
49063BLE-962	101,334	51350-708	184	61035-962	59	65060-962	259	65292-962	251
49065BLE-782	335	51350-965	182	61060-782	102	65060BLE-715	259	65292BLE-962	251
49065BLE-962	334	51375-839	92	61060-962	100	65060BLE-962	259	65293-962	251
49066BLE-782	335	51375-965	90	61120-820	189	65061-715	259	65293BLE-962	251
49066BLE-962	334	51375BLE-839	92	61145-814	205	65061-962	259	65316-710	151
49119BLE-782	425	51375BLE-965	90	61145BLE-814	205	65061BLE-715	259	65316-965	149
49119BLE-962	425	51376-839	92	61160-05	47	65061BLE-962	259	65316BLE-710	151
49150BLE-962	426	51376-965	90	61160-839	49	65062-715	259	65316BLE-965	149
49151BLE-962	426	51376BLE-839	92	61160BLE-05	47	65062-962	259	65330-715	107
49170BLE-710	425	51376BLE-965	90	61160BLE-839	49	65062BLE-715	259	65331-715	107
49170BLE-962	425	51380-829	222	61174-710	125	65062BLE-962	259	65350-708	185
49180BLE-98	69	51380-965	220	61174-962	123	65085-715	257	65350-965	183
49215BLE-962	422	51410-962	100,142,176	61174BLE-710	125	65085-962	257	65351-708	185
49216BLE-962	422	51410BLE-962	100,142,176	61180-710	157	65085BLE-715	257	65351-965	183
49217BLE-962	422	51410-782	102,144,178	61180-965	155	65085BLE-962	257	65360-829	173
49310L-15	429	51410BLE-782	102,144,178	61180BLE-710	157	65086-715	257	65360-965	171
49331BLE-710	424	51520-845	97	61180BLE-965	155	65086-962	257	65361-829	172
49331BLE-962	424	51520BLE-845	97	61251-758	216	65086BLE-715	257	65361-965	170
49332BLE-12	424	51521-845	96	61251-824	213	65086BLE-962	257	65375-839	93
49332BLE-15	424	51521BLE-845	96	61270-839	73	65087-715	257	65375-965	91
49333BLE-12	424	53056-15	282	61270BLE-839	73	65087-962	257	65375BLE-839	93
49333BLE-15	424	53059-15	282	61283-965	265	65087BLE-715	257	65375BLE-965	91
49334BLE-710	423	53160-15	282	61283BLE-965	265	65087BLE-962	257	65376-839	93
49335BLE-962	423	59020LE-15	293	61316-710	150	65120-820	188	65376-965	91
49339BLE-962	423	59021L-15	293	61316-965	148	65121-820	189	65376BLE-839	93
49340BLE-962	423					65145-814	205	65376BLE-965	91

65380-829	223	65971-841	67	75350-708	185	77063-839	49,281	77180BLE-710	156
65380-965	221	65971BLE-841	67	75350-965	183	77063-962	59,101,115,123, 143,161,193,278	77180BLE-965	154
65380BLE-829	223	65972-841	67	75360-829	172			77262-710	249
65380BLE-965	221	65972BLE-841	67	75360-965	170	77063-965	53,149,171,279	77262-962	248
65381-829	222	66060-782	103	75375-839	93	77063S-05	37,47,278	77262BLE-710	249
65381-965	220	66060-962	101	75375-965	91	77063S-15	279	77262BLE-962	248
65436-782	129	66061-782	99	75375BLE-839	93	77063S-710	125,139,151, 205,281	77263-710	281
65436-962	128	66061-962	99	75375BLE-965	91			77263S-710	281
65436BLE-782	129	66062-782	102	75381-829	223	77063S-782	55,145,163, 195,280	77264-710	281
65436BLE-962	128	66062-962	100	75381-965	221			77264S-710	281
65437-782	129	66133-98	69	75434-05	276	77063S-814	280	77265-710	281
65437-962	128	66145-814	204	75434-15	277	77063S-827	117,280	77270-839	72
65437BLE-782	129	66145BLE-814	204	75434-782	277	77063S-829	173,279	77270BLE-839	72
65437BLE-962	128	66160-05	46	75434-848	33,276	77063S-839	49,281	77316-710	151
65438-782	129	66160-839	48	75434-962	31,276	77063S-962	59,101,115,123, 143,161,193,278	77316-965	149
65438-962	128	66160BLE-05	46	75435-05	276			77316BLE-710	151
65438BLE-782	129	66160BLE-839	48	75435-15	277	77063S-965	53,149,171,279	77316BLE-965	149
65438BLE-962	128	66270-839	73	75435-782	277	77064-02	278	77330-715	106
65439-782	127	66270BLE-839	73	75435-848	33,276	77064-05	37,47,278	77350-708	185
65439-962	127	66271-839	72	75435-962	31,276	77064-15	279	77350-965	183
65439BLE-782	127	66271BLE-839	72	75436-05	276	77064-710	125,139,151, 205,281	77375-839	92
65439BLE-962	127	66330-715	106	75436-15	277			77375-965	90
65496-710	139	66350-708	184	75436-782	277	77064-782	55,145,163, 195,280	77375BLE-839	92
65496BLE-710	139	66350-965	182	75436-848	33,276			77375BLE-965	90
65497-710	139	66952-710	42	75436-962	31,276	77064-814	280	77380-829	222
65520-845	97	66952-962	40	75467-71	568	77064-827	117,280	77380-965	220
65520BLE-845	97	66953-710	39	75467-965	568	77064-829	173,279	77436-05	127
65521-845	97	66953-962	39	75520-845	97	77064-839	49,281	77436-782	129
65521BLE-845	97	66971-841	66	75661-839	65,73	77064-962	59,101,115,123, 143,161,193,278	77436-962	128
65575-782	145	66971BLE-841	66	75661-962	63			77436BLE-05	127
65575-962	143	69029BLE-12	461	75661BLE-839	65,73	77064-965	53,149,171,279	77436BLE-782	129
65625-782	195	69029BLE-57	461	75661BLE-962	63	77064S-05	37,47,278	77436BLE-962	128
65625-962	193	69034BLE-962	59	75662-839	65,73	77064S-15	279	77437-05	127
65625BLE-782	195	69131BLE-12	514	75662-962	63	77064S-710	125,139,151, 205,281	77437-782	129
65625BLE-962	193	69133BLE-98	69	75662BLE-839	65,73			77437-962	128
65626-782	194	69135BLE-962	58	75662BLE-962	63	77064S-782	55,145,163, 195,280	77437BLE-05	127
65626-962	192	69136BLE-08	506	75850-782	135			77437BLE-782	129
65660-839	65	69191BLE-71	494	75850-965	133	77064S-814	280	77437BLE-962	128
65660-962	63	69248PBLE-12	530	75940-782	179	77064S-827	117,280	77497-710	138
65660BLE-839	65	69272BLE-44	498	75940-962	177	77064S-829	173,279	77497BLE-710	138
65660BLE-962	63	69272BLE-46	500	75940BLE-782	179	77064S-839	49,281	77520-845	96
65661-839	65	69340BLE-780	485	75940BLE-962	177	77064S-962	59,101,115,123, 143,161,193,278	77575-782	144
65661-962	63	69380BLE-829	223	75940-15	283			77575-962	142
65661BLE-839	65	69380BLE-965	221	75940BLE-15	283	77064S-965	53,149,171,279	77625-782	194
65661BLE-962	63	69381BLE-829	222	75942-782	179	77065-02	278	77625-962	192
65662-839	64	69381BLE-965	220	75942-962	177	77065-05	37,47,278	77660-839	64
65662-962	62	69400BLE-12	476	75942BLE-782	179	77065-15	279	77660-962	62
65662BLE-839	64	69459BLE-782	102	75942BLE-962	177	77065-710	125,139,151, 205,281	77660BLE-839	64
65662BLE-962	62	69459BLE-962	100	75942-15	283			77660BLE-962	62
65806-827	117	69460BLE-782	99	75942BLE-15	283	77065-782	55,145,163, 195,280	77806-827	116
65806-962	115	69460BLE-962	99	75943-782	179			77806-962	114
65850-782	135	69561BLE-782	103	75943-962	177	77065-814	280	77850-782	134
65850-965	133	69561BLE-962	101	75943BLE-782	179	77065-827	117,280	77850-965	132
65850BLE-782	135	69562BLE-782	102	75943BLE-962	177	77065-829	173,279	77950-782	178
65850BLE-965	133	69562BLE-962	100	75943-15	283	77065-839	49,281	77950-962	176
65851-782	135	69806BLE-827	119	75943BLE-15	283	77065-962	59,101,115,123, 143,161,193,278	77950BLE-782	178
65851-965	133	69806BLE-962	118	75952-710	43			77950BLE-962	176
65851BLE-782	135	69807BLE-827	117	75952-962	41	77065-965	53,149,171,279	77952-710	42
65851BLE-965	133	69807BLE-962	115	75952BLE-710	43	77087-98	69	77952-962	40
65940-782	179			75952BLE-962	41	77145-814	204	77952BLE-962	40
65940-962	177	70000		75971-841	67	77145BLE-814	204	77952BLE-710	42
65941-782	178	75061-782	103	77033-98	69	77160-05	46	77971-841	67
65941-962	176	75061-962	101	77046-715	235	77160-839	48	78027-12	465
65941BLE-782	178	75114-962	273	77063-02	278	77160BLE-05	46	78027-57	463
65941BLE-962	176	75115-962	273	77063-05	37,47,278	77160BLE-839	48	78131-12	515
65942-782	179	75180-710	157	77063-15	279	77164-820	189	78136-08	507
65942-962	177	75180-965	155	77063-710	125,139,151, 205,281	77165-820	189	78136-12	479,509,547
65952-710	42	75250-758	217			77174-710	124	78240-780	484
65952-962	41	75250-824	214	77063-782	55,145,163, 195,280	77174-962	122	78660-185	492
65953-710	43	75251-758	217			77174BLE-710	124	78660-814	493
65953-962	41	75251-824	214	77063-814	280	77174BLE-962	122	78880-51	483
65953BLE-962	41	75330-715	107	77063-827	117,280	77180-710	156	78880BLE-51	483
65953BLE-710	43	75332-715	107	77063-829	173,279	77180-965	154	79034BLE-98	69

79039BLE-12	464	79771BLE-841	67	88018-12	556	89018BLE-15	556	90617-60	570
79039BLE-57	462	79806BLE-827	116	88018-15	556	89029BLE-12	464	90617-68	570
79097BLE-98	69	79806BLE-962	114	88025-12	463	89029BLE-57	462	90618-60	570
79121BLE-12	567			88025-57	465	89031BLE-12	464	90618-68	570
79121BLE-15	567	80000		88027-12	463	89031BLE-57	462	90619-60	570
79130BLE-98	69	82007-71	481	88027-57	465	89048BLE-12	530	90619-68	570
79131BLE-12	514	82027-12	463	88048-185	531	89048PBLE-12	530	90621-60	570
79136BLE-08	506	82027-57	465	88068-12	529	89049BLE-12	530	90621-68	570
79136BLE-12	477,511,545	82029-12	527	88068-746	528	89049PBLE-12	530	94130-12	613
79163BLE-02	278	82029-746	526	88081-71	496	89060BLE-15	555	94223-699	610
79163BLE-05	37,47,278	82048-185	531	88081-965	497	89060BLE-72	555	94227-6011	610
79163BLE-15	279	82065-12	560	88082-71	496	89060BLE-755	555	94228-6026	610
79163BLE-710	125,139,151, 205,281	82065BL-12	560	88082-965	497	89062BLE-44	498	94229-6028	610
		82066-12	560	88083-71	496	89062BLE-46	500	94229-6029	610
79163BLE-782	55,145,163, 195,280	82068-12	529	88083-965	497	89070BLE-98	472	94229-6030	610
		82068-746	528	88090-12	543	89101BLE-12	477	94230-6032	610
79163BLE-814	280	82081-71	496	88092-12	543	89102BLE-12	477	94233-6035	610
79163BLE-827	117,280	82081-965	497	88098-12	549	89103BLE-12	477	94235-6037	610
79163BLE-829	173,279	82090-12	543	88098-15	548	89129BL-12	464	94290-6066	610
79163BLE-839	49,281	82092-12	549	88103-12	549	89129BL-57	462	94353-645	610
79163BLE-962	59,101,115,123, 143,161,193,278	82092-15	548	88103-15	548	89131BLE-12	514	94353-648	610
		82131-12	515	88113BLE-12	549	89132BLE-12	514	94363-645	612
79163BLE-965	53,149,171,279	82136-08	507	88113BLE-15	548	89136BLE-08	506	94363-649	612
79263BLE-710	281	82190-802	487	88115-962	474	89137BLE-08	506	94364-71	612
79340BLE-780	484	82192BL-12	549	88116-962	474	89181BLE-71	495	94364-98	612
79364BLE-02	278	82192BL-15	548	88117-962	474	89192BLE-71	495	94371-6121	610
79364BLE-05	37,47,278	82200-12	478	88119-962	474	89193BLE-71	495	94372-6125	610
79364BLE-15	279	82201-12	479	88131-12	515	89231BL-12	514	94373-6123	610
79364BLE-710	125,139,151, 205,281	82240-780	485	88132-12	515	89236BL-08	506	94373-6124	610
		82390BL-12	543	88136-08	507	89240BL-780	485	94374-6137	610
79364BLE-782	55,145,163, 195,280	82660-185	492	88137-08	507	89248PBLE-12	530	94375-6135	610
		82660-814	493	88190-802	487	89250BLE-12	530	94377-6131	610
79364BLE-814	280	82880-51	483	88191-802	487	89250PBLE-12	530	94380-841	610
79364BLE-827	117,280	82880BL-51	483	88192-802	487	89273BLE-44	498	94380-962	610
79364BLE-829	173,279	82938-12	547	88198BLE-12	549	89273BLE-46	500	94385-6121	612
79364BLE-839	49,281	82938BL-12	545	88198BLE-15	548	89298BL-71	495	94387-607	612
79364BLE-962	59,101,115,123, 143,161,193,278	82947BL-71	491	88200-12	478	89316BLE-12	511	94391-6125	612
		82950PBL-12	530	88201-12	479	89316PBLE-12	511	94392-6135	612
79364BLE-965	53,149,171,279	82973BL-44	498	88202-12	479	89322BL-12	511	94395-6123	612
79434BLE-05	276	82973BL-46	500	88240-780	484	89340BLE-780	484	94395-6124	612
79434BLE-15	277	83046-714	555	88240D-780	485	89341BLE-780	485	94398-6137	612
79434BLE-782	277	83055-12	555	88241-780	485	89342BLE-780	484	94511-71	619
79434BLE-848	33,276	83055-15	555	88242-780	484	89343BLE-780	484	94512-71	618
79434BLE-962	31,276	83055BLE-12	555	88243-780	484	89382BLE-08	536	94513-71	619
79435BLE-05	276	83055BLE-15	555	88390BLE-12	543	89383BLE-08	536	94514-71	618
79435BLE-15	277	83057-12	553	88392BLE-12	543	89386BL-08	536	94515-965	619
79435BLE-782	277	83057-15	552	88660-185	492	89417BLE-71	491	94516-965	618
79435BLE-848	33,276	83057BLE-12	553	88660-814	493	89439DBLE-10	563	94517-965	619
79435BLE-962	31,276	83057BLE-15	552	88661-185	492	89439DBLE-15	562	94518-965	618
79436BLE-05	276	84029-12	527	88661-814	493	89571BLE-98	472	94535-71	611
79436BLE-15	277	84029-746	526	88662-185	492	89805BLE-12	553	94536-71	611
79436BLE-782	277	84030-12	527	88662-814	493	89805BLE-15	552	94537-965	611
79436BLE-848	33,276	84030-746	526	88880-51	483	89806BLE-12	553	94538-965	611
79436BLE-962	31,276	84031-12	527	88880BLE-51	483	89806BLE-15	552	94553-71	609
79464BLE-710	281	84031-746	526	88881-51	483	89807BLE-12	553	94554-71	609
79565BLE-02	278	84032-12	527	88881BLE-51	483	89807BLE-15	552	94554-965	609
79565BLE-05	37,47,278	84032-746	526	88882-51	483			94555-71	609
79565BLE-15	279	84048-185	531	88882BLE-51	483	90000		94555-965	609
79565BLE-710	125,139,151, 205,281	84049-185	531	88938-12	547	90028	620	94560-71	608
		84050-185	531	88938BLE-12	545	90610-60	570	94562-965	608
79565BLE-782	55,145,163, 195,280	84068-12	529	88939-12	547	90610-68	570	94563-965	608
		84068-746	528	88939BLE-12	545	90611-60	570	94570-71	609
79565BLE-814	280	84069-12	529	88940-12	557	90611-68	570	94570-965	609
79565BLE-827	117,280	84069-746	528	88940-782	557	90612-60	570	94571-965	609
79565BLE-829	173,279	84070-12	529	88940BL-782	557	90612-68	570	94621-965	609
79565BLE-839	49,281	84070-746	528	88940BLE-12	557	90613-60	570	94626-987	255
79565BLE-962	59,101,115,123, 143,161,193,278	84157D-71	535	88941-12	547	90613-68	570	94626-988	255
		84158D-12	538	88941-782	547	90614-60	570	94626-989	255
79565BLE-965	53,149,171,279	84158D-71	535	88941BL-782	544	90614-68	570	94626-992	255
79571BLE-841	67	85008-71	481	88941BLE-12	545	90615-60	570	94626-994	255
79661BLE-782	103	85013-71	481	89015BLE-71	491	90615-68	570	94720-71	612
79661BLE-962	101	85028-71	481	89016BLE-71	491	90616-60	570	94720-965	612
79665BLE-710	281	85200-12	478	89018BLE-12	556	90616-68	570	94726-71	612

94726-965	612	97047	620	3113409BLE-05	35	4131401-57	53,307	4440403BLE-962	299
94729-71	611	97102	620	3131403-57	52	4131401-715	55,308	4440404-05	298
94729-965	611	97106	620	3131403-715	54	4131401BLE-57	53,307	4440404-848	300
94730-71	611	97107	620	3131403BLE-57	52	4131401BLE-715	55,308	4440404-962	299
94730-965	611	97170	622	3131403BLE-715	54	4140401-848	33,300	4440404BLE-05	298
94731-965	611	97171	622	3131405-57	50	4140401-962	31,299	4440404BLE-848	300
94806-71	615	97175	622	3131405-715	50	4140401BLE-848	33,300	4440404BLE-962	299
94806-965	615	97176	622	3131405BLE-57	50	4140401BLE-962	31,299	4450402-05	325
94807-71	615	97180	622	3131405BLE-715	50	4140401-05	298	4450402-710	327
94807-965	615	97181	622	3131409-57	51	4140401BLE-05	298	4450402-962	326
94840-71	613	97185	622	3131409-715	51	4150401-710	87,327	4450402BLE-05	325
94840-965	613	97186	622	3131409BLE-57	51	4150401-962	85,326	4450402BLE-710	327
94841-71	613	97187	622	3131409BLE-715	51	4150401BLE-710	87,327	4450402BLE-962	326
94841-965	613	97190-32	622	3140403-848	32	4150401BLE-962	85,326	4450403-05	325
94842-71	613	97340S	620	3140403-962	30	4150401-05	325	4450403-710	327
94842-965	613	97341S	620	3140403BLE-848	32	4150401BLE-05	325	4450403-962	326
94843-71	614	97343S	620	3140403BLE-962	30	4170401-736	167,379	4450403BLE-05	325
94843-965	614	97344S	620	3140405-848	32	4170401BLE-736	167,379	4450403BLE-710	327
94844-71	614	97345S	620	3140405-962	30	4191401-715	77,323	4450403BLE-962	326
94844-965	614	97347S	620	3140405BLE-848	32	4191401BLE-715	77,323	4450404-05	325
94845-71	614	97348S	620	3140405BLE-962	30	4410402-715	322	4450404-710	327
94845-965	614	97349S	620	3140409-848	29	4410402BLE-715	322	4450404-962	326
94846-71	614	97351S	622	3140409-962	29	4410403-715	322	4450404BLE-05	325
94846-965	614	97352S	622	3140409BLE-848	29	4410403BLE-715	322	4450404BLE-710	327
94847-71	613	97353S	622	3140409BLE-962	29	4410404-715	322	4450404BLE-962	326
94847-965	613	97356S	622	3150404-710	86	4410404BLE-715	322	4470402-736	379
94848-71	615	97357S	622	3150404-962	84	4412402-05	376	4470402BLE-736	379
94848-965	615	97359S	622	3150404BLE-710	86	4412402-191	378	4470403-736	379
94849-71	615	97360S	622	3150404BLE-962	84	4412402-962	377	4470403BLE-736	379
94849-965	615	97440S	620	3150408-710	86	4412402BLE-05	376	4470404-736	379
94850-71	614	97441S	620	3150408-962	84	4412402BLE-191	378	4470404BLE-736	379
94850-965	614	97443S	620	3150408BLE-710	86	4412402BLE-962	377	4480402-846	339
94851-71	614	97444S	620	3150408BLE-962	84	4412403-05	376	4480402BLE-846	339
94851-965	614	97445S	620	3150412-710	83	4412403-191	378	4480403-846	339
94852-71	615	97447S	620	3150412-962	83	4412403-962	377	4480403BLE-846	339
94852-965	615	97448S	620	3150412BLE-710	83	4412403BLE-05	376	4480404-846	339
94853-71	615	97449S	620	3150412BLE-962	83	4412403BLE-191	378	4480404BLE-846	339
94853-965	615	97451S	622	3170403-736	166	4412403BLE-962	377	4491402-715	323
94854-71	614	97452S	622	3170403BLE-736	166	4412404-05	376	4491402BLE-715	323
94854-965	614	97453S	622	3170405-736	166	4412404-191	378	4491403-715	323
94855-71	614	97456S	622	3170405BLE-736	166	4412404-962	377	4491403BLE-715	323
94855-965	614	97457S	622	3170409-736	165	4412404BLE-05	376	4491404-715	323
94856-71	614	97459S	622	3170409BLE-736	165	4412404BLE-191	378	4491404BLE-715	323
94856-965	614	97460S	622	3180405-846	109	4412404BLE-962	377		
94857-71	614			3180405BLE-846	109	4413402-05	301	500000	
94857-965	614	200000		3180409-846	109	4413402BLE-05	301	5116404-839	237
94858-71	615	2520402-710	286	3180409BLE-846	109	4413403-05	301	5116406-839	237
94858-965	615	2520404-710	287	3190404-715	77	4413403BLE-05	301	5116408-839	237
94859-71	615	2530402-962	286	3190404BLE-715	77	4413404-05	301	5118404-782	241
94859-965	615	2530404-962	287	3190406-715	75	4413404BLE-05	301	5118404-962	241
94860-71	614			3190406BLE-715	75	4431402-57	307	5118406-782	241
94860-965	614	300000		3250410-710	83	4431402-715	308	5118406-962	241
94861-71	614	3110404-715	76	3250410-962	83	4431402BLE-57	307	5119404-782	239
94861-965	614	3110404BLE-715	76	3250410BLE-710	83	4431402BLE-715	308	5119404-839	239
94862-71	615	3110406-715	75	3250410BLE-962	83	4431403-57	307	5119408-782	239
94862-965	615	3110406BLE-715	75	3280405-846	110	4431403-715	308	5119408-839	239
94863-71	615	3112403-191	162	3280409-846	110	4431403BLE-57	307		
94863-965	615	3112403-962	160	3512405-191	162	4431403BLE-715	308	600000	
94883-71	616	3112403BLE-191	162	3512405-962	160	4431404-57	307	6110401-715	76
94895-71	611	3112403BLE-962	160	3512405BLE-191	162	4431404-715	308	6110401BLE-715	76
94895-965	611	3112405-191	162	3512405BLE-962	160	4431404BLE-57	307	6112401-191	163
94896-71	611	3112405-962	160	400000		4431404BLE-715	308	6112401-962	161
94896-965	611	3112405BLE-191	162	4110401-715	76,322	4440402-05	298	6112401BLE-191	163
94897-71	616	3112405BLE-962	160	4110401BLE-715	76,322	4440402-848	300	6112401BLE-962	161
94897-965	616	3112409-191	159	4112401-191	163,378	4440402-962	299	6113401-05	36
94898-71	616	3112409-962	159	4112401-962	161,377	4440402BLE-05	298	6113401BLE-05	36
94898-965	616	3112409BLE-191	159	4112401BLE-191	163,378	4440402BLE-848	300	6131401-57	52
97032-32	622	3112409BLE-962	159	4112401BLE-191	163,378	4440402BLE-962	299	6131401-715	54
97037-32	622	3113403-05	36	4112401BLE-962	161,377	4440403-05	298	6131401BLE-57	52
97040	620	3113403BLE-05	36	4112401-05	376	4440403-848	300	6131401BLE-715	54
97043	620	3113405-05	36	4112401BLE-05	376	4440403-962	299	6140401-848	33
97045	620	3113405BLE-05	36	4113401-05	37,301	4440403BLE-05	298	6140401-962	31
97046	620	3113409-05	35	4113401BLE-05	37,301	4440403BLE-848	300	6140401BLE-848	33

6140401BLE-962	31	7550402BLE-710	87,273	7828403BLE-57	566
6150401-710	87	7550402BLE-962	85,273	800000	
6150401-962	85	7570402-736	167	8222401-12	467
6150401BLE-710	87	7570402BLE-736	167	8222401-57	466
6150401BLE-962	85	7580402-846	111	8222401BL-12	467
6170401-736	167	7580402BLE-846	111	8222401BL-57	466
6170401BLE-736	167	7590403-715	77	8224401-12	469
6190401-715	77	7590403BLE-715	77	8224401-71	468
6190401BLE-715	77	7710402-715	76	8224401BL-12	469
6222401-12	467	7710402BLE-715	76	8224401BL-71	468
6222401-57	466	7712402-191	162	8522401-12	467
6222401BLE-12	467	7712402-962	160	8522401-57	466
6222401BLE-57	466	7712402BLE-191	162	8522401BLE-12	467
6224401-12	469	7712402BLE-962	160	8522401BLE-57	466
6224401-71	468	7713402-05	36	8524401-12	469
6224401BLE-12	469	7713402BLE-05	36	8524401-71	468
6224401BLE-71	468	7731402-57	52	8524401BLE-12	469
6512401-191	163	7731402-715	54	8524401BLE-71	468
6512401-962	161	7731402BLE-57	52	8622401-12	467
6513401-05	37	7731402BLE-715	54	8622401-57	466
6513401BLE-05	37	7750402-710	86	8622401BLE-12	467
6515401-710	261	7750402-962	84	8622401BLE-57	466
6515401-962	261	7750402BLE-710	86	8624401-12	469
6515401BLE-710	261	7750402BLE-962	84	8624401-71	468
6515401BLE-962	261	7770402-736	166	8624401BLE-12	469
6531401-57	53	7770402BLE-736	166	8624401BLE-71	468
6531401-715	55	7780402-846	111	8722401-12	467
6531401BLE-57	53	7780402BLE-846	111	8722401-57	466
6531401BLE-715	55	7790402-715	77	8722401BLE-12	467
6534401-782	232	7790402BLE-715	77	8722401BLE-57	466
6534404-782	231	7822402-12	467		
6535401-782	233	7822402-57	466		
6535404-782	231	7822402BLE-12	467		
6550401-710	87	7822402BLE-57	466		
6550401-962	85	7824402-12	469		
6550401BLE-710	87	7824402-71	468		
6550401BLE-962	85	7824402BLE-12	469		
6570401-736	167	7824402BLE-71	468		
6570401BLE-736	167	7826401-12	564		
6610403-715	76	7826401-780	564		
6610403BLE-715	76	7826401BLE-12	564		
6613403-05	37	7826401BLE-780	564		
6613403BLE-05	37	7826402-12	564		
6631403-57	52	7826402-780	564		
6631403-715	54	7826402BLE-12	564		
6631403BLE-57	52	7826402BLE-780	564		
6631403BLE-715	54	7826403-12	564		
6634401-782	232	7826403-780	564		
6634404-782	232	7826403BLE-12	564		
6635401-782	233	7826403BLE-780	564		
6635404-782	233	7827401-12	565		
6670403-736	166	7827401-780	565		
6670403BLE-736	166	7827401BLE-12	565		
6680403-846	111	7827401BLE-780	565		
6680403BLE-846	111	7827402-12	565		
6690403-715	77	7827402-780	565		
6690403BLE-715	77	7827402BLE-12	565		
6750406-710	86	7827402BLE-780	565		
6750406-962	84	7827403-12	565		
6750406BLE-710	86	7827403-780	565		
6750406BLE-962	84	7827403BLE-12	565		
		7827403BLE-780	565		
700000		7828401-12	566		
7510403-715	76	7828401-57	566		
7510403BLE-715	76	7828401BLE-12	566		
7532401-962	285	7828401BLE-57	566		
7532401BLE-962	285	7828402-12	566		
7532402-962	285	7828402-57	566		
7532402BLE-962	285	7828402BLE-12	566		
7550402-05	87	7828402BLE-57	566		
7550402-710	87,273	7828403-12	566		
7550402-962	85,273	7828403-57	566		
7550402BLE-05	87	7828403BLE-12	566		

THINGS TO NOTE

Finish representations in this catalog are shown using high resolution digital reproduction, and while every effort has been made to render colors accurately, some may vary slightly from the actual product, especially hand-painted finishes due to the nature of hand craftsmanship.

Light bulbs are not included with lighting fixture products shown in this catalog, unless otherwise noted. Sea Gull Lighting reserves the right, at any time to make changes in the construction and design of products listed without notice. The changes may be necessary by law or the availability of supplies.

ENERGY STAR® is a registered trademark of the United States Environmental Protection Agency.



The ENERGY STAR® label is designed to clearly identify products that are energy efficient — meaning they lower energy bills and help protect the environment while providing desired features, quality and performance.

www.energystar.gov

Printed in the USA.

© 2014 Sea Gull Lighting, a Generation Brands Company. All rights reserved.



Product Shown: Sfera Six Light Chandelier in Autumn Bronze with Mercury Glass, p.75



7400 LINDER AVE.
SKOKIE, IL 60077

PHONE: 800.347.5483
FAX: 800.877.4855

SeaGullLighting.com