

SAFETY, EFFICIENCY, PRODUCTIVITY

The Maxis tool line provides unique safety features in each and every product to help diminish the possibility of accident or injury. It is the goal of the Maxis division to develop cable pulling, hole making and wire management solutions. Southwire Maxis offers versatility and adaptability on any wire pull, with tools that will quickly adapt to virtually any pulling situation. The Maxis Tool Line puts every electrical contractor one step ahead of the competition by helping them to work faster and safer on the job site. Whatever your job requires, Maxis offers the complete wire and cable pulling solution for electrical installations.

SOUTHWIRE THE COMPANY

Since 1950, Southwire has grown into North America's largest wire and cable producer and supplier by offering the broadest line of the highest-quality products.

SOUTHWIRE THE PEOPLE

More than 4,500 people at sales offices, customer service centers and manufacturing facilities throughout North America are dedicated to developing the highest-quality products backed by quality service.

SOUTHWIRE THE PRODUCTS

Southwire offers a full line of products for a wide range of applications. Now you can get it all from one supplier.

SOUTHWIRE MAXIS

The leader in development of innovative tools for the electrical industry. It is the goal of the Maxis division to develop cable pulling solutions that get the job done with safety, efficiency and productivity.

SOUTHWIRE THE SERVICE

With customer service centers located throughout North America, Southwire has the capability to provide all of your wire and cable needs in one delivery, saving you time and money.

SOUTHWIRE THE INNOVATION

Dedicated to technological innovation backed by experience means Southwire is always one step ahead expanding its product lines and services to meet the needs of customers.







TABLE OF CONTENTS

MAXIS PRODUCT CATALOG

	M10K	.2
	M6K	.4
	M3K	.6
5	PULLER CART	.8
ШΖ	TRIPODS	.9
- L	TRIGGERS1	.0
∀	MAXIS FEEDER1	2
\circ	GRIPS1	4
٥	PULLING ROPE1	
	CLEVIS1	.8
	SWIVEL1	9
	MAX PUNCH2	20
	MAX PUNCH PRO2	22
	MAXIS 360 HYDRAULIC PUNCH2	24
	MAX PUNCH RATCHET2	26
	CARBIDE TIP HOLE CUTTERS2	28
C5	BI-METAL HOLE SAW3	80
ШΖ	STUD PUNCH3	31
	DRAW STUDS3	32
O×	SPECIAL APPLICATION PUNCHES3	3
∓	CUPS/CUTTERS3	34
≥	STAINLESS STEEL CUPS/CUTTERS3	55
	STEP BITS3	6
	NUT DRIVERS3	37
	MARKSMAN3	8
	SPEEDSET3	19
	MAXISJAX4	-0
_ 5	WIRE WAGON 5504	-2
A N	WIRE WAGON 5204	-3
~ _	WIRE WAGON 5104	.4
	WIRE WAGON 5154	-5
A A	WIRE WAGON 5304	-6
≥±	WIRE WAGON 5354	-7
	WIRE WAGON 5384	-8





MODEL# M10K

STOCK# 57143201

SUPER DUTY PULLER

SETS UP IN 2 MINS.

MAXIS 10K SUPER DUTY CABLE PULLER

MAXIS 10K BENEFITS

FASTER

- Self contained ready to pull
- Quickly change from overhead to underground or side pulls
- No gang box of parts
- Counter-weighted for easy setup
- Pulls out 9 feet of extra wire

SAFER

- No anchoring required
- Easy to transport
- Telescoping front end
- Pulls at speeds up to 25 fpm in high with no load
- Pulls at speeds up to 9 fpm in low with no load
- Easily maneuvers into tight spaces
- Maximum rope diameter 7/8" used with this puller

|| SMARTER

- Super duty puller to perform on heavy wire pulls
- No disassembly, fully contained
- Easily extend boom with 3" rigid conduit
- Pivoting arm for easy rope access on overhead applications
- Collapsible down to 34"H x 27"W x 53"L

INCLUDES

- Maxis 10K cable puller (total weight 340 lbs.)
- 5 conduit adapters sizes 2" through 4" (total weight 20 lbs.)
- Milwaukee 4004 power motor, 2 speed, 20 amp, with 5 year factory warranty
- Maxis Triggers (dual remote foot switches)

We just completed the first part of a two-stage pull. (12) 400 MCM, 395 feet with (4) 90's. Everything went off without a hitch."

-Darrel Kingerman, Red Top Electric











A super duty puller that sets up in less than 2 minutes



MAXIS 6K HEAVY DUTY CABLE PULLER

MAXIS 6K BENEFITS

FASTER

- Quickly adapts from underground to overhead pulls
- Equipped with lightweight Delrin® rollers mounted on sealed bearings for easy rolling
- Able to pull up to 9 ft. of wire out of the conduit

SAFER

- No need to bolt to the ground
- 2 pulling speeds: 12 fpm on low (no load) and 44 fpm on high (no load)
- Maximum rope diameter 5/8" used with this puller

SMARTER

- Versatile, can adapt to virtually any wire pull
- Can be anchored in any standard 2" receiver hitch

INCLUDES

- Lightweight (76 lbs.)
- Maxis 6K cable puller
- 5 Conduit adapters, sizes 2" through 4" (total weight 20 lbs.)
- Puller Cart with tool bag (total weight 35 lbs.)
- Milwaukee Super Hawg™ (sold separately): ½" Super Hawg™ two speed drill, 450/1,750 RPM, 120 volt 13 amp, 14.7 lbs. Model 1680-20 recommended for this puller. Includes 5 year factory warranty

MODEL# M6K

STOCK# 57142901

LIGHTWEIGHT


SETS UP IN 2 MINS.

HEAVY DUTY PULLER

"This Puller rocked! We pulled (4) conductors of aluminum with the M6K this morning; 320 feet with (2) 90's and (2) offsets. Start to finish was complete in about 25 minutes."


-D & J Electric











Heavy duty, light weight puller that sets up in only 2 minutes



MAXIS 3K HIGH SPEED CABLE PULLER

MAXIS 3K BENEFITS

FASTER

- One person, 2 minute setup and operate
- Quickly adapts from underground to overhead pulls
- Equipped with lightweight Delrin® rollers mounted on sealed bearings for reduced pulling friction
- Able to pull up to 8 ft. of wire out of the conduit

SAFER

- No need to bolt to the ground
- 2 pulling speeds: 25 fpm on low (no load) and 100 fpm on high (no load)
- Maximum Rope Diameter 9/16" used with this puller

|| S M A R T E R

- The most used puller in America
- Versatile, can adapt to virtually any wire pull
- Can be anchored in any standard 2" receiver hitch

INCLUDES

- Lightweight (51 lbs)
- 8 Conduit adapters, sizes 1" through 4" (total weight 5 lbs)
- Puller Cart with tool bag (total weight 35 lbs)
- Milwaukee Super Hawg[™] (sold separately): 1/2" Super Hawg[™] two speed drill, 450/1,750 RPM, 120 volt 13 amp, 14.7 lbs. Model 1680-20 recommended for this puller. Includes 5 year factory warranty

MODEL# M3K

STOCK# 57143101

HIGH SPEED

LIGHTWEIGHT

SETS UP IN 2 MINS.

ONLY ONE PERSON TO SETUP AND OPERATE

" I pulled four conductors of 4/0 in 2 1/2 inch conduit, 400 ft., underground in 15 minutes."

-Encompass Electrical Technologies





UNDERGROUND PULL



The high speed lightweight puller sets up in only minutes and operates at 25 ft. and 100 ft. per minute (no load). Best of all, The M3K requires only one person to set up and operate.

" Saved 21 man hours on one pull using the Maxis 3K Cable Puller."

-Ray Gonzalez, Sounders Electric

PULLER CART



PULLER CART BENEFITS

FASTER

- The ability to carry either the M3K or M6K cable puller interchangeably
- A small tool bag mounted under the handle
- Spring locking fasteners for easy storage and removal of conduit adapters
- Foam filled tires for rugged transport
- Light weight design for ease of movement (40 lbs without Cable Puller, drill or adapters)
- Dimensions: L 17.5" x W 21" x H 50"
- Includes accessories bag

M6K PULLER CART





MODEL# PC100

STOCK# 56829601

STORE AND TRANSPORT Your M3K and M6K Puller

SIMPLE AND EASY



TRIPODS



BENEFITS

- Easily attach to the M3K or your M6K cable puller
- Pull out of manholes, transformer pads and vaults
- Adjustable to fit most any pulling situation
- Add an extra roller for larger radius
- Setup in two minutes
- Pull out extra wire

SPECS

- Adjustable Height: 3 ft 6 ft
- Adjustable Width: 13 in 50 in
- Weight: 43 lbs
- M3K and M6K cable pullers sold separately
- Milwaukee Super Hawg[™] sold separately

SWIVEL ON THE JOB





MODEL# P3-T01

STOCK# 56822201

WORKS WITH MAXIS 3K



MODEL# P6-T02

STOCK# 56829401

WORKS WITH MAXIS 6K



MODEL# TR01

STOCK# 56824401

TOTAL CONTROL OF

PULLERS MOTOR

COMMUNICATION

WIRELESS

TRIGGERS DUAL REMOTE FOOTSWITCH

MAXIS TRIGGERS BENEFITS

TRIGGERS

- Dual Remote Footswitch gives the ability to control the puller's power source from either end of the pull
- Works with any Maxis Cable Puller, and most other brands
- Works with Maxis Cable Feeder
- Saves time by avoiding unnecessary stops and restarts
- Eliminates the risk of wire feeding mishaps that lead to nicks in the insulation that could cost thousands of dollars or cause jobsite accidents

VISUAL COMMUNICATION

Colored lights on each footswitch indicate the pulling machine's status

SAFETY

- Stop the cable pull from either footswitch immediately
- No more audio miscommunication
- Eliminate safety issues associated with feeding wire (i.e. fumbling for a radio, hands caught in wire etc.)

RANGE

- Will communicate up to 1500 feet between walls and up to 1.5 miles line of sight
- 100' antenna extension available for added connectivity to your Triggers communication

|| FORCE GAUGE METER

Amp-Type Force Gauge - Monitors pull tension based on the number of amps the motor is drawing. Useful when superior accuracy is not required (Accuracy is +/- 20%). Amp usage is then translated into a tension reading shown on the display.

|| FURCE GAUGE WEIER

TRIGGER ANTENNA EXTENSION



TRIGGER ANTENNA EXTENSION SOLD SEPARATELY.

Trigger antenna extensions will increase connectivity of communication between the remote and the master foot switches in difficult radio situations. Some benefits may include: diverting signal around heavy concrete areas, deep underground vaults, excessive steel structures or large obstacles hindering communication pathways.



MODEL# TAE100

STOCK# 57177901



* TRIGGERS DUAL REMOTE FOOTSWITCH





Triggers are a dual remote control "Dead Man Switch." Both the person operating the puller and the person feeding the wire has total control over the puller's motor. Both footswitches must be engaged in order for the puller's motor to operate. Any time either footswitch is released the puller's motor will stop.

MAXIS FEEDER



GROOVED ROLLERS

EASILY ADJUST TENSION DURING OPERATION

VARIABLE SPEED

MADE FOR SIM*pull*™ CABLE

MAXIS FEEDER BENEFITS

FASTER

- 1 person setup and operate
- 📭 Fast 2 minute setup
- Forward and reverse, variable speeds, feeds up to 30 fpm

SAFER

- May be used with Maxis Triggers dual remote foot switches for simultaneous feeder/puller stop and start
- Easily adjust wire tension, even during operation
- Dual anchoring system

SMARTER

- Designed and built to accommodate Southwire SIMpull® NO-LUBE™ cable
- Feeds wire sizes from 3/0-3" cable
- Grooved roller design covers greater conductor surface area for increased traction (top/bottom/sides)
- Solid rubber tires and swivel casters for easy jobsite maneuverability
- Dual anchoring system

INFORMATION

- Maximum traction force: Single conductor Southwire SIMpull® NO-LUBE™ cable 800 lbs
- Maximum traction force: Multiple conductor Southwire SIMpull® NO-LUBE™ cable 1,600 lbs
- Cable Capacity: 8 x 250 MCM

6 x 500 MCM

5 x 750 MCM

SPECIFICATIONS

- 44"L x 26"W x 35"H
- Total weight, 366 lbs
- Patent Pending











A revolutionary new way to feed wire



MAXIS GRIPS DOUBLE LOCK SYSTEM

MAXIS GRIPS BENEFITS

DOUBLE LOCK SYSTEM

- Fail-safe gripping system using both a cam head and a double braided grip to quickly secure cable to rope without the fear of losing a conductor
- Each Double Lock Grip is rated to 4,000 lbs
- Grips securely to NO-LUBE™ cable

SPEED

- Total head preparation 2 minutes or less
- Disconnect wire from Grips in two minutes without cutting the wire
- No cutting, stripping or weaving of wire to make pulling head

FLEXIBILITY

- Easily moves through conduit and around 90° bends
- Easily bends and moves over rollers
- Staggered lengths for easier pulling through bends

OPTIONAL PULLING JACKET

- Keeps pulling head tight for easier movement through conduit
- Keeps Grips clean and free of dirt
- Easily feeds head into conduit

|| A V A I L A B I L I T Y

Sold as complete set or in individual sized sets

Model#	Stock#	Maxis Grips	Grips	Wire	Pulling Jacket Medium Large		Rope Swivel Small Large		
					weatum			7	Bag
#GP110	56822701	Complete Set	Complete Set	1/0 - 750мсм	lacksquare	√x2	√ x2	√x2	\checkmark
#GP00AA	56822801	Group AA	4 Grips	1/0 - 4/0					
#GP101A	56822901	Group A	4 Grips	3/0 - 4/0			\checkmark		\checkmark
#GP102B	56823001	Group B	4 Grips	250 - 350мсм	✓			✓	\
#GP103C	56823101	Group C	4 Grips	400 - 500мсм		\checkmark		$\sqrt{}$	\checkmark
#GP104D	56823201	Group D	4 Grips	600 - 750мсм		✓		✓	✓

MODEL# GP110

STOCK# 56822701

FAIL SAFE GRIPPING SYSTEM

CAM HOUSING

DOUBLE BRAIDED GRIP

READY IN 2 MINS.





FEEDING WIRE WITH GRIPS



Fail-safe gripping system using both a cam housing and a double braided grip to quickly secure cable to rope without the fear of losing a conductor

PULLING ROPE



MAXIS PULLING ROPE

BENEFITS

- High strength low stretch
- Excellent resistance to UV rays, chemicals, abrasions
- Excellent balance
- Factory spliced pulling eye at each end

SPECS

- Composite polyester double braided pulling rope
- 9/16" diameter rope recommended for use with the M3K cable puller
- 5/8" diameter rope recommended for use with the M6K cable puller
- 7/8" diameter rope recommended for use with the M10K cable puller

Model#	Stock# Diameter (Inches)		Tensile Strength (lbs.)	Length (FT.)
P-963	56823501	9/16	16,000	300
P-966	56823601	9/16	16,000	600
P-583	56823701	5/8	18,000	300
P-586	56823901	5/8	18,000	600
P-589	57791201	5/8	18,000	900
P-786	56824001	7/8	31,000	600
P-789	57991301	7/8	31,000	900
P-7812	56824101	7/8	31,000	1200

HIGH SPEED

HIGH TENSILE STRENGTH

LOW STRETCH











High speed cable pulling rope designed for high tensile strength with low stretch





MAXIS CLEVIS BENEFITS


1 1/4" CLEVIS

- Maximum working load: 6,000 lbs
- Maximum rope size: 5/8"
- Connects to cable grip and pulling rope
- Designed to pass over sheaves, pulleys and rollers

1 5/8" CLEVIS

- Maximum working load: 10,000 lbs
- Maximum rope size: 7/8"
- Connects to cable grip and pulling rope
- Designed to pass over sheaves, pulleys and rollers

CLEVIS ON THE JOB



MODEL# RC114 STOCK# 56830601

1 1/4" CLEVIS

MODEL# RC158

STOCK# 56830701

1 5/8" CLEVIS







1 1/4" SWIVEL

- Maximum working load: 6,000 lbs
- Maximum rope size: 5/8"
- Designed to pass over sheaves, pulleys and rollers
- Pin roller design added for larger diameter rope and for added strength by evenly spreading load pressure

1 5/8" SWIVEL

- Maximum working load: 10,000 lbs
- Maximum rope size: 1"
- Designed to pass over sheaves, pulleys and rollers
- Pin roller design added for larger diameter rope and for added strength by evenly spreading load pressure

SWIVEL ON THE JOB







MODEL# MS114

STOCK# 57178101

1 1/4" SWIVEL

MODEL# MS158

STOCK# 57178001

1 5/8" SWIVEL



MAX PUNCH THE ORIGINAL DRILL POWERED KNOCKOUT PUNCH

MAXIS MAX PUNCH

BENEFITS

- An advanced knockout tool used with a cordless drill to draw punch dies together for quick accurate knockouts
- No hydraulics, No ratcheting, No mess
- 2" knockout in 4 seconds
- 4" knockout in 6 seconds
- Rated to cut mild steel up to 10 gauge 1/2" to 4"

SPECS

- Length: 12.5" from base to top of 3/4" drawstud
- Width: 4 inches
- Height: 4.5 inches
- Weight: 5.4 pounds

SOLD INDIVIDUALLY OR IN 2 SETS

2" KNOCK OUT IN 4 SECONDS

CLEAN, FAST, ACCURATE KNOCK OUTS

ı	Model#	Stock#	Stock# Description Includes			
	MP01	56825601	Max Punch-Drive Unit	Drawstuds sizes 3/8", 7/16" & 3/4"		
	MP-01SD	56830901	Max Punch Small Set	1/2"-2" cutting dies Marksman, 3/16"-7/8" Step Bit, 3/4" & 7/16" Draw Stud, Nut driver and (1) Carrying Case		
	MP-01CS	P-01CS 56830801 Max Punch Complete Set		1/2"-4" cutting dies, Marksman, 3/16"-7/8" Step Bit, 3/4" & 7/16" Draw Stud, Nut Driver and (2) Carrying Cases		











Knockout punch in 4 seconds



MAX PUNCH PRO HEAVY DUTY KNOCKOUT PUNCH

MAXIS MAX PUNCH

BENEFITS

- An advanced knockout tool used with a cordless drill to draw punch dies together for quick accurate knockouts
- No hydraulics, No ratcheting, No mess
- Thread-In/Thread-Out removable drawstuds (universal to fit most common KO dies)
- Rated to cut stainless steel up to 10 gauge 1/2" to 2"
- Rated to cut mild steel up to 10 gauge 1/2" to 4"

SPECS

- Length: 11.5" from base to top of 3/4" drawstud
- Width: 4 inches
- Height: 4.5 inches
- Weight: 5.5 pounds

SOLD INDIVIDUALLY OR IN A SET

Model#	Stock#	Description	Includes
MP01PR0	57177501	Max Punch PRO-Drive Unit only (no case)	2 drawstuds sizes ¾" & 7/16"
MP01SDPR0	57177501	Max Punch PRO Set	Max Punch PRO drive unit, ½" – 2" cutting dies (rated for stainless steel), 2 drawstuds sizes ¾" & 7/16", Maxis Marksman conduit layout tool, step drill bit (3/16" – 7/8"), 2 nut drivers (3/8") and heavy duty carrying case

HEAVY DUTY

STAINLESS STEEL RATED KNOCKOUT







MAX PUNCH PRO





❖ QUICK AND CLEAN KO'S



► MAX PUNCH PRO 2" SET



Quick and accurate drill powered stainless steel knockouts



MAXIS 360 HYDRAULIC PUNCH

MAXIS 360 HYDRAULIC PUNCH

BENEFITS

- Hydraulic Drive unit that can easily operate in most tight space applications
- Compact Pump
- Full 360 degree articulating head
- Lightweight aluminum head
- No awkward hoses or foot pumps required
- Only one tool required for all dies

SOLD INDIVIDUALLY OR IN A SET

Model#	Stock#	Description	Includes		
M360HP01	57578401	Maxis 360 Hydraulic Punch only (no case) 2 drawstuds sizes ¾ 8 7/10			
M360HP	57401601	Maxis 360 Hydraulic Punch set	1/2" – 2" cutting dies, 2 drawstuds sizes 3/4" & 7/16", Maxis Marksman conduit layout tool, step drill bit (3/16" – 7/8"), 1/2" Die spacer and heavy duty carrying case		

LIGHTWEIGHT Hydraulic









MAX PUNCH RATCHET



MAXIS MAX PUNCH RATCHET

BENEFITS

- 1" Hex Ratchet Wrench
- Flex head for easy maneuverability around obstacles
- Ergonomic handle
- Tough, rugged design
- Ball bearing draw stud for reduced friction
- Punches through 10 gauge mild steel with Maxis Max Punch Cups & Cutters

AVAILABLE IN TWO KITS

Model#	Stock#	Description	Includes
MPR-01SD	57798501	Max Punch Ratchet Set	Max Punch flex head ratchet, 1/2"-2"Dies, 3/4" Bearing Draw Stud, 7/16" Bearing Draw Stud, Maxis Marksman and heavy duty carrying case
MPR-03	57798901	Max Punch Ratchet	3/4"Draw stud

EASILY MANUVERED

ERGONOMIC

RUGGED DESIGN











FLEX HEAD TECHNOLOGY





Flex head with ergonomic handle for easy maneuverability

MAXIS CARBIDE TIP HOLE CUTTERS



MAXIS CARBIDE TIP HOLE CUTTERS

BENEFITS

- Heavy duty spring kick out for easy slug removal
- Easier and faster to use than most standard hole saws
- Heavy-duty cutting design specifically for sheet metal and stainless steel
- Precision ground carbide teeth for fast cutting of clean, round holes
- Split tip, double helix grooves for faster starts
- Grooved edge design to prevent extended penetration

AVAILABLE IN TWO KITS

Model#	Stock#	Description	Includes		
CHTC11	58143501	Small Set 7/8" through 1 3/8"	(3) Carbide-Tipped Hole Cutters: 7/8", 1 1/8", 1 3/8", (3) pilot drill bits, (2) 3 mm. Allen wrenches, heavy duty carrying case		
CTHC10	58133401	Complete Set 7/8"through 2 1/2"	(6) Carbide-Tipped Hole Cutters: 7/8", 1 1/8", 1 3/8", 1 3/4", 2", 2 1/2", (6) pilot drill bits, (2) 3 mm. Allen wrenches, heavy duty carrying case.		

EASIER & FASTER

GROUND CARBIDE TEETH

DOUBLE HELIX GROOVES











Easier and faster to use than most standard hole saws

BI-METAL HOLE SAW



MAXIS BI-METAL HOLE SAW

BENEFITS

- For heavy-duty cutting steel, aluminum, brass, wood and plastic
- Unique tooth configuration for fast removal of cutting materials
- Easy slug injection
- Quick easy attach and detach of saws

INCLUDES

Six (6) bi-metal hole saws

7/8" - 1 1/8" - 1 3/8" - 1 3/4" - 2" - 2 1/2"

- One (1) 3/8" hex shank mandrel
- One (1) 3/8" quick change mandrel
- Two (2) pilot drills in a heavy-duty case

2 1/2" ELECTRICAL BI-METAL HOLE SAW KIT



MODEL# BMHS10

STOCK# 57178501

BI-METAL HOLE



STUD PUNCH

MAXIS STUD PUNCH

BENEFITS

- Maxis Stud Punch is intended to punch round holes through 20 gauge (0.9mm) steel studs in one single stroke
- Sizes included: 7/8" (22.5mm) and 1 11/32" (34.1mm)
- Lock to keep handle in place when not in use
- Cushioned handles give more leverage and make it easier to punch in tight spaces, meaning less operator fatigue and more comfortable handling
- Lightweight punch makes accurate location of holes easier

SPECS

Height: 2.25 inches

Width: 8.55 inches

Length: 18.5 inches

• Weight: 7.5 lbs

Rated to cut mild steel, up to 20 gauge

STUD PUNCH IN USE







MODEL# MSP01

STOCK# 57576201

DRAW STUDS

MAXIS DRAW STUDS MAX PUNCH DRAW STUDS 3/4" Main Draw Stud - Stock #56-82-59-01 Model #MPDS12 7/16" Medium Draw Stud - Stock #57-71-78-01 Model #MPDS716 3/8" Small Draw Stud (for standard Max Punch and Max Punch Pro)

MAX PUNCH PRO DRAW STUDS

Stock #56-82-60-01 Model #MPDS38

3/4"	Main Draw Stud - Stock #57-71-77-01 Model #PDS34
7/16"	Medium Draw Stud - Stock #57-71-79-01 Model #PRDS716
3/8"	Small Draw Stud (for standard Max Punch and Max Punch Pro)
	Stock #56-82-60-01 Model #MPDS38

MAX PUNCH 360 DRAW STUDS

3/4" Main Draw Stud - Stock #57-57-81-01 Model #HPDS34
 7/16" Small Draw Stud - Stock #57-71-76-01 Model #HPDS716





UNIVERSAL TO FIT MOST STANDARD CUPS AND CUTTERS



Images shown are not actual size


OILTIGHT PUNCHES WITH NOTCHES

SPECS

- Model #MP-OPN78, stock #58142201, 7/8" (22.5 mm) Oiltight Punch with Notches
- Model #MP-OPN1732, stock #58142301, 1 6/32" (30.5 mm) Oiltight Punch with Notches
- Punch units include: Punch, Die, Draw Stud and Nut.

		Hole S	Size				ximum
Inch				mm			pacity d Steel
А	В	С	А	В	С	GA	mm
.875	.125	1.000	22.5	3.2	25.4	14	2.0
1.210	.190	1.380	30.5	4.8	36.0	10	3.5





MAX PUNCH CUPS & CUTTERS

MAX PUNCH CUPS/CUTTERS

BENEFITS

- Unique cutting surface provides a cleaner, quicker and easier cut
- Cuts through 10 gauge steel (3.5mm) as well as aluminum, fiberglass and plastics
- Will not bow panel or leave jagged edges
- Quicker smoother cut
- Cup creates crimping effect on slug for easy removal
- Works with Maxis Max Punch as well as most popular knockout tools
- More economically priced



UNIQUE CUTTING SURFACE

LEAVES NO JAGGED EDGES

Model#	Stock#	Description	Conduit & Pipe Size	Hole Size Actual Inch	ММ	Capacity Steel GA
MP02	56825701	Small die set (1/2" – 2") in case (drive unit not included)	1/2" – 2"	.89 - 2.42	23 - 62	10
MP03	56825801	Large die set (1/2" – 4") in case (drive unit not included)	1/2"- 4"	.89 - 4.54	23 - 115	10
MPK050	56826301	1/2" conduit size cutter	1/2"	.89	23	10
MPC50	56827301	1/2" conduit size cup	1/2"	.89	23	10
MPK075	56826401	3/4" conduit size cutter	3/4"	1.12	28	10
MPC75	56827401	3/4" conduit size cup	3/4"	1.12	28	10
MPK0100	56826501	1" conduit size cutter	1"	1.36	35	10
MPC100	56827501	1" conduit size cup	1"	1.36	35	10
MPK0125	56826601	1 1/4" conduit size cutter	1 1/4"	1.70	43	10
MPC125	56827601	1 1/4" conduit size cup	1 1/4"	1.70	43	10
MPK0150	56826701	1 1/2" conduit size cutter	1 1/2"	1.95	50	10
MPC150	56827701	1 1/2" conduit size cup	1 1/2"	1.95	50	10
MPK0200	56826801	2" conduit size cutter	2"	2.42	62	10
MPC200	56827801	2" conduit size cup	2"	2.42	62	10
MPK0250	56826901	2 1/2" conduit size cutter	2 1/2"	2.92	74	10
MPC250	56828001	2 1/2" conduit size cup	2 1/2"	2.92	74	10
MPK0300	56827001	3" conduit size cutter	3"	3.55	90	10
MPC300	56828101	3" conduit size cup	3"	3.55	90	10
MPK0350	56827101	3 1/2" conduit size cutter	3 1/2"	4.04	103	10
MPC350	56828201	3 1/2" conduit size cup	3 1/2"	4.04	103	10
MPK0400	56827201	4" conduit size cutter	4"	4.54	115	10
MPC400	56828301	4" conduit size cup	4"	4.54	115	10

STANDARD MAX PUNCH CUP/CUTTERS SET





: Large Die Set



MAX PUNCH PRO CUPS & CUTTERS

MAX PUNCH PRO CUPS & CUTTERS

BENEFITS

- Unique cutting surface provides a cleaner, quicker and easier cut
- Also cuts through regular 10 gauge stainless steel (3.5mm) as well as mild steel, aluminum, fiberglass and plastics
- Will not bow panel or leave jagged edges
- Crimping effect on slug for easy removal

Model#	Stock#	Description	Conduit & Pipe Size	Hole Size Actual Inch	ММ	Capacity Steel GA
MP02PR0	57177101	Small die set for stainless steel (1/2"-2") in case (drive unit not included)	1/2"-2"	.89 - 2.42	23 - 62	10 SS
MPK050	57174601	Max Punch Cutter for Stainless Steel 1/2"	1/2"	.89	23	10 SS
MPC50PR0	57176101	Max Punch Cup for Stainless Steel 1/2"	1/2"	.89	23	10 SS
MPK075PR0	57174701	Max Punch Cutter for Stainless Steel 3/4"	3/4"	1.12	28	10 SS
MPC75PR0	57176201	Max Punch Cup for Stainless Steel 3/4"	3/4"	1.12	28	10 SS
MPK0100PR0	57174801	Max Punch Cutter for Stainless Steel 1"	1"	1.36	35	10 SS
MPC100PR0	57176301	Max Punch Cup for Stainless Steel 1"	1"	1.36	35	10 SS
MPK0125PR0	57174901	Max Punch Cutter for Stainless Steel 1 1/4"	1 1/4"	1.70	43	10 SS
MPC125PRO	57176401	Max Punch Cup for Stainless Steel 1 1/4"	1 1/4"	1.70	43	10 SS
MPK0150PR0	57175001	Max Punch Cutter for Stainless Steel 1 1/2"	1 1/2"	1.95	50	10 SS
MPC150PR0	57176501	Max Punch Cup for Stainless Steel 1 1/2"	1 1/2"	1.95	50	10 SS
MPK0200PR0	57175101	Max Punch Cutter for Stainless Steel 2"	2"	2.42	62	10 SS
MPC200PR0	57176601	Max Punch Cup for Stainless Steel 2"	2"	2.42	62	10 SS

CLEANER & QUICKER

STAINLESS STEEL PUNCH DIES

MAX PUNCH PRO CUP/CUTTERS SET





STEP BITS

MAXIS STEP BITS

BENEFITS


- Made from high speed steel and cobalt alloy
- Cuts steel, wood, plastic, aluminum, fiberglass and laminates
- Drill multiple-sized holes with one bit
- Split tip and double helix grooves for faster cleaner cuts

Model#	Stock#	Description
MPSB01	56826201	3/16" - 7/8"
MPSB02	57177301	3/16" - 1/2"
MPSB03	57177401	3/16" - 1 1/8"
MPSB04	57259011	3/16" - 7/8", 3/16" - 1/2" 3/16" - 1 1/8"



FAST, CLEAN CUTS

STEP BIT IN USE





NUT DRIVER

MAXIS NUT DRIVER

BENEFITS

- 3/8" Nut driver
- Avoid chucking drill directly onto tool
- Avoid stripping drive shaft
- Harden steel design
- Works with Max Punch and Max Punch Pro
- Reduces rounding of hex head

NUT DRIVE IN DRILL





MODEL# MND38

STOCK# 57576001

EASILY CHUCK TO MAX PUNCH




MARKSMAN CONDUIT LAYOUT TOOL

MAXIS MARKSMAN

BENEFITS

- 60 times faster than a tape measure
- Easy to use
- No math
- For KO's sizes 1/2" to 4"
- Underground and overhead
- Also features a panel schedule showing the branch circuit number to its corresponding color
- The Maxis Marksman is constructed of tough durable anodized aluminum. Its markings are etched for maximum durability

EASY STEPS





❖ STEP 2. MARK CONDUIT COMBINATION



MODEL# MM01

STOCK# 56828401

PINPOINT ACCURACY

KNOCKOUT LAYOUT IN SECONDS



SPEEDSET FOUR IN ONE CONDUIT TOOL

MAXIS SPEEDSET BENEFITS

SPACER

The Maxis Speedset is a 1 1/8" spacer

TORPEDO LEVEL

- The Speedset is equipped with magnetic sides for easy leveling
- Level your conduit for perfect vertical or horizontal lines
- Use for leveling all your panel placements

PREVENTS DOG-LEG BENDS

- The Maxis Speedset will help prevent dog-leg bends
- The Maxis Speedset works great in any situation and will help in all of your conduit and gear installations

BENDING TOOL

- Create repeatable perfect bends every time
- Will easily attach to any 1/2", 3/4" and 1" bender shoe
- Multiple conduit bends exactly the same, every time, without comparing them to each other

SPEEDSET APPLICATIONS



: TORPEDO LEVELS



∴ PREVENTS DOG LEGS



MODEL# SS01

STOCK# 56828501

4-IN-1 TOOL

TIME AND MONEY SAVING

WORKS ON ALL 1/2", 3/4", AND 1" SHOES



XALZIXAM



MAXISJAX BENEFITS

A BETTER REEL STAND

- 1. Easy to store and transport
 - Breaks down into a compact, storable tool
- 2. Wire reels won't come off or fall over
 - Jaws clamp down on reel axle
- 3. Easy to roll wire off reels
 - Encased bearings make it easy for one person to roll off heavy wire
- 4. Lifts wire reels off ground
 - Max Lever lifts wire reels off the ground, no need to lift reels onto MaxJax
 - Each pair lifts wire reels up to 3,000 lbs

CONVENIENT

- Uses either a 1 1/2" or a 2" rigid pipe for an axle
- Works on reels up to 48" tall
- For wire coils, use the Maxis Coil X for added convenience

MODEL# MJ707

STOCK# 56824501

SETS UP QUICKLY

COMPACT

LIFT REELS OFF WIRE SAFELY AND EFFICIENTLY

MAXIS COIL X



MAXIS COIL X ACCESSORY SOLD SEPARATELY

- Keeps coiled wire off the ground
- No need to lay wire on the ground
- Saves from possible scuffs, cuts or accidental damage
- Time saver with simple assembly and dependable wire roll off
- Lightweight, portable and easy to store
- Easily attaches to MaxisJax or other traditional reel stands. (not included)
- Uses 2" rigid conduit as axle (not included)
- Uses 1/2" rigid conduit as support ribs. (not included)


MODEL# CX106











A unique reel stand that will quickly set up and lift reels of wire safely and efficiently without the hassle of conventional jacks

WIRE WAGON 550 MOBILE PRINT TABLE & WORK STATION

MAXIS WIRE WAGON 550



BENEFITS

- Versatile work station
- Mobile print table
- Holds conduit and material
- Portable work bench
- No wasting time migrating back and forth to a stationary print table
- No wasting time looking around the jobsite for something to use as a print table
- A mobile print table and work station with conduit and material storage
- 1,000 lbs capacity for strut or conduit

SPECS

Height: 42 inches

Width: 29 inches

Length: 48 inches

• Weight: 130 lbs

MODEL# WW550

STOCK# 56825501

FULLY LOADED





WIRE WAGON 520 MC CABLE CART

MAXIS WIRE WAGON 520

BENEFITS

- Holds 4 spools of 1000' MC cable
- Allows for different sizes and colors on one rack
- Comes standard with two sets of rack axles for normal and wider than normal spools
- Eliminate spool jacks and the unnecessary set up and tear down. Pull circuits in one area and easily move to the next pull. Crews don't have to set up and tear down spool jacks in each area or move 3 or 4 different carts from one location to the next
- 2,000 lbs capacity for conduit or strut
- Equipped with outriggers to further stabilize the cart during heavy wire roll off

SPECS

- Height: 44 inches
- Width: 32 inches
- Length: 64 inches
- Weight: 170 lbs.

FULLY LOADED



MODEL# WW520

STOCK# 56825001

"Just wanted to "thank you" for putting out the 520 MC cart. It's hard to imagine doing a job now without it. Our guys are fighting over it. (will have to order more.) Thank You!"

-Michael J. Kowai, General Foreman Madden Electric Associates

WIRE WAGON 510 XL CONDUIT & WIRE CART



MAXIS WIRE WAGON 510

BENEFITS

- Holds up to 14 2500' spools
- Holds several hundred feet of conduit as well as all the additional materials and tools needed for your entire work day
- Designed with a full 24" X 60" metal top shelf for storage and assembly

SPECS

- Height: 42 inches
- Width: 29 inches
- Length: 60 inches
- Weight: 176 lbs

FULLY LOADED



MODEL# WW510 STOCK# 56824801



WIRE WAGON 515 LARGE CONDUIT & WIRE CART

MAXIS WIRE WAGON 515

BENEFITS

- Holds up to 44 500' spools or a combination of 500' and 2500' spools
- Holds several hundred feet of conduit as well as all the additional materials and tools needed for your entire work day
- Designed with a full 24" X 50" metal top shelf for storage or assembly



Height: 39 inches

Width: 29 inches

Length: 50 inches

• Weight: 157 lbs

FULLY LOADED





MODEL# WW515

WIRE WAGON 530 LARGE SPOOL WIRE CART





- Holds spools up to 16" in diameter
- Storage for extra tools, spools and materials
- Easy to load and unload
- With a "T" handle and 4 casters for easy movement around the job site

SPECS

Height: 40 inches

Width: 29.5 inches

Length: 44 inches

• Weight: 125 lbs

FULLY LOADED



MODEL# WW530 STOCK# 56825101



WIRE WAGON 535 LARGE CAPACITY WIRE CART

MAXIS WIRE WAGON 535

BENEFITS

- Holds up to 20 500' spools or 6 2500' spools
- Will hold up to 9 boxes of data cable or 6-1000' spools
- Extra storage shelf for tools, spools, and materials
- Easy to load and unload, there are no axles or pins to remove
- Equipped with "T" handle and casters for easy movement around the jobsite

SPECS

Height: 40 inches

Width: 29.5 inches

Length: 44 inches

• Weight: 85 lbs

FULLY LOADED





MODEL# WW535

WIRE WAGON 538 SERVICE CART

MAXIS WIRE WAGON 538

BENEFITS

- Holds spools up to 12 500' spools of #12 THHN wire
- Constructed with 5/8" solid steel bar to support almost any combination of wire spools
- Easy movement around the jobsite
- Folds flat in seconds for minimal storage

SPECS

Height: 40 inches

Width: 26 inches

Length: 27 inches

• Weight: 20 lbs

FULLY LOADED









NOTES:	
	_
	_
	_
	_
	_
	_
	_









SOUTHWIRE MAXIS
4838 EAST BASELINE ROAD STE. 131 • MESA, ARIZONA 85206
1.888-266.2947

W W W . M A X I S - T D D L S . C D M



Southwire®

Southwire and Maxis are registered trademarks of Southwire Company.

Copyright © 2011 DuPont. All rights reserved. Delrin® is a registered trademark of E. I

du Pont de Nemours and Company of its affiliates for its brand of acetal resin.

© 2011 Milwaukee Electric Tool Corporation. All Rights Reserved. Milwaukee, Super Hawg, Hole Hawg are trademarks, service marks, trade names, copyrights or other property of Milwaukee Electric Tool Corporation's Intellectual Property'). All other unregistered and registered trademarks are the property of their respective owners.

© 2012 Southwire Company MAXIS PRODUCT CATALOG V3