Product data sheet Characteristics

QO312ML1RB QO LOADCENTRE 3 PHASE 12CCT MAIN LUGS

Product availability: Stock - Normally stocked in distribution facility





Main

IVIAIII	
Product or component type	Load Center
Range of product	QO
Load center type	Main lugs
Line Rated Current	125 A
Number of spaces	12
Number of circuits	12
Number of tandem circuit breakers	0
Phase	3 phases
System Voltage	120/240 V AC

Complementary

		g
AWG gauge	AWG 4AWG 2/0 (aluminium/copper)	
NEMA degree of protection	NEMA 3R outdoor	
Cover type	Surface cover	2. 5
Electrical connection	Lugs	
Device composition	Grounding bar (factory installed)	1
Electrical connection	Lugs	aubst.
Wiring configuration	4-wire	× × × × × × × × × × × × × × × × × × ×
Enclosure material	Welded galvannealed steel	
Box number	4RB	e e
Product certifications	UL listed	<u>S</u> .
	CSA	i i

Ordering and shipping details

Category	00158 - CANADIAN 3-PH LOAD CENTERS	Ë
Discount Schedule	DE3	

GTIN	00785901751069
Nbr. of units in pkg.	1
Package weight(Lbs)	21.76000000000002
Returnability	Υ
Country of origin	US

Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS (date code: YYWW)	Compliant - since 1248 - Schneider Electric declaration of conformity
	Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months